

# DIMORE

MASIERO




**DIMORE**

**MASIERO**

# Collections




**Cordea**  
64




**Crek**  
342



**Ebe**  
178




**Eva**  
374




**Honicé**  
278



**Horo**  
260



**Iglù**  
210




**Libe**  
330



**Luppiter**  
16




**Nappe**  
96




**Olà**  
298




**Palm**  
392




**Posy**  
190



**Ribbon**  
358



**Sound**  
154




**Tee**  
128




**Timeo**  
406



**Vegas**  
232



**Visio**  
40




**Vollee**  
422


# Suspension




Cordea  
64



Crek  
342




Eva  
374




Honicé  
278




Horo  
260



Iglù  
210




Libe  
330




Luppiter  
16




Nappe  
96




Olà  
298



Posy  
190



Ribbon  
358



Sound  
154




Tee  
128



Timeo  
406



Vegas  
232




Visio  
40



Vollee  
422

# Applique



**Crek**  
342



**Ebe**  
178



**Eva**  
374



**Honicé**  
278



**Horo**  
260



**Iglù**  
210




**Libe**  
330



**Luppiter**  
16



**Nappe**  
96



**Olà**  
298




**Palm**  
392



**Posy**  
190



**Ribbon**  
358



**Sound**  
154




**Tee**  
128



**Timeo**  
406



**Vegas**  
232




**Visio**  
40


# Ceiling




**Iglù**  
210



**Olà**  
298



**Sound**  
154



**Tee**  
128


# Table




**Cordea**  
64




**Crek**  
342



**Ebe**  
178



**Eva**  
374




**Honicé**  
278




**Horo**  
260




**Iglù**  
210




**Luppiter**  
16



**Olà**  
298



**Posy**  
190




**Ribbon**  
358



**Sound**  
154



**Tee**  
128



**Timeo**  
406



**Vegas**  
232



**Visio**  
40

# Floor



**Crek**  
342



**Ebe**  
178



**Eva**  
374



**Honicé**  
278



**Horo**  
260



**Iglù**  
210



**Luppiter**  
16



**Olà**  
298



**Posy**  
190



**Ribbon**  
358



**Sound**  
154



**Tee**  
128



**Timeo**  
406



**Vegas**  
232



**Visio**  
40



# Collections



# Luppiter

IT Come un gioiello prezioso sospeso tra raffinatezza e armonia, sintesi modulare di elementi geometrici realizzati in diversi materiali e finiture, Luppiter brilla negli spazi di ogni dimensione.

EN A modular synthesis of geometric elements of different materials and finishes, Luppiter shines out in spaces of all sizes like a precious jewel suspended amidst refinement and harmony.

LUPPITER S1 G 55

DESIGN BY  
MARCO ZITO

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP






LUPPITER S1 M 33  
COMPOSITION

LUPPITER S1 M 33  
LUPPITER TL 1 33  
LUPPITER STL 1 33





LUPPITER TL 1 11  
LUPPITER A1



LUPPITER S1 P 33





# Luppiter

Telaio in metallo verniciato con paralume in metallo e sfera disponibile in metallo o Alabastro. Illuminazione LED.

Painted metal frame with metal lampshade and sphere available in metal or Alabaster. LED lighting.

Gestell aus lackiertem Metall mit Lampenschirm aus Metall und Kugel aus Metall oder Alabaster. LED-Leuchtmittel.


Marco de metal pintado con pantalla de metal y esfera disponible en metal o alabastro. Iluminación LED.

Structure en métal avec abat-jour en métal et sphère disponible en métal ou en albâtre. Éclairage à LED.

КАРКАС ИЗ ОКРАШЕННОГО МЕТАЛЛА С МЕТАЛЛИЧЕСКИМ АБАЖУРОМ И СФЕРОЙ ИЗ МЕТАЛЛА ИЛИ АЛЕБАСТРА. СВЕТОДИОДНЫЙ СВЕТИЛЬНИК.

涂漆金属灯架，带金属灯罩，球体材质有金属或雪花石膏。LED 灯。

إطار معدني مطلي مع عاكس الضوء وكرة معدنية متوفرة بالمعدن أو المرمر. الإنارة ليد.




v90 Nero opaco Matt Black



g26 Oro puro spazzolato\* Brushed pure gold

\*INTERNAL SIDE V95




AL Alabastro Alabaster


DISCOVER MORE




LUPPITER S1 P 33		CE	RoHS
ø	33 cm / 13.00"		
H	31 cm / 12.20"		
STANDARD INTEGRATED LED LIGHTING			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	12,5 W CRI>90 3000 K – 1639 NOMINAL LM		
ON REQUEST			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	12,5 W CRI>90 2700 K – 1566 NOMINAL LM		
DIMMABLE			
1-10V + PUSH			




LUPPITER S1 M 33		CE	RoHS
ø	33 cm / 13.00"		
H	44 cm / 17.30"		
STANDARD INTEGRATED LED LIGHTING			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	12,5 W CRI>90 3000 K – 1639 NOMINAL LM		
ON REQUEST			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	12,5 W CRI>90 2700 K – 1566 NOMINAL LM		
DIMMABLE			
1-10V + PUSH			



LUPPITER S1 G 33		CE	RoHS
ø	33 cm / 13.00"		
H	59 cm / 23.20"		
STANDARD INTEGRATED LED LIGHTING			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	12,5 W CRI>90 3000 K – 1639 NOMINAL LM		
ON REQUEST			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	12,5 W CRI>90 2700 K – 1566 NOMINAL LM		
DIMMABLE			
1-10V + PUSH			




LUPPITER A1		CE	RoHS
W	11 cm / 4.30"		
D	12 cm / 4.70"		
H	42 cm / 16.50"		
STANDARD INTEGRATED LED LIGHTING			
8 W CRI>90 3000 K – 690 NOMINAL LM			
ON REQUEST			
8 W CRI>90 2700 K – 635 NOMINAL LM			
DIMMABLE			
TRIAC			




LUPPITER TL 111		CE	RoHS
ø	11 cm / 4.30"		
H	46 cm / 18.10"		
STANDARD INTEGRATED LED LIGHTING			
5 W CRI>90 3000 K – 526 NOMINAL LM			
ON REQUEST			
5 W CRI>90 2700 K – 515 NOMINAL LM			
DIMMABLE			
OWN BUTTON			




LUPPITER TL 133		CE	RoHS
ø	33 cm / 13.00"		
H	46 cm / 18.10"		
STANDARD INTEGRATED LED LIGHTING			
5 W CRI>90 3000 K – 526 NOMINAL LM			
ON REQUEST			
5 W CRI>90 2700 K – 515 NOMINAL LM			
DIMMABLE			
OWN BUTTON			




LUPPITER S1 P 55		CE	RoHS
ø	55 cm / 21.70"		
H	31 cm / 12.20"		
STANDARD INTEGRATED LED LIGHTING			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	12,5 W CRI>90 3000 K – 1639 NOMINAL LM		
ON REQUEST			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	12,5 W CRI>90 2700 K – 1566 NOMINAL LM		
DIMMABLE			
1-10V + PUSH			



LUPPITER S1 M 55		CE	RoHS
ø	55 cm / 21.70"		
H	44 cm / 17.30"		
STANDARD INTEGRATED LED LIGHTING			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	12,5 W CRI>90 3000 K – 1639 NOMINAL LM		
ON REQUEST			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	12,5 W CRI>90 2700 K – 1566 NOMINAL LM		
DIMMABLE			
1-10V + PUSH			



LUPPITER S1 G 55		CE	RoHS
ø	55 cm / 21.70"		
H	59 cm / 23.20"		
STANDARD INTEGRATED LED LIGHTING			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	12,5 W CRI>90 3000 K – 1639 NOMINAL LM		
ON REQUEST			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	12,5 W CRI>90 2700 K – 1566 NOMINAL LM		
DIMMABLE			
1-10V + PUSH			



LUPPITER STL 1 33		CE	RoHS
ø	33 cm / 13.00"		
H	140 cm / 55.10"		
STANDARD INTEGRATED LED LIGHTING			
12,5 W CRI>90 3000 K – 1639 NOMINAL LM			
ON REQUEST			
12,5 W CRI>90 2700 K – 1566 NOMINAL LM			
DIMMABLE			
OWN BUTTON			



LUPPITER STL 1 11		CE	RoHS
ø	11 cm / 4.30"		
H	140 cm / 55.10"		
STANDARD INTEGRATED LED LIGHTING			
12,5 W CRI>90 3000 K – 1639 NOMINAL LM			
ON REQUEST			
12,5 W CRI>90 2700 K – 1566 NOMINAL LM			
DIMMABLE			
OWN BUTTON			





**LUPPITER C3 RD 60** 

∅ 60 cm / 23.60"  
H MAX 185 cm / 72.80"

**STANDARD INTEGRATED LED LIGHTING**


40,8 W CRI>90  
3000 K – 5337 NOMINAL LM


**ON REQUEST**

40,8 W CRI>90  
2700 K – 5088 NOMINAL LM

**DIMMABLE**

1-10V + PUSH + DALI



**LUPPITER C5 RD 80** 

∅ 80 cm / 31.50"  
H MAX 185 cm / 72.80"

**STANDARD INTEGRATED LED LIGHTING**


68 W CRI>90  
3000 K – 8895 NOMINAL LM


**ON REQUEST**

68 W CRI>90  
2700 K – 8480 NOMINAL LM

**DIMMABLE**

0-10V



**LUPPITER C3 LN 125** 

w 125 cm / 49.20"  
d 33 cm / 13.00"  
H MAX 185 cm / 72.80"

**STANDARD INTEGRATED LED LIGHTING**


40,8 W CRI>90  
3000 K – 5337 NOMINAL LM


**ON REQUEST**

40,8 W CRI>90  
2700 K – 5088 NOMINAL LM

**DIMMABLE**

1-10V + PUSH + DALI



**LUPPITER C5 LN 175** 

w 175 cm / 68.90"  
d 33 cm / 13.00"  
H MAX 185 cm / 72.80"

**STANDARD INTEGRATED LED LIGHTING**


68 W CRI>90  
3000 K – 8895 NOMINAL LM

**ON REQUEST**

68 W CRI>90  
2700 K – 8480 NOMINAL LM

**DIMMABLE**

0-10V



## SINGLE CANOPIES


### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	8,5 cm / 3.30"	● V90	LUPPITER S1 P 33
H	11,5 cm / 4.50"		LUPPITER S1 M 33
			LUPPITER S1 G 33
			LUPPITER S1 P 55
			LUPPITER S1 M 55
			LUPPITER S1 G 55


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	● V91	LUPPITER C3 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	● V91	LUPPITER C5 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V91	LUPPITER C3 RD 60
H	4 cm / 1.60"		

### ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V91	LUPPITERC5 RD 80
H	4 cm / 1.60"		

# Luppiter

Painted metal frame with metal lampshade and sphere available in metal or Alabaster. LED lighting.



V90 Matt Black




G26 Brushed pure gold\*

\*INTERNAL SIDE V95




AL Alabaster


LUPPITER S1 P 33		CE	UL
Ø	33 cm / 13.00"		
H	31 cm / 12.20"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM		
<b>ON REQUEST</b>			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM		
<b>DIMMABLE</b>			
TRIAC			




LUPPITER S1 M 33		CE	UL
Ø	33 cm / 13.00"		
H	44 cm / 17.30"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM		
<b>ON REQUEST</b>			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM		
<b>DIMMABLE</b>			
TRIAC			




LUPPITER S1 G 33		CE	UL
Ø	33 cm / 13.00"		
H	59 cm / 23.20"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM		
<b>ON REQUEST</b>			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM		
<b>DIMMABLE</b>			
TRIAC			




LUPPITER S1 P 55		CE	UL
Ø	55 cm / 21.70"		
H	31 cm / 12.20"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM		
<b>ON REQUEST</b>			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM		
<b>DIMMABLE</b>			
TRIAC			




LUPPITER S1 M 55		CE	UL
Ø	55 cm / 21.70"		
H	44 cm / 17.30"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM		
<b>ON REQUEST</b>			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM		
<b>DIMMABLE</b>			
TRIAC			



LUPPITER S1 G 55		CE	UL
Ø	55 cm / 21.70"		
H	59 cm / 23.20"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM		
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM		
<b>ON REQUEST</b>			
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM		
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM		
<b>DIMMABLE</b>			
TRIAC			




LUPPITER A1		CE	UL
W	11 cm / 4.30"		
D	12 cm / 4.70"		
H	42 cm / 16.50"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
8 W CRI>90 3000 K – 684 NOMINAL LM			
<b>ON REQUEST</b>			
8 W CRI>90 2700 K – 636 NOMINAL LM			
<b>DIMMABLE</b>			
TRIAC			



LUPPITER TL 111		CE	UL
Ø	11 cm / 4.30"		
H	46 cm / 18.10"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
5 W CRI>90 3000 K – 526 NOMINAL LM			
<b>ON REQUEST</b>			
5 W CRI>90 2700 K – 515 NOMINAL LM			
<b>DIMMABLE</b>			
NO			



LUPPITER TL 133		CE	UL
Ø	33 cm / 13.00"		
H	46 cm / 18.10"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
5 W CRI>90 3000 K – 526 NOMINAL LM			
<b>ON REQUEST</b>			
5 W CRI>90 2700 K – 515 NOMINAL LM			
<b>DIMMABLE</b>			
NO			



LUPPITER STL 133		CE	UL
Ø	33 cm / 13.00"		
H	140 cm / 55.10"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
12,5 W CRI>90 3000 K – 1639 NOMINAL LM			
<b>ON REQUEST</b>			
12,5 W CRI>90 2700 K – 1566 NOMINAL LM			
<b>DIMMABLE</b>			
NO			




LUPPITER STL 111		CE	UL
Ø	11 cm / 4.30"		
H	140 cm / 55.10"		
<b>STANDARD INTEGRATED LED LIGHTING</b>			
12,5 W CRI>90 3000 K – 1639 NOMINAL LM			
<b>ON REQUEST</b>			
12,5 W CRI>90 2700 K – 1566 NOMINAL LM			
<b>DIMMABLE</b>			
NO			



DISCOVER MORE



**LUPPITER C3 RD 60** 

∅ 60 cm / 23.60"  
H MAX 185 cm / 72.80"

**STANDARD INTEGRATED LED LIGHTING**


40,8 W CRI>90  
3000 K – 5337 NOMINAL LM


**ON REQUEST**

40,8 W CRI>90  
2700 K – 5088 NOMINAL LM

**DIMMABLE**

1-10V



**LUPPITER C5 RD 80** 

∅ 80 cm / 31.50"  
H MAX 185 cm / 72.80"

**STANDARD INTEGRATED LED LIGHTING**


68 W CRI>90  
3000 K – 8895 NOMINAL LM


**ON REQUEST**

68 W CRI>90  
2700 K – 8480 NOMINAL LM

**DIMMABLE**

0-10V



**LUPPITER C3 LN 125** 

W 125 cm / 49.20"  
D 33 cm / 13.00"  
H MAX 185 cm / 72.80"

**STANDARD INTEGRATED LED LIGHTING**


40,8 W CRI>90  
3000 K – 5337 NOMINAL LM


**ON REQUEST**

40,8 W CRI>90  
2700 K – 5088 NOMINAL LM

**DIMMABLE**

1-10V



**LUPPITER C5 LN 175** 

W 175 cm / 68.90"  
D 33 cm / 13.00"  
H MAX 185 cm / 72.80"

**STANDARD INTEGRATED LED LIGHTING**


68 W CRI>90  
3000 K – 8895 NOMINAL LM

**ON REQUEST**

68 W CRI>90  
2700 K – 8480 NOMINAL LM


**DIMMABLE**

0-10V



## SINGLE CANOPIES


### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	● V90	LUPPITER S1 P 33
H	11,7 cm / 4.60"		LUPPITER S1 M 33
			LUPPITER S1 G 33
			LUPPITER S1 P 55
			LUPPITER S1 M 55
			LUPPITER S1 G 55


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	● V91	LUPPITER C3 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	● V91	LUPPITER C5 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V91	LUPPITER C3 RD 60
H	4 cm / 1.60"		

### ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V91	LUPPITERC5 RD 80
H	4 cm / 1.60"		

# Visio

IT Un echeggiare di richiami al mondo surrealista, strati di significato da scoprire a uno a uno nelle tante diverse configurazioni possibili delle geometrie facciali di Visio, un inno all'apparato iconografico e all'espressività del volto. Un vocabolario estetico, quello di Visio, in cui l'unione di misticismo e geometria creano variazioni imprevedibili sul tema dell'immaginazione.

EN An echo of allusions to the Surrealist world, layers of meaning to be discovered one by one in the many different possible configurations of Visio's facial geometries, an homage to the iconographic apparatus and expressiveness of the face. An aesthetic vocabulary, one of Visio, where the union of mysticism and geometry creates unpredictable variations on the theme of imagination.



"As Awarded by The Chicago Athenaeum: Museum of Architecture and Design"

DESIGN BY  
NAVA + AROSIO

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

VISIO S  
COMPOSITION













VISIO S M2  
COMPOSITION



VISIO TL M1



# Visio

Struttura in metallo verniciato.  
Diffusore in vetro triplex di Murano  
bianco opalino. Illuminazione a Led.

Painted metal structure. Opal white  
Murano triplex glass diffuser. LED  
lighting.

Gestell aus lackiertem Metall.  
Schirm aus weissem Triplex-  
Opalglas aus Murano. LED-  
Leuchtmittel.

Estructura en metal pintado.  
Difusor de vidrio triplex de Murano  
blanco opalino. Iluminación led.

Structure en métal laqué. Diffuseur  
en verre triplex de Murano opale  
blanc. Éclairage LED.

Каркас из окрашенного металла.  
Плафоны из белого опалового  
муранского стекла триплекс.  
Светодиодное освещение.

涂色金属灯体结构。蛋白石白色穆拉  
诺三层玻璃灯罩。Led照明。

هيكل معدني مطلي. ناشر ضوء من زجاج ثلاثي  
أبيض مورانو أوبال. إضاءة ليد.



v87 Cioccolato Fondente  
Foundant Chocolate




Vetro triplex di Murano  
Triplex Murano glass


DISCOVER MORE




VISIO S FULL	
W	182 cm / 71.70"
D	12 cm / 4.70"
H	99 cm / 39.00"
STANDARD INTEGRATED LED LIGHTING	
	32,6 W CRI>90 3000 K – 3673 NOMINAL LM
ON REQUEST	
	32,6 W CRI>90 2700 K – 3489 NOMINAL LM
DIMMABLE	
	1-10V + PUSH




VISIO S 1/2	
W	117 cm / 46.10"
D	12 cm / 4.70"
H	99 cm / 39.00"
STANDARD INTEGRATED LED LIGHTING	
	21,6 W CRI>90 3000 K – 2383 NOMINAL LM
ON REQUEST	
	21,6 W CRI>90 2700 K – 2263 NOMINAL LM
DIMMABLE	
	1-10V + PUSH




VISIO S M1	
W	48 cm / 18.90"
D	12 cm / 4.70"
H	27 cm / 10.60"
STANDARD INTEGRATED LED LIGHTING	
	5,5 W CRI>90 3000 K – 645 NOMINAL LM
ON REQUEST	
	5,5 W CRI>90 2700 K – 612 NOMINAL LM
DIMMABLE	
	NO




VISIO A M2 SX	
W	22 cm / 8.70"
D	16 cm / 6.30"
H	61 cm / 24.00"
STANDARD INTEGRATED LED LIGHTING	
	5,5 W CRI>90 3000 K – 645 NOMINAL LM
ON REQUEST	
	5,5 W CRI>90 2700 K – 612 NOMINAL LM
DIMMABLE	
	NO




VISIO A M2 DX	
W	22 cm / 8.70"
D	16 cm / 6.30"
H	61 cm / 24.00"
STANDARD INTEGRATED LED LIGHTING	
	5,5 W CRI>90 3000 K – 645 NOMINAL LM
ON REQUEST	
	5,5 W CRI>90 2700 K – 612 NOMINAL LM
DIMMABLE	
	NO




VISIO A M3	
W	37.5 cm / 14.80"
D	12 cm / 4.70"
H	43 cm / 16.90"
STANDARD INTEGRATED LED LIGHTING	
	4,6 W CRI>90 3000 K – 478 NOMINAL LM
ON REQUEST	
	4,6 W CRI>90 2700 K – 454 NOMINAL LM
DIMMABLE	
	NO




VISIO A M4	
W	52 cm / 20.50"
D	12 cm / 4.70"
H	24 cm / 9.40"
STANDARD INTEGRATED LED LIGHTING	
	6 W CRI>90 3000 K – 615 NOMINAL LM
ON REQUEST	
	6 W CRI>90 2700 K – 584 NOMINAL LM
DIMMABLE	
	NO




VISIO S M2	
W	28 cm / 11.00"
D	10 cm / 3.90"
H	61 cm / 24.00"
STANDARD INTEGRATED LED LIGHTING	
	5,5 W CRI>90 3000 K – 645 NOMINAL LM
ON REQUEST	
	5,5 W CRI>90 2700 K – 612 NOMINAL LM
DIMMABLE	
	NO




VISIO S M4	
W	52 cm / 20.50"
D	5 cm / 2.00"
H	18 cm / 7.10"
STANDARD INTEGRATED LED LIGHTING	
	6 W CRI>90 3000 K – 615 NOMINAL LM
ON REQUEST	
	6 W CRI>90 2700 K – 584 NOMINAL LM
DIMMABLE	
	NO



VISIO A FULL	
W	182 cm / 71.70"
D	17 cm / 6.70"
H	99 cm / 39.00"
STANDARD INTEGRATED LED LIGHTING	
	32,6 W CRI>90 3000 K – 3673 NOMINAL LM
ON REQUEST	
	32,6 W CRI>90 2700 K – 3489 NOMINAL LM
DIMMABLE	
	NO




VISIO TL M1	
W	48 cm / 18.90"
D	25.5 cm / 10.00"
H	70 cm / 27.60"
STANDARD INTEGRATED LED LIGHTING	
	5,5 W CRI>90 3000 K – 645 NOMINAL LM
ON REQUEST	
	5,5 W CRI>90 2700 K – 612 NOMINAL LM
DIMMABLE	
	OWN BUTTON




VISIO TL M4	
W	52 cm / 20.50"
D	25.5 cm / 10.00"
H	60 cm / 23.60"
STANDARD INTEGRATED LED LIGHTING	
	5,3 W CRI>90 3000 K – 546,6 NOMINAL LM
ON REQUEST	
	5,3 W CRI>90 2700 K – 519 NOMINAL LM
DIMMABLE	
	OWN BUTTON




VISIO STL M1	
W	48 cm / 18.90"
D	32 cm / 12.60"
H	166.5 cm / 65.60"
STANDARD INTEGRATED LED LIGHTING	
	5,5 W CRI>90 3000 K – 645 NOMINAL LM
ON REQUEST	
	5,5 W CRI>90 2700 K – 612 NOMINAL LM
DIMMABLE	
	OWN BUTTON




VISIO STL M2	
ø	32 cm / 12.60"
H	166 cm / 65.40"
STANDARD INTEGRATED LED LIGHTING	
	5,5 W CRI>90 3000 K – 645 NOMINAL LM
ON REQUEST	
	5,5 W CRI>90 2700 K – 612 NOMINAL LM
DIMMABLE	
	OWN BUTTON




VISIO A SX	
W	117 cm / 46.10"
D	17 cm / 6.70"
H	99 cm / 39.00"
STANDARD INTEGRATED LED LIGHTING	
	21,6 W CRI>90 3000 K – 2383 NOMINAL LM
ON REQUEST	
	21,6 W CRI>90 2700 K – 2263 NOMINAL LM
DIMMABLE	
	NO




VISIO A DX	
W	117 cm / 46.10"
D	17 cm / 6.70"
H	99 cm / 39.00"
STANDARD INTEGRATED LED LIGHTING	
	21,6 W CRI>90 3000 K – 2383 NOMINAL LM
ON REQUEST	
	21,6 W CRI>90 2700 K – 2263 NOMINAL LM
DIMMABLE	
	NO




VISIO A M1	
W	48 cm / 18.90"
D	17 cm / 6.70"
H	27 cm / 10.60"
STANDARD INTEGRATED LED LIGHTING	
	5,5 W CRI>90 3000 K – 645 NOMINAL LM
ON REQUEST	
	5,5 W CRI>90 2700 K – 612 NOMINAL LM
DIMMABLE	
	NO




VISIO STL M3	
ø	32 cm / 12.60"
H	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
	4 W CRI>90 3000 K – 410 NOMINAL LM
ON REQUEST	
	4 W CRI>90 2700 K – 389 NOMINAL LM
DIMMABLE	
	OWN BUTTON



VISIO STL M4	
W	52 cm / 20.50"
D	32 cm / 12.60"
H	129 cm / 50.80"
STANDARD INTEGRATED LED LIGHTING	
	5,3 W CRI>90 3000 K – 546,6 NOMINAL LM
ON REQUEST	
	5,3 W CRI>90 2700 K – 519 NOMINAL LM
DIMMABLE	
	OWN BUTTON



VISIO C3 M1 RD 60 

∅ 60 cm / 23.60"  
H MAX 150 cm / 59.10"

STANDARD INTEGRATED LED LIGHTING


16,5 W CRI>90  
3000 K – 1935 NOMINAL LM


ON REQUEST

16,5 W CRI>90  
2700 K – 1838 NOMINAL LM

DIMMABLE

1-10V + PUSH



VISIO C3 M2 RD 40 

∅ 40 cm / 15.70"  
H MAX 150 cm / 59.10"

STANDARD INTEGRATED LED LIGHTING


16,5 W CRI>90  
3000 K – 1935 NOMINAL LM


ON REQUEST

16,5 W CRI>90  
2700 K – 1838 NOMINAL LM

DIMMABLE

1-10V + PUSH



VISIO C5 RD 80 

∅ 80 cm / 31.50"  
H MAX 150 cm / 59.10"

STANDARD INTEGRATED LED LIGHTING


27,5 W CRI>90  
3000 K – 3225 NOMINAL LM

ON REQUEST

27,5 W CRI>90  
2700 K – 3063 NOMINAL LM


DIMMABLE

1-10V + PUSH




## SINGLE CANOPIES

### SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
W 28 cm / 11.00"	● V87	VISIO S M2
D 5 cm / 2.00"		VISIO S M4
H 4 cm / 1.60"		

### SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
W 45 cm / 17.70"	● V87	VISIO S M1
D 5 cm / 2.00"		
H 4 cm / 1.60"		

### SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
W 100 cm / 39.40"	● V87	VISIO S 1/2
D 5 cm / 2.00"		
H 4 cm / 1.60"		


### SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
W 180 cm / 70.90"	● V87	VISIO S FULL
D 5 cm / 2.00"		
H 4 cm / 1.60"		


## MULTIPLE CANOPIES

### ROUND CANOPY RD 40




SIZE	FINISHINGS	PRODUCT NAME
Ø 40 cm / 15.70"	● V91	VISIO C3 M2 RD 40
H 4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	● V91	VISIO C3 M1 RD 60
H 4 cm / 1.60"		


### ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	● V91	VISIO C5 RD 80
H 4 cm / 1.60"		

# Visio

Painted metal structure. Opal white  
Murano triplex glass diffuser.  
LED lighting.



v87 Foundant Chocolate



Triplex Murano glass

## VISIO S FULL

W 182 cm / 71.70"  
D 12 cm / 4.70"  
H 99 cm / 39.00"

### STANDARD INTEGRATED LED LIGHTING


32,6 W CRI>90  
3000 K - 3673 NOMINAL LM

### ON REQUEST

32,6 W CRI>90  
2700 K - 3489 NOMINAL LM

### DIMMABLE

0-10V



## VISIO S 1/2

W 117 cm / 46.10"  
D 12 cm / 4.70"  
H 99 cm / 39.00"

### STANDARD INTEGRATED LED LIGHTING


21,6 W CRI>90  
3000 K - 2383 NOMINAL LM

### ON REQUEST

21,6 W CRI>90  
2700 K - 2263 NOMINAL LM

### DIMMABLE

0-10V



## VISIO S M1

W 48 cm / 18.90"  
D 12 cm / 4.70"  
H 27 cm / 10.60"

### STANDARD INTEGRATED LED LIGHTING


5,5 W CRI>90  
3000 K - 645 NOMINAL LM

### ON REQUEST

5,5 W CRI>90  
2700 K - 612 NOMINAL LM

### DIMMABLE

TRIAC



## VISIO A M2 SX

W 22 cm / 8.70"  
D 16 cm / 6.30"  
H 63 cm / 24.80"

### STANDARD INTEGRATED LED LIGHTING


5,5 W CRI>90  
3000 K - 645 NOMINAL LM

### ON REQUEST

5,5 W CRI>90  
2700 K - 612 NOMINAL LM

### DIMMABLE

NO



## VISIO A M2 DX

W 22 cm / 8.70"  
D 16 cm / 6.30"  
H 63 cm / 24.80"

### STANDARD INTEGRATED LED LIGHTING


5,5 W CRI>90  
3000 K - 645 NOMINAL LM

### ON REQUEST

5,5 W CRI>90  
2700 K - 612 NOMINAL LM

### DIMMABLE

NO



## VISIO A M3

W 37.5 cm / 14.80"  
D 12 cm / 4.70"  
H 43 cm / 16.90"

### STANDARD INTEGRATED LED LIGHTING


4,6 W CRI>90  
3000 K - 478 NOMINAL LM

### ON REQUEST

4,6 W CRI>90  
2700 K - 454 NOMINAL LM

### DIMMABLE

NO



## VISIO A M4

W 56 cm / 22.00"  
D 12 cm / 4.70"  
H 30 cm / 11.80"

### STANDARD INTEGRATED LED LIGHTING


6 W CRI>90  
3000 K - 615 NOMINAL LM

### ON REQUEST

6 W CRI>90  
2700 K - 584 NOMINAL LM

### DIMMABLE

NO



## VISIO S M2

W 28 cm / 11.00"  
D 10 cm / 3.90"  
H 61 cm / 24.00"

### STANDARD INTEGRATED LED LIGHTING


5,5 W CRI>90  
3000 K - 645 NOMINAL LM

### ON REQUEST

5,5 W CRI>90  
2700 K - 612 NOMINAL LM

### DIMMABLE

TRIAC



## VISIO S M4

W 52 cm / 20.50"  
D 5 cm / 2.00"  
H 18 cm / 7.10"

### STANDARD INTEGRATED LED LIGHTING


6 W CRI>90  
3000 K - 615 NOMINAL LM

### ON REQUEST

6 W CRI>90  
2700 K - 584 NOMINAL LM

### DIMMABLE

NO



## VISIO A FULL

W 182 cm / 71.70"  
D 17 cm / 6.70"  
H 99 cm / 39.00"

### STANDARD INTEGRATED LED LIGHTING


32,6 W CRI>90  
3000 K - 3673 NOMINAL LM

### ON REQUEST

32,6 W CRI>90  
2700 K - 3489 NOMINAL LM

### DIMMABLE

NO



## VISIO TL M1

W 48 cm / 18.90"  
D 25.5 cm / 10.00"  
H 70 cm / 27.60"

### STANDARD INTEGRATED LED LIGHTING


5,5 W CRI>90  
3000 K - 645 NOMINAL LM

### ON REQUEST

5,5 W CRI>90  
2700 K - 612 NOMINAL LM

### DIMMABLE

NO



## VISIO TL M4

W 52 cm / 20.50"  
D 25.5 cm / 10.00"  
H 60 cm / 23.60"

### STANDARD INTEGRATED LED LIGHTING


5,3 W CRI>90  
3000 K - 546 NOMINAL LM

### ON REQUEST

5,3 W CRI>90  
2700 K - 519 NOMINAL LM

### DIMMABLE

NO



## VISIO STL M1

W 48 cm / 18.90"  
D 32 cm / 12.60"  
H 166.5 cm / 65.60"

### STANDARD INTEGRATED LED LIGHTING


5,5 W CRI>90  
3000 K - 645 NOMINAL LM

### ON REQUEST

5,5 W CRI>90  
2700 K - 612 NOMINAL LM

### DIMMABLE

NO



## VISIO STL M2

W 32 cm / 12.60"  
D 166 cm / 65.40"

### STANDARD INTEGRATED LED LIGHTING


5,5 W CRI>90  
3000 K - 645 NOMINAL LM

### ON REQUEST

5,5 W CRI>90  
2700 K - 612 NOMINAL LM

### DIMMABLE

NO



## VISIO A SX

W 120 cm / 47.20"  
D 17 cm / 6.70"  
H 99 cm / 39.00"

### STANDARD INTEGRATED LED LIGHTING


21,6 W CRI>90  
3000 K - 2383 NOMINAL LM

### ON REQUEST

21,6 W CRI>90  
2700 K - 2263 NOMINAL LM

### DIMMABLE

NO



## VISIO A DX

W 120 cm / 47.20"  
D 17 cm / 6.70"  
H 99 cm / 39.00"

### STANDARD INTEGRATED LED LIGHTING


21,6 W CRI>90  
3000 K - 2383 NOMINAL LM

### ON REQUEST

21,6 W CRI>90  
2700 K - 2263 NOMINAL LM

### DIMMABLE

NO



## VISIO A M1

W 48 cm / 18.90"  
D 17 cm / 6.70"  
H 27 cm / 10.60"

### STANDARD INTEGRATED LED LIGHTING


5,5 W CRI>90  
3000 K - 645 NOMINAL LM

### ON REQUEST

5,5 W CRI>90  
2700 K - 612 NOMINAL LM

### DIMMABLE

NO



## VISIO STL M3

W 32 cm / 12.60"  
D 155 cm / 61.00"

### STANDARD INTEGRATED LED LIGHTING


4 W CRI>90  
3000 K - 410 NOMINAL LM

### ON REQUEST

4 W CRI>90  
2700 K - 389 NOMINAL LM

### DIMMABLE

NO



## VISIO STL M4

W 52 cm / 20.50"  
D 32 cm / 12.60"  
H 129 cm / 50.80"

### STANDARD INTEGRATED LED LIGHTING


5,3 W CRI>90  
3000 K - 546,6 NOMINAL LM

### ON REQUEST

5,3 W CRI>90  
2700 K - 519 NOMINAL LM


### DIMMABLE

NO



DISCOVER MORE



**VISIO C3 M1 RD 60** 

∅ 60 cm / 23.60"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


16,5 W CRI>90  
3000 K – 1935 NOMINAL LM


**ON REQUEST**

16,5 W CRI>90  
2700 K – 1838 NOMINAL LM

**DIMMABLE**

0-10V



**VISIO C3 M2 RD 40** 

∅ 40 cm / 15.70"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


16,5 W CRI>90  
3000 K – 1935 NOMINAL LM

**ON REQUEST**

16,5 W CRI>90  
2700 K – 1838 NOMINAL LM

**DIMMABLE**

0-10V



**VISIO C5 RD 80** 

∅ 80 cm / 31.50"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


27,5 W CRI>90  
3000 K – 3225 NOMINAL LM

**ON REQUEST**

27,5 W CRI>90  
2700 K – 3063 NOMINAL LM

**DIMMABLE**


0-10V






**SINGLE CANOPIES**

**SINGLE CANOPY**




SIZE	FINISHINGS	PRODUCT NAME
W 28 cm / 11.00"	● V87	VISIO S M2
D 12 cm / 4.70"		VISIO S M4
H 4 cm / 1.60"		

**SINGLE CANOPY**




SIZE	FINISHINGS	PRODUCT NAME
W 45 cm / 17.70"	● V87	VISIO S M1
D 12 cm / 4.70"		
H 4 cm / 1.60"		

**SINGLE CANOPY**



SIZE	FINISHINGS	PRODUCT NAME
W 100 cm / 39.40"	● V87	VISIO S 1/2
D 12 cm / 4.70"		
H 4 cm / 1.60"		


**SINGLE CANOPY**



SIZE	FINISHINGS	PRODUCT NAME
W 180 cm / 70.90"	● V87	VISIO S FULL
D 12 cm / 4.70"		
H 4 cm / 1.60"		


**MULTIPLE CANOPIES**

**ROUND CANOPY RD 40**




SIZE	FINISHINGS	PRODUCT NAME
ø 40 cm / 15.70"	● V91	VISIO C3 M2 RD 40
H 4 cm / 1.60"		

**ROUND CANOPY RD 60**



SIZE	FINISHINGS	PRODUCT NAME
ø 60 cm / 23.60"	● V91	VISIO C3 M1 RD 60
H 4 cm / 1.60"		

**ROUND CANOPY RD 80**



SIZE	FINISHINGS	PRODUCT NAME
ø 80 cm / 31.50"	● V91	VISIO C5 RD 80
H 4 cm / 1.60"		

# Cordea

IT Cordea nasce dal desiderio di reinterpretare la classica lampada industriale a testa lamellare in alluminio, in chiave contemporanea sotto il punto di vista estetico e materico. Il telaio in metallo sapientemente forgiato è caratterizzato da un cinturino in cuoio a contrasto.

EN Cordea was born out of the desire to reinterpret the classic industrial lamp with an aluminium lamellar head in a contemporary way, from an aesthetic and material perspective. The expertly forged metal frame features a contrasting leather strap.



"As Awarded by The Chicago Athenaeum: Museum of Architecture and Design"

CORDEA S P  
COMPOSITION

DESIGN BY  
FAVARETTO/PARTNERS

SUSPENSION  
TABLE LAMP







CORDEA S  
COMPOSITION





CORDEA S P  
COMPOSITION














# Cordea

Struttura in metallo galvanizzato decorata con cinturino in cuoio. Diffusore in vetro satinato bianco. Illuminazione a Led.

Galvanised metal structure decorated with a leather strap. White frosted glass diffuser. LED lighting.

Gestell aus galvanisch beschichtetem Metall verziert mit einem Lederband. Schirm aus weissem satiniertem Glas. LED-Leuchtmittel.

Estructura de metal galvanizado decorada con correa de cuero. Difusor de vidrio satinado blanco. Iluminación Led.

Structure en métal galvanisé décorée d'un bracelet en caoutchouc. Diffuseur en verre satiné blanc. Éclairage LED.

КАРКАС ИЗ ОЦИНКОВАННОГО МЕТАЛЛА, ДЕКОР - КОЛЬЦО ИЗ КОЖИ. ПЛАФОН ИЗ БЕЛОГО САТИНИРОВАННОГО СТЕКЛА. СВЕТОДИОДНОЕ ОСВЕЩЕНИЕ.

饰有皮革条带的镀锌金属灯体结构。白色磨砂玻璃灯罩。Led照明。

هيكل معدني مجلفن مزين بحزام جلدي صغير. ناشر ضوء من الزجاج المصقول الأبيض. إضاءة ليد.

## BAND FINISHING



G22 Oro Pure gold



BL1 Black leather



G23 Nickel scuro Dark nickel



BL2 Brown leather



G24 Oro rosa Rose gold



BL3 Red leather



G26 Oro puro spazzolato Brushed pure gold



G27 Nickel scuro spazzolato Brushed dark nickel



G28 Oro rosa spazzolato Brushed rose gold


DISCOVER MORE



## CORDEA S S

ø 14 cm / 5.50"  
H 11 cm / 4.30"

STANDARD INTEGRATED LED LIGHTING
5,4W - CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4W - CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



## CORDEA S P

ø 22 cm / 8.70"  
H 19 cm / 7.50"


STANDARD INTEGRATED LED LIGHTING
10 W CRI>90 3000 K - 1510 NOMINAL LM
ON REQUEST
10 W CRI>90 2700 K - 1270 NOMINAL LM
DIMMABLE
NO



## CORDEA S G

ø 36 cm / 14.20"  
H 16 cm / 6.30"


STANDARD INTEGRATED LED LIGHTING
10 W CRI>90 3000 K - 1510 NOMINAL LM
ON REQUEST
10 W CRI>90 2700 K - 1270 NOMINAL LM
DIMMABLE
NO



## CORDEA TL S

W 14 cm / 5.50"  
D 15 cm / 5.90"  
H 37 cm / 14.60"

STANDARD INTEGRATED LED LIGHTING
4,9 W CRI>90 3000 K - 480 NOMINAL LM
ON REQUEST
4,9 W CRI>90 2700 K - 430 NOMINAL LM
DIMMABLE
NO



## CORDEA C3 RD 40

ø 50 cm / 19.70"  
H MAX 170 cm / 66.90"

STANDARD INTEGRATED LED LIGHTING
30 W CRI>90 3000 K - 4530 NOMINAL LM
ON REQUEST
30 W CRI>90 2700 K - 3810 NOMINAL LM
DIMMABLE
1-10V + PUSH



## CORDEA C3 RD 60

ø 60 cm / 23.60"  
H MAX 170 cm / 66.90"


STANDARD INTEGRATED LED LIGHTING
30 W CRI>90 3000 K - 4530 NOMINAL LM
ON REQUEST
30 W CRI>90 2700 K - 3810 NOMINAL LM
DIMMABLE
1-10V + PUSH



## CORDEA C5 RD 80

ø 80 cm / 31.50"  
H MAX 170 cm / 66.90"


STANDARD INTEGRATED LED LIGHTING
50 W CRI>90 3000 K - 7550 NOMINAL LM
ON REQUEST
50 W CRI>90 2700 K - 6350 NOMINAL LM
DIMMABLE
1-10V + PUSH + DALI



## CORDEA C3 LN 75

W 75 cm / 29.50"  
D 22 cm / 8.70"  
H MAX 170 cm / 66.90"


STANDARD INTEGRATED LED LIGHTING
30 W CRI>90 3000 K - 4530 NOMINAL LM
ON REQUEST
30 W CRI>90 2700 K - 3810 NOMINAL LM
DIMMABLE
1-10V + PUSH



## CORDEA C3 LN 125

W 125 cm / 49.20"  
D 22 cm / 8.70"  
H MAX 170 cm / 66.90"


STANDARD INTEGRATED LED LIGHTING
30 W CRI>90 3000 K - 4530 NOMINAL LM
ON REQUEST
30 W CRI>90 2700 K - 3810 NOMINAL LM
DIMMABLE
1-10V + PUSH



## CORDEA C5 LN 175


W 175 cm / 68.90"  
D 22 cm / 8.70"  
H MAX 170 cm / 66.90"

STANDARD INTEGRATED LED LIGHTING
50 W CRI>90 3000 K - 7550 NOMINAL LM
ON REQUEST
50 W CRI>90 2700 K - 6350 NOMINAL LM
DIMMABLE
1-10V + PUSH + DALI




## SINGLE CANOPIES

### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	● V91	CORDEA S P
H	4 cm / 1.60"		CORDEA S G


### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	10 cm / 3.90"	● V91	CORDEA S S
H	3,5 cm / 1.40"		


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	● V91	CORDEA C3 LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	● V91	CORDEA C3 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	● V91	CORDEA C5 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 40




SIZE		FINISHINGS	PRODUCT NAME
Ø	40 cm / 15.70"	● V91	CORDEA C3 RD 40
H	4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V91	CORDEA C3 RD 60
H	4 cm / 1.60"		













### ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V91	CORDEA C5 RD 80
H	4 cm / 1.60"		

CORDEA COLOR SUGGESTIONS













Finishings

BAND	FRAME*			
BL1 Black leather		G22 Oro Pure gold	G23 Nickel scuro Dark nickel	G24 Oro rosa Rose gold
				
BL2 Brown leather		G22 Oro Pure gold	G23 Nickel scuro Dark nickel	G24 Oro rosa Rose gold
				
BL3 Red leather		G22 Oro Pure gold	G23 Nickel scuro Dark nickel	G24 Oro rosa Rose gold
				

\* Internal side V10 Beige

CORDEA COLOR SUGGESTIONS

Finishings

BAND	FRAME*			
BL1 Black leather		G26 Oro puro spazzolato Brushed pure gold	G27 Nickel scuro spazzolato Brushed dark nickel	G28 Oro rosa spazzolato Brushed rose gold
				
BL2 Brown leather		G26 Oro spazzolato Brushed pure gold	G27 Nickel scuro spazzolato Brushed dark nickel	G28 Oro rosa spazzolato Brushed rose gold
				
BL3 Red leather		G26 Oro spazzolato Brushed pure gold	G27 Nickel scuro spazzolato Brushed dark nickel	G28 Oro rosa spazzolato Brushed rose gold
				

\* Internal side V10 Beige

# Cordea

Galvanised metal structure decorated with a leather strap. White frosted glass diffuser. LED lighting.

## BAND FINISHING

- 

G22 Pure gold



BL1 Black leather
- 

G23 Dark nickel



BL2 Brown leather
- 

G24 Rose gold




BL3 Red leather
- 

G26 Brushed pure gold
- 


G27 Brushed dark nickel
- 

G28 Brushed rose gold


CORDEA S S		CE 
ø	14 cm / 5.50"	
H	11 cm / 4.30"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	5,4 W - CRI>90	
	3000 K - 688 NOMINAL LM	
<b>ON REQUEST</b>		
	5,4 W - CRI>90	
	2700 K - 653 NOMINAL LM	
<b>DIMMABLE</b>		
	TRIAC	




CORDEA S P		CE 
ø	22 cm / 8.70"	
H	19 cm / 7.50"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	8,4 W CRI>90	
	3000 K - 1250 NOMINAL LM	
<b>ON REQUEST</b>		
	8,4 W CRI>90	
	2700 K - 1050 NOMINAL LM	
<b>DIMMABLE</b>		
	TRIAC	




CORDEA S G		CE 
ø	36 cm / 14.20"	
H	16 cm / 6.30"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	8,4 W CRI>90	
	3000 K - 1250 NOMINAL LM	
<b>ON REQUEST</b>		
	8,4 W CRI>90	
	2700 K - 1050 NOMINAL LM	
<b>DIMMABLE</b>		
	TRIAC	




CORDEA T L S		CE
W	14 cm / 5.50"	
D	15 cm / 5.90"	
H	37 cm / 14.60"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	4,9 W CRI>90	
	3000 K - 480 NOMINAL LM	
<b>ON REQUEST</b>		
	4,9 W CRI>90	
	2700 K - 430 NOMINAL LM	
<b>DIMMABLE</b>		
	NO	




CORDEA C3 RD 40		CE 
ø	50 cm / 19.70"	
H MAX	170 cm / 66.90"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	25,2 W CRI>90	
	3000 K - 3750 NOMINAL LM	
<b>ON REQUEST</b>		
	25,2 W CRI>90	
	2700 K - 3150 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	





CORDEA C3 RD 60		CE 
ø	60 cm / 23.60"	
H MAX	170 cm / 66.90"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	25,2 W CRI>90	
	3000 K - 3750 NOMINAL LM	
<b>ON REQUEST</b>		
	25,2 W CRI>90	
	2700 K - 3150 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	





CORDEA C5 RD 80		CE 
ø	80 cm / 31.50"	
H MAX	170 cm / 66.90"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	40 W CRI>90	
	3000 K - 6000 NOMINAL LM	
<b>ON REQUEST</b>		
	40 W CRI>90	
	2700 K - 5040 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	





CORDEA C3 LN 75		CE 
W	75 cm / 29.50"	
D	22 cm / 8.70"	
H MAX	170 cm / 66.90"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	25,2 W CRI>90	
	3000 K - 3750 NOMINAL LM	
<b>ON REQUEST</b>		
	25,2 W CRI>90	
	2700 K - 3150 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	



CORDEA C3 LN 125		CE 
W	125 cm / 49.20"	
D	22 cm / 8.70"	
H MAX	170 cm / 66.90"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	25,2 W CRI>90	
	3000 K - 3750 NOMINAL LM	
<b>ON REQUEST</b>		
	25,2 W CRI>90	
	2700 K - 3150 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	



CORDEA C5 LN 175		CE 
W	175 cm / 68.90"	
D	22 cm / 8.70"	
H MAX	170 cm / 66.90"	
<b>STANDARD INTEGRATED LED LIGHTING</b>		
	40 W CRI>90	
	3000 K - 6000 NOMINAL LM	
<b>ON REQUEST</b>		
	40 W CRI>90	
	2700 K - 5040 NOMINAL L	
<b>DIMMABLE</b>		
	0-10V	




DISCOVER MORE



## SINGLE CANOPIES


## SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	● V91	CORDEA S P
H	4 cm / 1.60"		CORDEA S G
			CORDEA S S


## MULTIPLE CANOPIES

## LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	● V91	CORDEA C3 LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

## LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	● V91	CORDEA C3 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

## LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	● V91	CORDEA C5 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

## ROUND CANOPY RD 40




SIZE		FINISHINGS	PRODUCT NAME
Ø	40 cm / 15.70"	● V91	CORDEA C3 RD 40
H	4 cm / 1.60"		

## ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V91	CORDEA C3 RD 60
H	4 cm / 1.60"		

## ROUND CANOPY RD 80















SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V91	CORDEA C5 RD 80
H	4 cm / 1.60"		



CORDEA COLOR SUGGESTIONS













Finishings

BAND	FRAME*			
BL1 Black leather	G22 Pure gold	G23 Dark nickel	G24 Rose gold	
				
BL2 Brown leather	G22 Pure gold	G23 Dark nickel	G24 Rose gold	
				
BL3 Red leather	G22 Pure gold	G23 Dark nickel	G24 Rose gold	
				

\* Internal side V10 Beige

CORDEA COLOR SUGGESTIONS

Finishings

BAND	FRAME*			
BL1 Black leather	G26 Brushed pure gold	G27 Brushed dark nickel	G28 Brushed rose gold	
				
BL2 Brown leather	G26 Brushed pure gold	G27 Brushed dark nickel	G28 Brushed rose gold	
				
BL3 Red leather	G26 Brushed pure gold	G27 Brushed dark nickel	G28 Brushed rose gold	
				

\* Internal side V10 Beige

# Nappe

IT La collezione Nappe è espressione del legame dell'azienda con il territorio. Ispirata alle nappine, ornamento tipico dei salotti veneziani del passato, utilizzate per chiudere le tende. Dalla scomposizione e semplificazione dell'oggetto sono state stilizzate dieci diverse forme di nappa.

EN The Nappe collection is an expression of the company's close ties to the local area. It is inspired by the "nappine" (tassels), typically used to close curtains and adorn Venetian salons in the old days. Ten different tassel shapes have been stylised by disassembling and simplifying these decorative objects.

DESIGN BY  
MARCO ZITO

SUSPENSION  
APPLIQUE

NAPPE C5






NAPPE N1  
NAPPE APP N2









NAPPE XL  
COMPOSITION



NAPPE XL1









NAPPE APP N4



NAPPE APP N2



# Nappe

Struttura in metallo verniciato con astine di metallo o Pyrex. Diffusori in Pyrex. Illuminazione a LED.

Painted metal frame with metal or Pyrex rods. Pyrex diffusers. Led Lighting.

Lackierte Metallstruktur mit Metall- oder Pyrex-Stäben. Pyrex-Diffusoren. LED-Beleuchtung.

Estructura de metal pintado con varillas de metal o Pyrex. Difusores en Pyrex. Iluminación LED.

Structure en metal coloré, avec métal ou Pyrex tige. Diffuseur en Pyrex. Eclairage en LED.

Окрашенная металлическая структура с тонкими металлическими стержнями или с Pyrex. Рассеиватели из Pyrex. Светодиодное освещение.

这种灯具的结构是涂漆的金属，然而光扩散是小金属棒或玻璃做的。LED照明。

هيكل معدني مطلي مع قضبان معدنية أو بيركس. ناشرات ضوء بيركس. إضاءة ليد.

NAPPE NO	
ø	7,5 cm / 3.00"
H	34 cm / 13.40"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE N3	
ø	7,5 cm / 3.00"
H	36 cm / 14.20"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE N4	
ø	7,5 cm / 3.00"
H	38 cm / 15.00"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE N5	
ø	15 cm / 5.90"
H	40 cm / 15.70"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE N6	
ø	15 cm / 5.90"
H	32 cm / 12.60"

---


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---


ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---


DIMMABLE	
NO	



## FINISHINGS



**TOTAL WHITE**  
v95 Bianco opaco  
Matt white



**TOTAL BLACK**  
v90 Nero opaco  
Matt Black



**TOTAL COPPER**  
g29 Rame spazzolato  
Brushed copper




**MIXED COLOURS**  
v95 + v21 + v51 + v72



**MIXED WARM**  
v35 + v70 + v84

## METAL BEAMS



**v93 Oro verniciato**  
Painted gold



**v95 Bianco opaco**  
Matt white




**g29 Rame spazzolato**  
Brushed copper

## DIFFUSER




**Smoky Pyrex**


## NAPPE METAL DETAILS




**G12 Oro spazzolato**  
Brushed gold




**G12 Oro spazzolato**  
Brushed gold



**G12 Oro spazzolato**  
Brushed gold



**G29 Rame spazzolato**  
Brushed copper



**G29 Rame spazzolato**  
Brushed copper

## NAPPE XL METAL DETAILS



**F01 Foglia Oro**  
Gold leaf



**F01 Foglia Oro**  
Gold leaf

NAPPE N1	
ø	15 cm / 5.90"
H	36 cm / 14.20"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE N7	
ø	7,5 cm / 3.00"
H	34 cm / 13.40"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE N8	
ø	15 cm / 5.90"
H	39 cm / 15.40"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE N9	
ø	7,5 cm / 3.00"
H	39 cm / 15.40"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE APP N4	
w	7,5 cm / 3.00"
D	14 cm / 5.50"
H	40 cm / 15.70"

---


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE N2	
ø	15 cm / 5.90"
H	40 cm / 15.70"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE APP N2	
w	15 cm / 5.90"
D	18 cm / 7.10"
H	42 cm / 16.50"

---

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	

---

ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	

---

DIMMABLE	
NO	



NAPPE XL1	
ø	30 cm / 11.80"
H	125 cm / 49.20"

---

STANDARD INTEGRATED LED LIGHTING	
UP	6,6 W CRI>90 3000 K - 1150 NOMINAL LM
DOWN	9,2 W CRI>90 3000 K - 1450 NOMINAL LM

---

ON REQUEST	
UP	6,6 W CRI>90 2700 K - 1092 NOMINAL LM
DOWN	9,2 W CRI>90 2700 K - 1370 NOMINAL LM

---

DIMMABLE	
1-10V + DALI + PUSH	



NAPPE XL2	
ø	35 cm / 13.80"
H	135 cm / 53.10"

---

STANDARD INTEGRATED LED LIGHTING	
UP	6,6 W CRI>90 3000 K - 1150 NOMINAL LM
DOWN	9,2 W CRI>90 3000 K - 1450 NOMINAL LM

---

ON REQUEST	
UP	6,6 W CRI>90 2700 K - 1092 NOMINAL LM
DOWN	9,2 W CRI>90 2700 K - 1370 NOMINAL LM

---

DIMMABLE	
1-10V + DALI + PUSH	



NAPPE XL3	
ø	30 cm / 11.80"
H	110 cm / 43.30"

---

STANDARD INTEGRATED LED LIGHTING	
12,2 W CRI>90 3000 K - 2000 NOMINAL LM	

---

ON REQUEST	
12,2 W CRI>90 2700 K - 1900 NOMINAL LM	

---

DIMMABLE	
1-10V + DALI + PUSH	



DISCOVER MORE




NAPPE C3



**STANDARD INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**ON REQUEST**  
 3 x 16,2 W CRI>90  
 2700 K - 1960 NOMINAL LM

**DIMMABLE**  
 1-10V + PUSH




NAPPE C5



**STANDARD INTEGRATED LED LIGHTING**  
 5 x 27 W CRI>90  
 3000 K - 3440 NOMINAL LM

**ON REQUEST**  
 5 x 27 W CRI>90  
 2700 K - 3268 NOMINAL LM

**DIMMABLE**  
 1-10V + PUSH




NAPPE C10



**STANDARD INTEGRATED LED LIGHTING**  
 10 x 54 W CRI>90  
 3000 K - 6880 NOMINAL LM

**ON REQUEST**  
 10 x 54 W CRI>90  
 2700 K - 6536 NOMINAL LM

**DIMMABLE**  
 1-10V + PUSH + DALI



NAPPE C3 LN 75




W 75 cm / 29.50"  
 D 20 cm / 7.90"  
 H MAX 155 cm / 61.00"

**STANDARD INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**ON REQUEST**  
 3 x 16,2 W CRI>90  
 2700 K - 1960 NOMINAL LM

**DIMMABLE**  
 1-10V + PUSH



NAPPE C3 LN 125




W 125 cm / 49.20"  
 D 20 cm / 7.90"  
 H MAX 155 cm / 61.00"

**STANDARD INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**ON REQUEST**  
 3 x 16,2 W CRI>90  
 2700 K - 1960 NOMINAL LM

**DIMMABLE**  
 1-10V + PUSH



NAPPE C5 LN 175




W 175 cm / 68.90"  
 D 20 cm / 7.90"  
 H MAX 155 cm / 61.00"

**STANDARD INTEGRATED LED LIGHTING**  
 5 x 27 W CRI>90  
 3000 K - 3440 NOMINAL LM

**ON REQUEST**  
 5 x 27 W CRI>90  
 2700 K - 3268 NOMINAL LM

**DIMMABLE**  
 1-10V + PUSH



NAPPE C3 RD 40




∅ 40 cm / 15.70"  
 H MAX 155 cm / 61.00"

**STANDARD INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**ON REQUEST**  
 3 x 16,2 W CRI>90  
 2700 K - 1960 NOMINAL LM

**DIMMABLE**  
 1-10V + PUSH



NAPPE C3 RD 60




∅ 60 cm / 23.60"  
 H MAX 155 cm / 61.00"

**STANDARD INTEGRATED LED LIGHTING**  
 3 x 16,2 W CRI>90  
 3000 K - 2064 NOMINAL LM

**ON REQUEST**  
 3 x 16,2 W CRI>90  
 2700 K - 1960 NOMINAL LM

**DIMMABLE**  
 1-10V + PUSH



NAPPE C5 RD 80




∅ 80 cm / 31.50"  
 H MAX 155 cm / 61.00"




**STANDARD INTEGRATED LED LIGHTING**  
 5 x 27 W CRI>90  
 3000 K - 3440 NOMINAL LM

**ON REQUEST**  
 5 x 27 W CRI>90  
 2700 K - 3268 NOMINAL LM




**DIMMABLE**  
 1-10V + PUSH





SUGGESTED CONFIGURATION FOR C3



SUGGESTED CONFIGURATION FOR C5




SUGGESTED CONFIGURATION FOR C10



## SINGLE CANOPIES


### SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
ø 10 cm / 3.90"	● V95	● G12	NAPPE N0-N1-N2-N3-N4
H 5 cm / 2.00"	● V72 ● V51 ● V21 ● V95	● G12	N5-N6-N7-N8-N9
	● V90	● G12	
	● V35 ● V70 ● V84	● G12	
	● G29	● G29	



### SINGLE CANOPY


SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
ø 22,5 cm / 8.90"	● V95	● F01	NAPPE XL1 - XL2 - XL3
H 6 cm / 2.40"	● V90	● F01	NAPPE XL1 - XL2 - XL3
	● V35 ● V70 ● V84	● F01	NAPPE XL1 - XL2 - XL3
	● V72 ● V51 ● V21 ● V95 ● V95		NAPPE XL1
	● V72 ● V51 ● V21 ● V95 ● V72		NAPPE XL2
	● V72 ● V51 ● V21 ● V95 ● V51		NAPPE XL3



## MULTIPLE CANOPIES


### LINEAR CANOPY LN 75

SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	● V98	NAPPE C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		




### LINEAR CANOPY LN 125

SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	● V98	NAPPE C3 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		




### LINEAR CANOPY LN 175

SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	● V98	NAPPE C5 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		




### ROUND CANOPY RD 40

SIZE	FINISHINGS	PRODUCT NAME
ø 40 cm / 15.70"	● V98	NAPPE C3 RD 40
H 4 cm / 1.60"		




### ROUND CANOPY RD 60

SIZE	FINISHINGS	PRODUCT NAME
ø 60 cm / 23.60"	● V98	NAPPE C3 RD 60
H 4 cm / 1.60"		



### ROUND CANOPY RD 80


SIZE	FINISHINGS	PRODUCT NAME
ø 80 cm / 31.50"	● V98	NAPPE C5 RD 80
H 4 cm / 1.60"		




# Nappe

Painted metal frame with metal or Pyrex rods. Pyrex diffusers. Led Lighting.

## FINISHINGS



TOTAL WHITE  
v95 Matt white



TOTAL BLACK  
v90 Matt Black



TOTAL COPPER  
g29 Brushed copper




MIXED COLOURS  
v95 + v21 + v51 + v72



MIXED WARM  
v35 + v70 + v84

## METAL BEAMS



v93 Painted gold




v95 Matt white




g29 Brushed copper

## DIFFUSER




Smoky Pyrex


## NAPPE METAL DETAILS




g12 Brushed gold




g12 Brushed gold



g12 Brushed gold



g29 Brushed copper




g29 Brushed copper

## NAPPE XL METAL DETAILS



f01 Gold leaf



f01 Gold leaf

## NAPPE NO



Ø 7.5 cm / 3.00"  
H 34 cm / 13.40"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE N1



Ø 15 cm / 5.90"  
H 36 cm / 14.20"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE N2



Ø 15 cm / 5.90"  
H 40 cm / 15.70"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE N3



Ø 7.5 cm / 3.00"  
H 36 cm / 14.20"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE N7



Ø 7.5 cm / 3.00"  
H 34 cm / 13.40"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE APP N2



W 15 cm / 5.90"  
D 19.7 cm / 7.80"  
H 43 cm / 16.90"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE N4



Ø 7.5 cm / 3.00"  
H 38 cm / 15.00"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE N8



Ø 15 cm / 5.90"  
H 39 cm / 15.40"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE XL1



Ø 30 cm / 11.80"  
H 125 cm / 49.20"

### INTEGRATED LED LIGHTING


UP 7 W CRI>90  
3000 K - 1200 NOMINAL LM  
DOWN 8.5 W CRI>90  
3000 K - 1320 NOMINAL LM

### ON REQUEST

UP 6.6 W CRI>90  
2700 K - 1092 NOMINAL LM  
DOWN 9.2 W CRI>90  
2700 K - 1370 NOMINAL LM

### DIMMABLE

0-10V



## NAPPE N5



Ø 15 cm / 5.90"  
H 40 cm / 15.70"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE N9



Ø 7.5 cm / 3.00"  
H 39 cm / 15.40"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE N6



Ø 15 cm / 5.90"  
H 32 cm / 12.60"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM

### DIMMABLE

TRIAC



## NAPPE APP N4



W 12 cm / 4.70"  
D 16 cm / 6.30"  
H 42 cm / 16.50"

### INTEGRATED LED LIGHTING


5.4 W CRI>90  
3000 K - 688 NOMINAL LM

### ON REQUEST

5,4 W CRI>90  
2700 K - 653 NOMINAL LM


### DIMMABLE

TRIAC





DISCOVER MORE




**NAPPE C3** 


<b>INTEGRATED LED LIGHTING</b>
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM
<b>ON REQUEST</b>
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM
<b>DIMMABLE</b>
0-10V




**NAPPE C5** 


<b>INTEGRATED LED LIGHTING</b>
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM
<b>ON REQUEST</b>
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM
<b>DIMMABLE</b>
0-10V




**NAPPE C10** 


<b>INTEGRATED LED LIGHTING</b>
10 × 54 W CRI>90 3000 K - 6880 NOMINAL LM
<b>ON REQUEST</b>
10 × 54 W CRI>90 2700 K - 6536 NOMINAL LM
<b>DIMMABLE</b>
0-10V




**NAPPE C3 LN 75** 


W	75 cm / 29.50"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
<b>INTEGRATED LED LIGHTING</b>	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
<b>ON REQUEST</b>	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




**NAPPE C3 LN 125** 


W	125 cm / 49.20"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
<b>INTEGRATED LED LIGHTING</b>	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
<b>ON REQUEST</b>	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




**NAPPE C5 LN 175** 


W	175 cm / 68.90"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
<b>INTEGRATED LED LIGHTING</b>	
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM	
<b>ON REQUEST</b>	
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




**NAPPE C3 RD 40** 


∅	40 cm / 15.70"
H MAX	155 cm / 61.00"
<b>INTEGRATED LED LIGHTING</b>	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
<b>ON REQUEST</b>	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




**NAPPE C3 RD 60** 

∅	60 cm / 23.60"
H MAX	155 cm / 61.00"
<b>INTEGRATED LED LIGHTING</b>	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
<b>ON REQUEST</b>	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




**NAPPE C5 RD 80** 


∅	80 cm / 31.50"
H MAX	155 cm / 61.00"
<b>INTEGRATED LED LIGHTING</b>	
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM	
<b>ON REQUEST</b>	
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




**SUGGESTED CONFIGURATION FOR C3**



**SUGGESTED CONFIGURATION FOR C5**




**SUGGESTED CONFIGURATION FOR C10**






SINGLE CANOPIES

SINGLE CANOPY



SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø 14 cm / 5.50" H 4,3 cm / 1.70"	V95	G12	NAPPE N0-N1-N2-N3-N4
	V72 V51 V21 V95	G12	N5-N6-N7-N8-N9
	V90	G12	
	V35 V70 V84	G12	
	G29	G29	


SINGLE CANOPY



SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø 22,5 cm / 8.90" H 6 cm / 2.40"	V95	F01	NAPPE XL1 - XL2 - XL3
	V90	F01	NAPPE XL1 - XL2 - XL3
	V35 V70 V84	F01	NAPPE XL1 - XL2 - XL3
	V72 V51 V21 V95	V95	NAPPE XL1
	V72 V51 V21 V95	V72	NAPPE XL2
	V72 V51 V21 V95	V51	NAPPE XL3


MULTIPLE CANOPIES

LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50" D 20 cm / 7.90" H 4 cm / 1.60"	V98	NAPPE C3 LN 75

LINEAR CANOPY LN 125



SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20" D 20 cm / 7.90" H 4 cm / 1.60"	V98	NAPPE C3 LN 125

LINEAR CANOPY LN 175




SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90" D 20 cm / 7.90" H 4 cm / 1.60"	V98	NAPPE C5 LN 175

ROUND CANOPY RD 40




SIZE	FINISHINGS	PRODUCT NAME
Ø 40 cm / 15.70" H 4 cm / 1.60"	V98	NAPPE C3 RD 40

ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60" H 4 cm / 1.60"	V98	NAPPE C3 RD 60

ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50" H 4 cm / 1.60"	V98	NAPPE C5 RD 80

# Tee


IT Tee è un esercizio progettuale di ricerca tra rigore geometrico ed eleganza, contrassegnato esteticamente dalla linea curva. Sfere luminose animate da linee che richiamano la natura ondulatoria della luce e raccordate su steli curvati a foglia organica, ricordano la delicatezza del fiore di calla.

EN Tee is an exploratory design exercise which balances rigour and elegance, aesthetically distinguished by its curved form. Light spheres are brought to life by contours that reflect the undulating nature of light, connected on organically shaped stems, reminiscent of the gracefulness of the calla lily flower.

DESIGN BY  
VALERIO COMETTI  
+V12DESIGN

SUSPENSION  
CEILING  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

TEE PL5









LIGHT OFF



TEE S1  
COMPOSITION



TEE TL1 20



TEE STL1  
TEE A1 20



TEE PL 5+5 RD 120





# Tee

Struttura in metallo galvanizzato.  
Diffusori in vetro triplex di Murano.  
Illuminazione tradizionale.

Galvanised metal structure. Murano  
triplex glass diffusers. Traditional  
lighting.

Gestell aus galvanisch  
beschichtetem Metall. Schirme  
aus Triplex-Glas aus Murano.  
Herkömmliche Leuchtmittel.

Estructura de metal galvanizado.  
Difusores de cristal de Murano  
triplex. Iluminación tradicional.

Structure en métal galvanisé.  
Diffuseurs en verre triplex de  
Murano. Éclairage traditionnel.

Каркас из оцинкованного  
металла. Плафоны из  
муранского стекла триплекс.  
Традиционное освещение..

镀锌金属灯体结构。穆拉诺三层玻璃  
灯罩。传统照明。


هيكل من المعدن المجلفن. ناشرات ضوء من زجاج  
مورانو ثلاثي. إضاءة تقليدية.

## TEE S1 20

∅ 20 cm / 7.90"  
H 27 cm / 10.60"

### STANDARD LIGHTING

1×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE S1 30

∅ 30 cm / 11.80"  
H 37 cm / 14.60"

### STANDARD LIGHTING

1×E27×20 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 62 mm/2.40" W max 185 mm/7.30"




## TEE PL8 RD 120

∅ 120 cm / 47.20"  
H 76,5 cm / 30.10"

### STANDARD LIGHTING

8×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL8 RD 160

∅ 167 cm / 65.70"  
H 83,5 cm / 32.90"

### STANDARD LIGHTING

8×E27×20 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 62 mm/2.40" W max 185 mm/7.30"



G25 Rame dorato  
Golden copper




Vetro triplex di Murano  
Triplex Murano glass

## TEE PL1 20

∅ 20 cm / 7.90"  
H 49 cm / 19.30"

### STANDARD LIGHTING

1×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL1 30

∅ 30 cm / 11.80"  
H 64 cm / 25.20"

### STANDARD LIGHTING

1×E27×20 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 62 mm/2.40" W max 185 mm/7.30"




## TEE PL 4+4 RD 100

∅ 100 cm / 39.40"  
H 100 cm / 39.40"

### STANDARD LIGHTING

8×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL 5+5 RD 120

∅ 120 cm / 47.20"  
H 83.5 cm / 32.90"

### STANDARD LIGHTING

10×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL5

∅ 85 cm / 33.50"  
H 68 cm / 26.80"

### STANDARD LIGHTING

5×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL6 95

∅ 94 cm / 37.00"  
H 66,5 cm / 26.20"

### STANDARD LIGHTING

6×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL8 OV 120

∅ 120 cm / 47.20"  
D 80 cm / 31.50"  
H 63,5 cm / 25.00"

### STANDARD LIGHTING

8×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL8 OV 160

∅ 160 cm / 63.00"  
D 107 cm / 42.10"  
H 63,5 cm / 25.00"

### STANDARD LIGHTING

8×E14×15 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




DISCOVER MORE



TEE A1 20 

W 20 cm / 7.90"  
D 26 cm / 10.20"  
H 41 cm / 16.10"

STANDARD LIGHTING  
1×E14×15 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"



TEE TL1 20 

ø 20 cm / 7.90"  
H 48 cm / 18.90"

STANDARD LIGHTING  
1×E14×15 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"




TEE STL1 

ø 30 cm / 11.80"  
H 160 cm / 63.00"

STANDARD LIGHTING  
1×E27×20 W MAX (NOT INCL.)\*

\* BULB MAX  
Ø 62 mm/2.40" W max 185 mm/7.30"




TEE STL3 

W 52 cm / 20.50"  
D 45 cm / 17.70"  
H 170 cm / 66.90"

STANDARD LIGHTING  
2×E14×15 W MAX (NOT INCL.)\*  
1×E27 x 20 W MAX (NOT INCL.)\*\*


\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"  
\*\* BULB MAX  
Ø 62 mm/2.40" W max 185 mm/7.30"



TEE C3 RD 40 

ø 44 cm / 17.30"  
H MAX 175 cm / 68.90"


STANDARD LIGHTING  
3×E14×15 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"




TEE C5 RD 60 

ø 62 cm / 24.40"  
H MAX 175 cm / 68.90"


STANDARD LIGHTING  
5×E14×15 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"



TEE C7 RD 80 

ø 80 cm / 31.50"  
H MAX 175 cm / 68.90"

STANDARD LIGHTING  
7×E14×15 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





TEE C3 LN 75 

W 75 cm / 29.50"  
D 20 cm / 7.90"  
H MAX 175 cm / 68.90"

STANDARD LIGHTING  
3×E14×15 W MAX (NOT INCL.)\*

\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





TEE C5 LN 125 

W 125 cm / 49.20"  
D 20 cm / 7.90"  
H MAX 175 cm / 68.90"

STANDARD LIGHTING  
5×E14×15 W MAX (NOT INCL.)\*

\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"




TEE C7 LN 175 

W 175 cm / 68.90"  
D 20 cm / 7.90"  
H MAX 175 cm / 68.90"

STANDARD LIGHTING  
7×E14×15 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"



\*E : ONLY FOR THE US MARKET.

## SINGLE CANOPIES


### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	13,2 cm / 5.20"	● G25	TEE S1 20
H	9 cm / 3.50"		TEE S1 30


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	● V91	TEE C3 LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	● V91	TEE C5 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	● V91	TEE C7 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 40




SIZE		FINISHINGS	PRODUCT NAME
Ø	40 cm / 15.70"	● V91	TEE C3 RD 40
H	4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V91	TEE C5 RD 60
H	4 cm / 1.60"		

### ROUND CANOPY RD 80




SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V91	TEE C7 RD 80
H	4 cm / 1.60"		

# Tee

Galvanised metal structure.  
Murano triplex glass diffusers.  
Traditional lighting.



625 Golden copper



Triplex Murano glass


## TEE S1 20



∅ 20 cm / 7.90"  
H 27 cm / 10.60"

### STANDARD LIGHTING

1×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE S1 30



∅ 30 cm / 11.80"  
H 37 cm / 14.60"

### STANDARD LIGHTING

1×E26×60 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 62 mm/2.40" W max 185 mm/7.30"




## TEE PL1 20



∅ 20 cm / 7.90"  
H 49 cm / 19.30"

### STANDARD LIGHTING

1×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL1 30



∅ 30 cm / 11.80"  
H 64 cm / 25.20"

### STANDARD LIGHTING

1×E26×60 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 62 mm/2.40" W max 185 mm/7.30"




## TEE PL5



∅ 85 cm / 33.50"  
H 68 cm / 26.80"

### STANDARD LIGHTING

5×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL6 95



∅ 94 cm / 37.00"  
H 66.5 cm / 26.20"

### STANDARD LIGHTING

6×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL8 RD 120



∅ 120 cm / 47.20"  
H 76.5 cm / 30.10"

### STANDARD LIGHTING

8×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL8 RD 160



∅ 167 cm / 65.70"  
H 83.5 cm / 32.90"

### STANDARD LIGHTING

8×E26×60 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 62 mm/2.40" W max 185 mm/7.30"




## TEE PL 4+4 RD 100



∅ 100 cm / 39.40"  
H 100 cm / 39.40"

### STANDARD LIGHTING

8×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL 5+5 RD 120



∅ 120 cm / 47.20"  
H 83.5 cm / 32.90"

### STANDARD LIGHTING

10×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL8 OV 120



∅ 120 cm / 47.20"  
D 80 cm / 31.50"  
H 63.5 cm / 25.00"

### STANDARD LIGHTING

8×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"




## TEE PL8 OV 160



∅ 160 cm / 63.00"  
D 107 cm / 42.10"  
H 63.5 cm / 25.00"


### STANDARD LIGHTING

8×E12×40 W MAX (NOT INCL.)  
\* BULB MAX  
∅ 37 mm/1.50" W max 150 mm/5.90"



DISCOVER MORE





**TEE A1 20** 

W	20 cm / 7.90"
D	26 cm / 10.20"
H	41 cm / 16.10"

**STANDARD LIGHTING**

1×E12×40 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"



**TEE TL1 20** 

ø	22 cm / 8.70"
H	48 cm / 18.90"

**STANDARD LIGHTING**

1×E12×40 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





**TEE STL1** 

ø	30 cm / 11.80"
H	160 cm / 63.00"

**STANDARD LIGHTING**

1×E26×60 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





**TEE STL3** 

w	52 cm / 20.50"
D	45 cm / 17.70"
H	170 cm / 66.90"

**STANDARD LIGHTING**

2×E12×40 W MAX (NOT INCL.)\*  
1×E26×60 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"  
\*\* BULB MAX  
Ø 62 mm/2.40" W max 185 mm/7.30"





**TEE C3 RD 40** 

ø	44 cm / 17.30"
H MAX	175 cm / 68.90"

**STANDARD LIGHTING**

3×E12×40 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





**TEE C5 RD 60** 

ø	62 cm / 24.40"
H MAX	175 cm / 68.90"

**STANDARD LIGHTING**

5×E12×40 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





**TEE C7 RD 80** 

ø	80 cm / 31.50"
H MAX	175 cm / 68.90"

**STANDARD LIGHTING**

7×E12×40 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





**TEE C3 LN 75** 

w	75 cm / 29.50"
D	20 cm / 7.90"
H MAX	175 cm / 68.90"

**STANDARD LIGHTING**

3×E12×40 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





**TEE C5 LN 125** 

w	125 cm / 49.20"
D	20 cm / 7.90"
H MAX	175 cm / 68.90"

**STANDARD LIGHTING**

5×E12×40 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"





**TEE C7 LN 175** 

w	175 cm / 68.90"
D	20 cm / 7.90"
H MAX	175 cm / 68.90"

**STANDARD LIGHTING**


7×E12×40 W MAX (NOT INCL.)\*  
\* BULB MAX  
Ø 37 mm/1.50" W max 150 mm/5.90"



\* : ONLY FOR THE US MARKET.

## SINGLE CANOPIES


## SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 13,2 cm / 5.20"	● G25	TEE S1 20
H 9 cm / 3.50"		TEE S1 30


## MULTIPLE CANOPIES

## LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	● V91	TEE C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		

## LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	● V91	TEE C5 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

## LINEAR CANOPY LN 175




SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	● V91	TEE C7 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		

## ROUND CANOPY RD 40




SIZE	FINISHINGS	PRODUCT NAME
Ø 40 cm / 15.70"	● V91	TEE C3 RD 40
H 4 cm / 1.60"		

## ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	● V91	TEE C5 RD 60
H 4 cm / 1.60"		

## ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	● V91	TEE C7 RD 80
H 4 cm / 1.60"		

# Sound

IT Che forma avrebbe il suono se fosse un prodotto? Sound ha un design che parla ai nostri sensi, illuminando la nostra mente e l'anima attraverso l'idea di un'armonica melodia progettuale. Il suono è un esperimento semantico formale. È una sinestesia. Sound è una combinazione di elementi circolari che evoca l'espansione delle onde sonore.

EN What form would sound take if it were a product? The design of Sound speaks to our senses, illuminating our minds and souls through the idea of a harmonious melody of design. Sound is a formal semantic experiment. It is a synaesthesia. Sound is a combination of circular elements evoking the expansion of sound waves.

DESIGN BY  
GIOVANNI BATTISTA  
GIANOLA

SUSPENSION  
CEILING  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

SOUND OR6 LED







SOUND STL5 LED



SOUND TL1 LED











SOUND OR3 LED



SOUND S6 LED



# Sound

Struttura in metallo, diffusore in vetro decorato.

Metal frame, decorated glass diffuser.

Metallstruktur, Diffusor aus dekoriertem Glas.

Estructura de metal, difusor de vidrio condecorado.

Structure en métal, diffuseur en verre coloré.

Металлический каркас, рассеиватель из декорированного стекла.

这种灯具有金属结构, 而且光扩散是装饰玻璃做的。

هيكل معدني،  
ناشر ضوء زجاجي  
مزخرف.



G12 Oro spazzolato  
Brushed gold



G18 Ottone spazzolato+Nero opaco  
v90 Brushed brass+Matt black


DISCOVER MORE




SOUND S1	
ø	30 cm / 11.80"
H	60 cm / 23.60"
WITH ROD B**	
STANDARD LIGHTING	
1xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	4,4 W CRI>90 3000 K – 650 NOMINAL LM
DOWN	4,4 W CRI>90 3000 K – 650 NOMINAL LM
ON REQUEST	
UP	4,4 W CRI>90 2700 K – 553 NOMINAL LM
DOWN	4,4 W CRI>90 2700 K – 553 NOMINAL LM
DIMMABLE	
1-10V + PUSH	




SOUND S6	
ø	110 cm / 43.30"
H	102 cm / 40.20"
WITH ROD B**	
STANDARD LIGHTING	
6xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	26,5 W CRI>90 3000 K – 3900 NOMINAL LM
DOWN	26,5 W CRI>90 3000 K – 3900 NOMINAL LM
ON REQUEST	
UP	26,5 W CRI>90 2700 K – 3315 NOMINAL LM
DOWN	26,5 W CRI>90 2700 K – 3315 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	




SOUND BIL5	
W	191 cm / 75.20"
D	64 cm / 25.20"
H	58 cm / 22.80"
WITH ROD B**	
STANDARD LIGHTING	
5xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	22 W CRI>90 3000 K – 3250 NOMINAL LM
DOWN	22 W CRI>90 3000 K – 3250 NOMINAL LM
ON REQUEST	
UP	22 W CRI>90 2700 K – 2762 NOMINAL LM
DOWN	22 W CRI>90 2700 K – 2762 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	




SOUND PL3	
W	60 cm / 23.60"
D	56 cm / 22.00"
H	14 cm / 5.50"
STANDARD LIGHTING	
3xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
DOWN	13,5 W CRI>90 3000 K – 1950 NOMINAL LM
ON REQUEST	
DOWN	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DIMMABLE	
1-10V + PUSH	




SOUND PL1	
ø	30 cm / 11.80"
H	13 cm / 5.10"
STANDARD LIGHTING	
1xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
DOWN	5,5 W CRI>90 3000 K – 873 NOMINAL LM
ON REQUEST	
DOWN	5,5 W CRI>90 2700 K – 742 NOMINAL LM
DIMMABLE	
1-10V + PUSH	




SOUND A1	
W	30 cm / 11.80"
D	45 cm / 17.70"
H	30 cm / 11.80"
STANDARD LIGHTING	
1xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	4,4 W CRI>90 3000 K – 650 NOMINAL LM
DOWN	4,4 W CRI>90 3000 K – 650 NOMINAL LM
ON REQUEST	
UP	4,4 W CRI>90 2700 K – 552 NOMINAL LM
DOWN	4,4 W CRI>90 2700 K – 552 NOMINAL LM
DIMMABLE	
NO	




SOUND BIL3	
W	134 cm / 52.80"
D	64 cm / 25.20"
H	58 cm / 22.80"
WITH ROD B**	
STANDARD LIGHTING	
3xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	13,5 W CRI>90 3000 K – 1950 NOMINAL LM
DOWN	13,5 W CRI>90 3000 K – 1950 NOMINAL LM
ON REQUEST	
UP	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DOWN	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DIMMABLE	
1-10V + PUSH	




SOUND OR6	
W	120 cm / 47.20"
D	80 cm / 31.50"
H	11 cm / 4.30"
STANDARD LIGHTING	
6xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	26,5 W CRI>90 3000 K – 3900 NOMINAL LM
DOWN	26,5 W CRI>90 3000 K – 3900 NOMINAL LM
ON REQUEST	
UP	26,5 W CRI>90 2700 K – 3315 NOMINAL LM
DOWN	26,5 W CRI>90 2700 K – 3315 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	




SOUND OR3	
W	60 cm / 23.60"
D	56 cm / 22.00"
H	11 cm / 4.30"
STANDARD LIGHTING	
3xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	13,5 W CRI>90 3000 K – 1950 NOMINAL LM
DOWN	13,5 W CRI>90 3000 K – 1950 NOMINAL LM
ON REQUEST	
UP	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DOWN	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DIMMABLE	
1-10V + PUSH	



SOUND TL1	
W	30 cm / 11.80"
D	11 cm / 4.30"
H	30 cm / 11.80"
STANDARD LIGHTING	
1xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	8,8 W CRI>90 3000 K – 1300 NOMINAL LM
ON REQUEST	
UP	8,8 W CRI>90 2700 K – 1104 NOMINAL LM
DIMMABLE	
OWN BUTTON	



SOUND STL5	
W	46 cm / 18.10"
D	10 cm / 3.90"
H	225 cm / 88.60"
STANDARD LIGHTING	
5xG9x10 W MAX (NOT INCL.)*	
STANDARD INTEGRATED LED LIGHTING	
UP	44 W CRI>90 3000 K – 6500 NOMINAL LM
ON REQUEST	
UP	44 W CRI>90 2700 K – 5520 NOMINAL LM
DIMMABLE	
OWN BUTTON	




# Accessories

\*\* IT IS POSSIBLE TO CHOOSE A SPECIFIC HEIGHT FOR FIXED ROD OF ITEMS SOUND S1, SOUND S6, SOUND BIL5, SOUND BIL3. WHEN NOT SPECIFIED IN THE ORDER CONFIRMATION, THE STANDARD HEIGHT FOR THE ROD IS "B".  
 É POSSIBILE SCEGLIERE UN'ALTEZZA SPECIFICA PER LE ASTE RIGIDE DEGLI ARTICOLI SOUND S1, SOUND S6, SOUND BIL5, SOUND BIL3. SE NON SPECIFICATO IN FASE D'ORDINE, L'ALTEZZA DELL'ASTA RIGIDA STANDARD È "B".


## SOUND ROD S1\*\*

H	A: 11 cm / 4.30"
	B: 31 cm / 12.20"
	C: 51 cm / 20.10"




## SOUND ROD S6\*\*

H	A: 30 cm / 11.80"
	B: 50 cm / 19.70"
	C: 70 cm / 27.60"




## SOUND ROD BIL5\*\* - BIL3\*\*

H	A: 30 cm / 11.80"
	B: 50 cm / 19.70"
	C: 70 cm / 27.60"



## FLOOR LAMP BASE

H	1 cm / 0.40"
ø	40 cm / 15.70"



\* ETL only for US market.

\*G9 bulbs also valid for USA market.

# SINGLE CANOPIES

## SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
ø 12,1 cm / 4.80"	G12	G12	SOUND S1	LED
H 10 cm / 3.90"	G18+V90	G18+V90	SOUND S1	STANDARD
			SOUND S6	STANDARD




## SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
ø 12,1 cm / 4.80"	G12	G12	SOUND S6	LED
H 15 cm / 5.90"	G18+V90	G18+V90		



## SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
ø 7 cm / 2.80"	G12	G12	SOUND BIL 5	STANDARD
H 2,5 cm / 1.00"	G18+V90	G18+V90	SOUND BIL 3	STANDARD



## SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
ø 18 cm / 7.10"	G12	G12	SOUND BIL 5	LED
H 4 cm / 1.60"	G18+V90	G18+V90	SOUND BIL 3	LED



## SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
ø 18 cm / 7.10"	G12	G12	SOUND OR 3	LED
H 4 cm / 1.60"	G18+V90	G18+V90	SOUND OR 3	STANDARD



## SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
ø 18 cm / 7.10"	G12	G12	SOUND OR 6	LED
H 4 cm / 1.60"	G18+V90	G18+V90	SOUND OR 6	STANDARD





# Sound

Metal frame, decorated glass diffuser.



G12 Brushed gold




G18 Brushed brass  
V90 Matt black


SOUND S1	
ø	30 cm / 11.80"
H	60 cm / 23.60"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
1xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
UP	4.4 W CRI>90 3000 K – 650 NOMINAL LM
DOWN	4.4 W CRI>90 3000 K – 650 NOMINAL LM
ON REQUEST	
UP	4,4 W CRI>90 2700 K – 553 NOMINAL LM
DOWN	4,4 W CRI>90 2700 K – 553 NOMINAL LM
DIMMABLE	
TRIAC	




SOUND S6	
ø	110 cm / 43.30"
H	102 cm / 40.20"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
6xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
UP	26.5 W CRI>90 3000 K – 3900 NOMINAL LM
DOWN	26.5 W CRI>90 3000 K – 3900 NOMINAL LM
ON REQUEST	
UP	26,5 W CRI>90 2700 K – 3315 NOMINAL LM
DOWN	26,5 W CRI>90 2700 K – 3315 NOMINAL LM
DIMMABLE	
0-10V	




SOUND BIL5	
W	191 cm / 75.20"
D	64 cm / 25.20"
H	58 cm / 22.80"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
5xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
UP	22 W CRI>90 3000 K – 3250 NOMINAL LM
DOWN	22 W CRI>90 3000 K – 3250 NOMINAL LM
ON REQUEST	
UP	22 W CRI>90 2700 K – 2762 NOMINAL LM
DOWN	22 W CRI>90 2700 K – 2762 NOMINAL LM
DIMMABLE	
0-10V	




SOUND PL3	
W	60 cm / 23.60"
D	56 cm / 22.00"
H	14 cm / 5.50"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
3xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
DOWN	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
ON REQUEST	
DOWN	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DIMMABLE	
0-10V	




SOUND PL1	
ø	30 cm / 11.80"
H	13 cm / 5.10"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
1xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
DOWN	5.5 W CRI>90 3000 K – 873 NOMINAL LM
ON REQUEST	
DOWN	5,5 W CRI>90 2700 K – 742 NOMINAL LM
DIMMABLE	
TRIAC	




SOUND A1	
W	30 cm / 11.80"
D	45 cm / 17.70"
H	30 cm / 11.80"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
1xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
UP	4.4 W CRI>90 3000 K – 650 NOMINAL LM
DOWN	4.4 W CRI>90 3000 K – 650 NOMINAL LM
ON REQUEST	
UP	4,4 W CRI>90 2700 K – 552 NOMINAL LM
DOWN	4,4 W CRI>90 2700 K – 552 NOMINAL LM
DIMMABLE	
NO	




SOUND BIL3	
W	134 cm / 52.80"
D	64 cm / 25.20"
H	58 cm / 22.80"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
3xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
UP	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
DOWN	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
ON REQUEST	
UP	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DOWN	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DIMMABLE	
0-10V	




SOUND OR6	
W	120 cm / 47.20"
D	80 cm / 31.50"
H	11 cm / 4.30"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
6xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
UP	26.5 W CRI>90 3000 K – 3900 NOMINAL LM
DOWN	26.5 W CRI>90 3000 K – 3900 NOMINAL LM
ON REQUEST	
UP	26,5 W CRI>90 2700 K – 3315 NOMINAL LM
DOWN	26,5 W CRI>90 2700 K – 3315 NOMINAL LM
DIMMABLE	
0-10V	




SOUND OR3	
W	60 cm / 23.60"
D	56 cm / 22.00"
H	11 cm / 4.30"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
3xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
UP	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
DOWN	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
ON REQUEST	
UP	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DOWN	13,5 W CRI>90 2700 K – 1657 NOMINAL LM
DIMMABLE	
0-10V	



SOUND TL1	
W	30 cm / 11.80"
D	11 cm / 4.30"
H	30 cm / 11.80"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
1xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
DOWN	8.8 W CRI>90 3000 K – 1300 NOMINAL LM
ON REQUEST	
DOWN	8,8 W CRI>90 2700 K – 1104 NOMINAL LM
DIMMABLE	
OWN BUTTON	



SOUND STL5	
W	46 cm / 18.10"
D	10 cm / 3.90"
H	225 cm / 88.60"
WITH ROD B**	
STANDARD LIGHTING <b>CE</b>	
5xG9x40 W MAX (NOT INCL.)	
STANDARD INTEGRATED LED LIGHTING <b>CE ENEC</b>	
DOWN	44 W CRI>90 3000 K – 6500 NOMINAL LM
ON REQUEST	
DOWN	44 W CRI>90 2700 K – 5520 NOMINAL LM
DIMMABLE	
OWN BUTTON	



DISCOVER MORE




# Accessories

\*\* IT IS POSSIBLE TO CHOOSE A SPECIFIC HEIGHT FOR FIXED ROD OF ITEMS SOUND S1, SOUND S6, SOUND BIL5, SOUND BIL3. WHEN NOT SPECIFIED IN THE ORDER CONFIRMATION, THE STANDARD HEIGHT FOR THE ROD IS "B".


## SOUND ROD S1\*\*

H	A: 11 cm / 4.30"
	B: 31 cm / 12.20"
	C: 51 cm / 20.10"




## SOUND ROD S6\*\*

H	A: 30 cm / 11.80"
	B: 50 cm / 19.70"
	C: 70 cm / 27.60"




## SOUND ROD BIL5\*\* - BIL3\*\*

H	A: 30 cm / 11.80"
	B: 50 cm / 19.70"
	C: 70 cm / 27.60"



## FLOOR LAMP BASE

H	1 cm / 0.40"
ø	40 cm / 15.70"



# SINGLE CANOPIES

## SINGLE CANOPY



SIZE	ø 12,1 cm / 4.80"
H	10 cm / 3.90"

FRAME FINISHINGS	G12
G18+V90	
CANOPY FINISHINGS	G12
G18+V90	

PRODUCT NAME	SOUND S1
LIGHTING	LED
SOUND S1	STANDARD
SOUND S6	STANDARD

## SINGLE CANOPY



SIZE	ø 12,1 cm / 4.80"
H	15,2 cm / 6.00"

FRAME FINISHINGS	G12
G18+V90	
CANOPY FINISHINGS	G12
G18+V90	

PRODUCT NAME	SOUND S6
LIGHTING	LED

## SINGLE CANOPY




SIZE	ø 7 cm / 2.80"
H	0,8 cm / 0.30"

FRAME FINISHINGS	G12
G18+V90	
CANOPY FINISHINGS	G12
G18+V90	

PRODUCT NAME	SOUND BIL 5
LIGHTING	STANDARD
SOUND BIL 3	STANDARD

## SINGLE CANOPY



SIZE	ø 18 cm / 7.10"
H	4 cm / 1.60"

FRAME FINISHINGS	G12
G18+V90	
CANOPY FINISHINGS	G12
G18+V90	

PRODUCT NAME	SOUND BIL 5
LIGHTING	LED
SOUND BIL 3	LED

## SINGLE CANOPY



SIZE	ø 18 cm / 7.10"
H	4 cm / 1.60"

FRAME FINISHINGS	G12
G18+V90	
CANOPY FINISHINGS	G12
G18+V90	

PRODUCT NAME	SOUND OR 3
LIGHTING	LED
SOUND OR 3	STANDARD

## SINGLE CANOPY



SIZE	ø 18 cm / 7.10"
H	4 cm / 1.60"

FRAME FINISHINGS	G12
G18+V90	
CANOPY FINISHINGS	G12
G18+V90	

PRODUCT NAME	SOUND OR 6
LIGHTING	LED
SOUND OR 6	STANDARD

# Ebe

IT Ebe è ispirata all'eleganza mitologica delle statue del Canova. Metallo, marmo e una rete di maglia in filo di ottone intergiscono tra di loro creando geometrie luminose di una bellezza austera, senza tempo.

EN Ebe is inspired by the mythological elegance of Canova's statues. Metal, marble and a brass wire mesh are intertwined to create luminous geometries of timeless, austere beauty.

DESIGN BY  
NICOLA GALLIZIA

APPLIQUE  
TABLE LAMP  
FLOOR LAMP

EBE A  
EBE TL



EBE A  
EBE STL  
EBE TL







# Ebe

Struttura in metallo verniciato. Rete in maglia metallica in filo di ottone. Base in onice. Illuminazione a Led.

Painted metal structure. Brass wire mesh design. Onyx base. LED lighting.

Gestell aus lackiertem Metall. Metalldrahtgeflecht aus Messingdraht. Fuss aus Onyx. LED-Leuchtmittel.

Estructura de metal barnizado. Red de malla de alambre de latón. Base de ónix. Iluminación Led.

Structure en métal laqué. Maille métallique en fil de laiton. Base en onyx. Éclairage LED.

Каркас из окрашенного металла. Металлическая сетка из латунной проволоки. Основание из оникса. Светодиодное освещение.

涂色金属灯体结构。黄铜丝金属网格。玛瑙底座。Led照明。

هيكل معدني مطلي . شبكة معدنية من أسلاك النحاس الأصفر . قاعدة من العقيق . إضاءة ليد.



v87 Cioccolato Fondente Foundant Chocolate



Brass wire mesh


## EBE A



W 27 cm / 10.60"  
D 14 cm / 5.50"  
H 40 cm / 15.70"

### STANDARD LIGHTING

1xE14x10 W MAX (NOT INCL.)



## EBE STL



W 30 cm / 11.80"  
D 21 cm / 8.30"  
H 140 cm / 55.10"

### STANDARD INTEGRATED LED LIGHTING

35 W CRI>95  
3000 K – 3770 NOMINAL LM

### ON REQUEST

35 W CRI>95  
2700 K – 3580 NOMINAL LM

### DIMMABLE

OWN BUTTON



## EBE TL



W 30 cm / 11.80"  
D 21 cm / 8.30"  
H 40 cm / 15.70"

### STANDARD INTEGRATED LED LIGHTING


11 W CRI>95  
3000 K – 1200 NOMINAL LM

### ON REQUEST

11 W CRI>95  
2700 K – 1140 NOMINAL LM

### DIMMABLE

OWN BUTTON



DISCOVER MORE



# Ebe

Painted metal structure.  
Brass wire mesh design.  
Onyx base. LED lighting.




v87 Foundant Chocolate



Brass wire mesh


EBE A		CE
W	27 cm / 10.60"	
D	14 cm / 5.50"	
H	40 cm / 15.70"	
STANDARD LIGHTING		
1x E12x40 W MAX (NOT INCL.)		



EBE STL		CE
W	30 cm / 11.80"	
D	21 cm / 8.30"	
H	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
35 W CRI>95 3000 K – 3770 NOMINAL LM		
ON REQUEST		
35 W CRI>95 2700 K – 3580 NOMINAL LM		
DIMMABLE		
OWN BUTTON		



EBE TL		CE
W	30 cm / 11.80"	
D	21 cm / 8.30"	
H	40 cm / 15.70"	
STANDARD INTEGRATED LED LIGHTING		
11 W CRI>95 3000 K – 1200 NOMINAL LM		
ON REQUEST		
11 W CRI>95 2700 K – 1140 NOMINAL LM		
DIMMABLE		
OWN BUTTON		



DISCOVER MORE





# Posy

IT Equilibrio e semplicità sono le parole chiave di Posy. Sfera e stelo interagiscono tra di loro fino a trovare un equilibrio naturale che crea stupore per la naturale bellezza.

EN Balance and simplicity are the keywords of Posy. The sphere and stem interact with each other to achieve a natural balance that amazes for its natural beauty.

POSY VERT 3

DESIGN BY  
SARA MORONI

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP







POSY S5  
POSY A1 G  
POSY TL







# Posy

Struttura in metallo galvanizzato.  
Diffusore in vetro triplex di Murano  
bianco opalino.

Galvanic metal structure . Triplex  
opal white Murano glass diffuser.

Galvanisierte Metallstruktur.  
Opalweisser Triplex-Diffusor aus  
Muranglas.

Estructura de metal galvanizado.  
Difusor de vidrio triplex de Murano  
blanco opalino.

Structure en métal galvanisé.  
Diffuseur en verre triplex de  
Murano opale blanc.

Металлическая структура с  
гальваническим покрытием.  
Рассеиватель из триплексного  
муранского стекла бело-  
опалового цвета.

这种灯具的结构是电镀的金属，光扩  
散是白色Murano三层玻璃做的。

هيكل من المعدن المجلفن.  
ناشر ضوء من زجاج ثلاثي أبيض  
مورانو أوبال.



G18 Ottone spazzolato  
Brushed brass




Vetro triplex di Murano  
Triplex Murano glass

POSY S1 12	
W	18 cm / 7.10"
D	12 cm / 4.70"
H	14 cm / 5.50"

STANDARD LIGHTING  
1xG9x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"



POSY S1 16	
W	22 cm / 8.70"
D	16 cm / 6.30"
H	18 cm / 7.10"

STANDARD LIGHTING  
1xE14x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY S1 20	
W	26 cm / 10.20"
D	20 cm / 7.90"
H	22 cm / 8.70"

STANDARD LIGHTING  
1xE14x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 150 mm / 5.90"



POSY A1 P	
W	22 cm / 8.70"
D	22 cm / 8.70"
H	16 cm / 6.30"

STANDARD LIGHTING  
1xE14x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY A1 G	
W	26 cm / 10.20"
D	26 cm / 10.20"
H	20 cm / 7.90"

STANDARD LIGHTING  
1xE14x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY TL	
W	26 cm / 10.20"
D	20 cm / 7.90"
H	20 cm / 7.90"

STANDARD LIGHTING  
1xE14x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY STL	
W	39 cm / 15.40"
D	32 cm / 12.60"
H	152 cm / 59.80"

STANDARD LIGHTING  
1xG9x10 W MAX (NOT INCL.)\*  
2xE14x10 W MAX (NOT INCL.)\*\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY S1 25	
W	31 cm / 12.20"
D	25 cm / 9.80"
H	29 cm / 11.40"

STANDARD LIGHTING  
1xE27x20 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 62 mm / 2.40" W 185 mm / 7.30"



POSY BIL3	
W	100 cm / 39.40"
D	33 cm / 13.00"
H	34 cm / 13.40"

STANDARD LIGHTING  
1xG9x10 W MAX (NOT INCL.)\*  
2xE14x10 W MAX (NOT INCL.)\*\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY BIL4	
W	140 cm / 55.10"
D	38 cm / 15.00"
H	29 cm / 11.40"

STANDARD LIGHTING  
1xG9x10 W MAX (NOT INCL.)\*  
3xE14x10 W MAX (NOT INCL.)\*\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY S3	
Ø	40 cm / 15.70"
H MAX	160 cm / 63.00"

STANDARD LIGHTING  
1xG9x10 W MAX (NOT INCL.)\*  
2xE14x10 W MAX (NOT INCL.)\*\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY S5	
Ø	60 cm / 23.60"
H MAX	160 cm / 63.00"

STANDARD LIGHTING  
2xG9x10 W MAX (NOT INCL.)\*  
3xE14x10 W MAX (NOT INCL.)\*\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY C5 RD 40	
Ø	40 cm / 15.70"
H MAX	160 cm / 63.00"

STANDARD LIGHTING  
5xG9x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"



POSY C7 RD 60	
Ø	60 cm / 23.60"
H MAX	160 cm / 63.00"

STANDARD LIGHTING  
7xG9x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"



POSY BIL6	
W	180 cm / 70.90"
D	42 cm / 16.50"
H	31 cm / 12.20"

STANDARD LIGHTING  
2xG9x10 W MAX (NOT INCL.)\*  
4xE14x10 W MAX (NOT INCL.)\*\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY VERT 2	
W	42 cm / 16.50"
D	20 cm / 7.90"
H	102 cm / 40.20"

STANDARD LIGHTING  
2xE14x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"



POSY VERT 3	
W	39 cm / 15.40"
D	32 cm / 12.60"
H	142 cm / 55.90"

STANDARD LIGHTING  
1xG9x10 W MAX (NOT INCL.)\*  
2xE14x10 W MAX (NOT INCL.)\*\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"



POSY C10 RD 80	
Ø	80 cm / 31.50"
H MAX	160 cm / 63.00"

STANDARD LIGHTING  
10xG9x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"



POSY C5 LN 75	
W	75 cm / 29.50"
D	20 cm / 7.90"
H MAX	160 cm / 63.00"

STANDARD LIGHTING  
5xG9x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"



POSY C7 LN 125	
W	125 cm / 49.20"
D	20 cm / 7.90"
H MAX	160 cm / 63.00"

STANDARD LIGHTING  
7xG9x10 W MAX (NOT INCL.)\*


\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"



POSY C10 LN 175	
W	175 cm / 68.90"
D	20 cm / 7.90"
H MAX	160 cm / 63.00"

STANDARD LIGHTING  
10xG9x10 W MAX (NOT INCL.)\*

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"




DISCOVER MORE



\* : ONLY FOR THE US MARKET.


## SINGLE CANOPIES

### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	10 cm / 3.90"	● V91	POSY S1 12
H	3,2 cm / 1.30"		POSY S1 16
			POSY S1 20
			POSY BIL3
			POSY BIL4
			POSY BIL6


### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	10 cm / 3.90"	● V91	POSY S1 25
H	3,2 cm / 1.30"		


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	● V91	POSY C5 LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	● V91	POSY C7 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	● V91	POSY C10 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 40




SIZE		FINISHINGS	PRODUCT NAME
Ø	40 cm / 15.70"	● V91	POSY C5 RD 40
H	4 cm / 1.60"		POSY S5

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V91	POSY C7 RD 60
H	4 cm / 1.60"		POSY S7

### ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V91	POSY C10 RD 80
H	4 cm / 1.60"		



# Posy

Galvanic metal structure .  
Triplex opal white Murano glass  
diffuser.




G18 Brushed brass



Triplex Murano glass


POSY S1 12		CE	UL
W	18 cm / 7.10"		
D	12 cm / 4.70"		
H	14 cm / 5.50"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"




POSY S1 16		CE	UL
W	22 cm / 8.70"		
D	16 cm / 6.30"		
H	18 cm / 7.10"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY S1 20		CE	UL
W	26 cm / 10.20"		
D	20 cm / 7.90"		
H	22 cm / 8.70"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 150 mm / 5.90"




POSY A1 P		CE	UL
W	22 cm / 8.70"		
D	22 cm / 8.70"		
H	16 cm / 6.30"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY A1 G		CE	UL
W	26 cm / 10.20"		
D	26 cm / 10.20"		
H	20 cm / 7.90"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY TL		CE	UL*
W	26 cm / 10.20"		
D	20 cm / 7.90"		
H	20 cm / 7.90"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY STL		CE	UL
W	39 cm / 15.40"		
D	32 cm / 12.60"		
H	152 cm / 59.80"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)* 2×E12×10 W MAX (NOT INCL.)**			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY S1 25		CE	UL
W	31 cm / 12.20"		
D	25 cm / 9.80"		
H	29 cm / 11.40"		
STANDARD LIGHTING			
1×E26×20 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 62 mm / 2.40" W 185 mm / 7.30"




POSY BIL3		CE	UL
W	100 cm / 39.40"		
D	33 cm / 13.00"		
H	34 cm / 13.40"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)* 2×E12×10 W MAX (NOT INCL.)**			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY BIL4		CE	UL
W	140 cm / 55.10"		
D	38 cm / 15.00"		
H	29 cm / 11.40"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)* 3×E12×10 W MAX (NOT INCL.)**			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY S3		CE	UL
Ø	40 cm / 15.70"		
H MAX	160 cm / 63.00"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)* 2×E12×10 W MAX (NOT INCL.)**			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY S5		CE	UL
Ø	60 cm / 23.60"		
H MAX	160 cm / 63.00"		
STANDARD LIGHTING			
2×G9×10 W MAX (NOT INCL.)* 3×E12×10 W MAX (NOT INCL.)**			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY C5 RD 40		CE	UL
Ø	40 cm / 15.70"		
H MAX	160 cm / 63.00"		
STANDARD LIGHTING			
5×G9×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"




POSY C7 RD 60		CE	UL
Ø	60 cm / 23.60"		
H MAX	160 cm / 63.00"		
STANDARD LIGHTING			
7×G9×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"




POSY BIL6		CE	UL
W	180 cm / 70.90"		
D	42 cm / 16.50"		
H	31 cm / 12.20"		
STANDARD LIGHTING			
2×G9×10 W MAX (NOT INCL.)* 4×E12×10 W MAX (NOT INCL.)**			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY VERT 2		CE	UL
W	42 cm / 16.50"		
D	20 cm / 7.90"		
H	102 cm / 40.20"		
STANDARD LIGHTING			
2×E12×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"




POSY VERT 3		CE	UL
W	39 cm / 15.40"		
D	32 cm / 12.60"		
H	142 cm / 55.90"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)* 2×E12×10 W MAX (NOT INCL.)**			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"  
\*\* BULB MAX  
Ø 37 mm / 1.50" W 110 mm / 4.30"




POSY C10 RD 80		CE	UL
Ø	80 cm / 31.50"		
H MAX	160 cm / 63.00"		
STANDARD LIGHTING			
10×G9×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"




POSY C5 LN 75		CE	UL
W	75 cm / 29.50"		
D	20 cm / 7.90"		
H MAX	160 cm / 63.00"		
STANDARD LIGHTING			
5×G9×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"




POSY C7 LN 125		CE	UL
W	125 cm / 49.21"		
D	20 cm / 7.90"		
H MAX	160 cm / 63.00"		
STANDARD LIGHTING			
7×G9×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"



POSY C10 LN 175		CE	UL
W	175 cm / 68.90"		
D	20 cm / 7.90"		
H MAX	160 cm / 63.00"		
STANDARD LIGHTING			
10×G9×10 W MAX (NOT INCL.)*			

\* BULB MAX  
Ø 37 mm / 1.50" W 70 mm / 2.80"




DISCOVER MORE



\*UL : ONLY FOR THE US MARKET.


SINGLE CANOPIES

SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	● V91	POSY S1 12
H	0,8 cm / 0.30"		POSY S1 16
			POSY S1 20
			POSY BIL3
			POSY BIL4
			POSY BIL6


SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	● V91	POSY S1 25
H	0,8 cm / 0.30"		


MULTIPLE CANOPIES

LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	● V91	POSY C5 LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	● V91	POSY C7 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	● V91	POSY C10 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

ROUND CANOPY RD 40




SIZE		FINISHINGS	PRODUCT NAME
Ø	40 cm / 15.70"	● V91	POSY C5 RD 40
H	4 cm / 1.60"		

ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V91	POSY C7 RD 60
H	4 cm / 1.60"		POSY S7

ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V91	POSY C10 RD 80
H	4 cm / 1.60"		

# Iglù

IT Iglù è un'intuizione che nasce osservando la perfezione dell'elemento sfera, che diventa una forma perfetta, riconoscibile ed unica grazie ad una rete che non trattiene la luce ma crea un disegno di luci e ombre, trasformando il metallo in un gioiello luminoso.


EN Iglù is an intuition born from observing the perfection of the sphere, transformed into a perfect, recognisable and unique shape by mesh that, rather than obstruct the light, instead creates a pattern of light and shadow, transforming the metal into a luminous jewel.

DESIGN BY  
ORIANO FAVARETTO

SUSPENSION  
CEILING  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

IGLÙ S6+1







IGLÙ PL13  
IGLÙ PL18  
IGLÙ PL25



IGLÙ A1



IGLÙ STL1



# Iglù

Struttura in metallo verniciato con patina spazzolata. Illuminazione a LED.

Metal structure painted with brushed patina. LED lighting.

Metallstruktur mit gebürsteter Patina. LED-Beleuchtung.

Estructura de metal pintado con pátina cepillada. Iluminación led.

Structure en métal laqué avec patine brossé. Eclairage en LED.

Окрашенная металлическая структура с матовой патиной. Светодиодное освещение.


这种灯具的结构是涂漆的金属。LED照明。

هيكل معدني مطلي بطبقة مصقولة. إضاءة ليد.


IGLÙ S125	
ø	25,5 cm / 10.00"
H	25,5 cm / 10.00"
STANDARD INTEGRATED LED LIGHTING	
	15,5 W CRI>90 3000 K – 2100 NOMINAL LM
ON REQUEST	
	15,5 W CRI>90 2700 K – 2000 NOMINAL LM
DIMMABLE	
	NO



IGLÙ S2	
w	58 cm / 22.80"
D	18 cm / 7.10"
H	18 cm / 7.10"
STANDARD INTEGRATED LED LIGHTING	
	19,8 W CRI>90 3000 K – 2600 NOMINAL LM
ON REQUEST	
	19,8 W CRI>90 2700 K – 2440 NOMINAL LM
DIMMABLE	
	NO



IGLÙ S6+1	
ø	96 cm / 37.80"
H	52 cm / 20.50"
STANDARD INTEGRATED LED LIGHTING	
	26,6 W CRI>90 3000 K – 3626 NOMINAL LM
ON REQUEST	
	26,6 W CRI>90 2700 K – 3444 NOMINAL LM
DIMMABLE	
	NO



IGLÙ PL 13	
ø	13 cm / 5.10"
H	13 cm / 5.10"
STANDARD INTEGRATED LED LIGHTING	
	5,4 W CRI>90 3000 K – 688 NOMINAL LM
ON REQUEST	
	5,4 W CRI>90 2700 K – 653 NOMINAL LM
DIMMABLE	
	NO




IGLÙ PL 18	
ø	18 cm / 7.10"
H	18 cm / 7.10"
STANDARD INTEGRATED LED LIGHTING	
	11,4 W CRI>90 3000 K – 1450 NOMINAL LM
ON REQUEST	
	11,4 W CRI>90 2700 K – 1232 NOMINAL LM
DIMMABLE	
	NO




IGLÙ PL 25	
ø	25,5 cm / 10.00"
H	25,5 cm / 10.00"
STANDARD INTEGRATED LED LIGHTING	
	15,5 W CRI>90 3000 K – 2100 NOMINAL LM
ON REQUEST	
	15,5 W CRI>90 2700 K – 2000 NOMINAL LM
DIMMABLE	
	NO




IGLÙ S12+1	
ø	96 cm / 37.80"
H	68 cm / 26.80"
STANDARD INTEGRATED LED LIGHTING	
	49,4 W CRI>90 3000 K – 6734 NOMINAL LM
ON REQUEST	
	49,4 W CRI>90 2700 K – 6397 NOMINAL LM
DIMMABLE	
	TRIAC




IGLÙ S18+1	
ø	136 cm / 53.50"
H	82 cm / 32.30"
STANDARD INTEGRATED LED LIGHTING	
	73,5 W CRI>90 3000 K – 10258 NOMINAL LM
ON REQUEST	
	73,5 W CRI>90 2700 K – 9745 NOMINAL LM
DIMMABLE	
	TRIAC




IGLÙ A1	
w	24 cm / 9.40"
D	28 cm / 11.00"
H	18 cm / 7.10"
STANDARD INTEGRATED LED LIGHTING	
UP	2,6 W CRI>90 3000 K – 346 NOMINAL LM
DOWN	8,4 W CRI>90 3000 K – 1150 NOMINAL LM
ON REQUEST	
UP	2,6 W CRI>90 2700 K – 335 NOMINAL LM
DOWN	8,4 W CRI>90 2700 K – 977 NOMINAL LM
DIMMABLE	
	TRIAC



IGLÙ TL1	
w	24 cm / 9.40"
D	28 cm / 11.00"
H	55 cm / 21.70"
STANDARD INTEGRATED LED LIGHTING	
UP	3,7 W CRI>90 3000 K – 462 NOMINAL LM
DOWN	11,4 W CRI>90 3000 K – 1450 NOMINAL LM
ON REQUEST	
UP	3,7 W CRI>90 2700 K – 448 NOMINAL LM
DOWN	11,4 W CRI>90 2700 K – 1232 NOMINAL LM
DIMMABLE	
	OWN BUTTON



IGLÙ STL1	
w	24 cm / 9.40"
D	28 cm / 11.00"
H	162 cm / 63.80"
STANDARD INTEGRATED LED LIGHTING	
UP	3,7 W CRI>90 3000 K – 462 NOMINAL LM
DOWN	11,4 W CRI>90 3000 K – 1450 NOMINAL LM
ON REQUEST	
UP	3,7 W CRI>90 2700 K – 448 NOMINAL LM
DOWN	11,4 W CRI>90 2700 K – 1232 NOMINAL LM
DIMMABLE	
	OWN BUTTON



v86 Bronzo patinato  
Coated bronze



Gold mesh - v94

DISCOVER MORE





**IGLÙ S7** 

∅ 60 cm / 23.60"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


52,3 W CRI>90  
3000 K - 6700 NOMINAL LM

**ON REQUEST**

52,3 W CRI>90  
2700 K - 6030 NOMINAL LM

**DIMMABLE**

1-10V + PUSH



**IGLÙ C5 RD 40** 

∅ 40cm/ 15.70"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


27W CRI>90  
3000K - 3440 NOMINAL LM

**ON REQUEST**

27 W CRI>90  
2700K - 3268 NOMINAL LM

**DIMMABLE**

1-10V + PUSH



**IGLÙ C7 RD 60** 

∅ 60cm/ 23.60"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


37,8 W CRI>90  
3000K - 4816 NOMINAL LM


**ON REQUEST**

27 W CRI>90  
2700K - 4575 NOMINAL LM

**DIMMABLE**

1-10V + PUSH



**IGLÙ C10 RD 80** 

∅ 80cm/ 31.50"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


54 W CRI>90  
3000K - 6880 NOMINAL LM

**ON REQUEST**

54 W CRI>90  
2700 K - 6536 NOMINAL LM

**DIMMABLE**

1-10V + PUSH + DALI



**IGLÙ C5 LN 75** 

w 75 cm / 29.50"  
D 20 cm / 7.90"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


27 W CRI>90  
3000K - 3440 NOMINAL LM


**ON REQUEST**

27 W CRI>90  
2700K - 3268 NOMINAL LM

**DIMMABLE**

1-10V + PUSH



**IGLÙ C7 LN 125** 

w 125 cm / 49.20"  
D 20 cm / 7.90"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


37,8 W CRI>90  
3000K - 4816 NOMINAL LM

**ON REQUEST**

37,8 W CRI>90  
2700K - 4575 NOMINAL LM

**DIMMABLE**

1-10V + PUSH



**IGLÙ C10 LN 175** 

w 175 cm / 68.90"  
D 20 cm / 7.90"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


54W CRI>90  
3000K - 6880 NOMINAL LM

**ON REQUEST**

54 W CRI>90  
2700 K - 6536 NOMINAL LM


**DIMMABLE**

1-10V + PUSH + DALI




## SINGLE CANOPIES

### SINGLE CANOPY




SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	V86	IGLÚ S1 25
H	6 cm / 2.40"		

### SINGLE CANOPY




SIZE		FINISHINGS	PRODUCT NAME
W	45 cm / 17.70"	V86	IGLÚ S2
D	5 cm / 2.00"		
H	4 cm / 1.60"		

### SINGLE CANOPY




SIZE		FINISHINGS	PRODUCT NAME
Ø	14 cm / 5.50"	V86	IGLÚ S 6+1
H	7 cm / 2.80"		

### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	18 cm / 7.10"	V86	IGLÚ S 12+1
H	9 cm / 3.50"		


### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	20 cm / 7.90"	V86	IGLÚ S 18+1
H	10 cm / 3.90"		


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	V86	IGLÚ C5 LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	V86	IGLÚ C7 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	V86	IGLÚ C10 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 40




SIZE		FINISHINGS	PRODUCT NAME
Ø	40 cm / 15.70"	V86	IGLÚ C5 RD 40
H	4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	V86	IGLÚ C7 RD 60
H	4 cm / 1.60"		IGLÚ S7

### ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	V86	IGLÚ C10 RD 80
H	4 cm / 1.60"		

# Iglù

Metal structure painted with brushed patina. LED lighting.



v86 Coated bronze




Gold mesh - v94


IGLÙ S125		CE
ø	25,5 cm / 10.00"	
H	25,5 cm / 10.00"	
<b>INTEGRATED LED LIGHTING</b>		
	15,5 W CRI>90	
	3000 K – 2100 NOMINAL LM	
<b>ON REQUEST</b>		
	15,5 W CRI>90	
	2700 K – 2000 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	




IGLÙ S2		CE
W	58 cm / 22.80"	
D	18 cm / 7.10"	
H	18 cm / 7.10"	
<b>INTEGRATED LED LIGHTING</b>		
	19,8 W CRI>90	
	3000 K – 2600 NOMINAL LM	
<b>ON REQUEST</b>		
	19,8 W CRI>90	
	2700 K – 2440 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	




IGLÙ S6+1		CE
ø	96 cm / 37.80"	
H	52 cm / 20.50"	
<b>INTEGRATED LED LIGHTING</b>		
	26,6 W CRI>90	
	3000 K – 3626 NOMINAL LM	
<b>ON REQUEST</b>		
	26,6 W CRI>90	
	2700 K – 3444 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	



IGLÙ S12+1		CE
ø	96 cm / 37.80"	
H	68 cm / 26.80"	
<b>INTEGRATED LED LIGHTING</b>		
	49,4 W CRI>90	
	3000 K – 6734 NOMINAL LM	
<b>ON REQUEST</b>		
	49,4 W CRI>90	
	2700 K – 6397 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	



IGLÙ S18+1		CE
ø	136 cm / 53.50"	
H	82 cm / 32.30"	
<b>INTEGRATED LED LIGHTING</b>		
	73,5 W CRI>90	
	3000 K – 10258 NOMINAL LM	
<b>ON REQUEST</b>		
	73,5 W CRI>90	
	2700 K – 9745 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	



IGLÙ PL 13		CE
ø	13 cm / 5.10"	
H	13 cm / 5.10"	
<b>INTEGRATED LED LIGHTING</b>		
	5,4 W CRI>90	
	3000 K – 688 NOMINAL LM	
<b>ON REQUEST</b>		
	5,4 W CRI>90	
	2700 K – 653 NOMINAL LM	
<b>DIMMABLE</b>		
	NO	




IGLÙ PL 18		CE
ø	18 cm / 7.10"	
H	18 cm / 7.10"	
<b>INTEGRATED LED LIGHTING</b>		
	8,4 W CRI>90	
	3000 K – 1300 NOMINAL LM	
<b>ON REQUEST</b>		
	8,4 W CRI>90	
	2700 K – 1232 NOMINAL LM	
<b>DIMMABLE</b>		
	TRIAC	



IGLÙ PL 25		CE
ø	25,5 cm / 10.00"	
H	25,5 cm / 10.00"	
<b>INTEGRATED LED LIGHTING</b>		
	15,5 W CRI>90	
	3000 K – 2100 NOMINAL LM	
<b>ON REQUEST</b>		
	15,5 W CRI>90	
	2700 K – 2000 NOMINAL LM	
<b>DIMMABLE</b>		
	0-10V	




IGLÙ A1		CE
W	24 cm / 9.40"	
D	28 cm / 11.00"	
H	18 cm / 7.10"	
<b>INTEGRATED LED LIGHTING</b>		
UP	2,6 W CRI>90	
	3000 K – 346 NOMINAL LM	
DOWN	8,4 W CRI>90	
	3000 K – 1150 NOMINAL LM	
<b>ON REQUEST</b>		
UP	2,6 W CRI>90	
	2700 K – 335 NOMINAL LM	
DOWN	8,4 W CRI>90	
	2700 K – 977 NOMINAL LM	
<b>DIMMABLE</b>		
	TRIAC	



IGLÙ TL1		CE
W	24 cm / 9.40"	
D	28 cm / 11.00"	
H	55 cm / 21.70"	
<b>INTEGRATED LED LIGHTING</b>		
UP	3,7 W CRI>90	
	3000 K – 462 NOMINAL LM	
DOWN	11,4 W CRI>90	
	3000 K – 1450 NOMINAL LM	
<b>ON REQUEST</b>		
UP	3,7 W CRI>90	
	2700 K – 448 NOMINAL LM	
DOWN	11,4 W CRI>90	
	2700 K – 1232 NOMINAL LM	
<b>DIMMABLE</b>		
	OWN BUTTON	




IGLÙ STL1		CE
W	24 cm / 9.40"	
D	28 cm / 11.00"	
H	162 cm / 63.80"	
<b>INTEGRATED LED LIGHTING</b>		
UP	3,7 W CRI>90	
	3000 K – 462 NOMINAL LM	
DOWN	11,4 W CRI>90	
	3000 K – 1450 NOMINAL LM	
<b>ON REQUEST</b>		
UP	3,7 W CRI>90	
	2700 K – 448 NOMINAL LM	
DOWN	11,4 W CRI>90	
	2700 K – 1232 NOMINAL LM	
<b>DIMMABLE</b>		
	OWN BUTTON	



DISCOVER MORE



**IGLÙ S7** 

∅ 60 cm / 23.60"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


52,3 W CRI>90  
3000 K - 6700 NOMINAL LM


**ON REQUEST**

52,3 W CRI>90  
2700 K - 6030 NOMINAL LM

**DIMMABLE**

0-10V



**IGLÙ C5 RD 40** 

∅ 40cm/ 15.70"  
H MAX 150 cm / 59.10"

**STANDARD INTEGRATED LED LIGHTING**


27 W CRI>90  
3000K - 3440 NOMINAL LM


**ON REQUEST**

27 W CRI>90  
2700K - 3268 NOMINAL LM

**DIMMABLE**

0-10V



**IGLÙ C7 RD 60** 

∅ 60cm / 23.60"  
H MAX 150 cm / 59.10"

**INTEGRATED LED LIGHTING**

37.8 W CRI>90  
3000K - 4816 NOMINAL LM


**ON REQUEST**

37,8 W CRI>90  
2700K - 4575 NOMINAL LM

**DIMMABLE**

0-10V



**IGLÙ C10 RD 80** 

∅ 80cm/ 31.50"  
H MAX 150 cm / 59.10"

**INTEGRATED LED LIGHTING**


50 W CRI>90  
3000K - 6384 NOMINAL LM


**ON REQUEST**

54 W CRI>90  
2700 K - 6536 NOMINAL LM

**DIMMABLE**

0-10V



**IGLÙ C5 LN 75** 

w 75 cm / 29.50"  
D 20 cm / 7.90"  
H MAX 150 cm / 59.10"

**INTEGRATED LED LIGHTING**


27 W CRI>90  
3000K - 3440 NOMINAL LM


**ON REQUEST**

27 W CRI>90  
2700K - 3268 NOMINAL LM

**DIMMABLE**

0-10V



**IGLÙ C7 LN 125** 

w 125 cm / 49.20"  
D 20 cm / 7.90"  
H MAX 150 cm / 59.10"

**INTEGRATED LED LIGHTING**


37.8 W CRI>90  
3000K - 4816 NOMINAL LM


**ON REQUEST**

37,8 W CRI>90  
2700K - 4575 NOMINAL LM

**DIMMABLE**

0-10V



**IGLÙ C10 LN 175** 

w 175 cm / 68.90"  
D 20 cm / 7.90"  
H MAX 150 cm / 59.10"

**INTEGRATED LED LIGHTING**


50 W CRI>90  
3000K - 6384 NOMINAL LM

**ON REQUEST**

54 W CRI>90  
2700 K - 6536 NOMINAL LM


**DIMMABLE**

0-10V




SINGLE CANOPIES

SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 14 cm / 5.50"	V86	IGLÙ S1 25
H 7 cm / 2.80"		

SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
W 45 cm / 17.70"	V86	IGLÙ S2
D 12 cm / 4.70"		
H 4 cm / 1.60"		

SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 14 cm / 5.50"	V86	IGLÙ S 6+1
H 7 cm / 2.80"		

SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 18 cm / 7.10"	V86	IGLÙ S 12+1
H 9 cm / 3.50"		


SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 20 cm / 7.90"	V86	IGLÙ S 18+1
H 10 cm / 3.90"		


MULTIPLE CANOPIES

LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	V86	IGLÙ C5 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	V86	IGLÙ C7 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 175




SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	V86	IGLÙ C10 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		

ROUND CANOPY RD 40




SIZE	FINISHINGS	PRODUCT NAME
Ø 40 cm / 15.70"	V86	IGLÙ C5 RD 40
H 4 cm / 1.60"		

ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	V86	IGLÙ C7 RD 60
H 4 cm / 1.60"		IGLÙ S7

ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	V86	IGLÙ C10 RD 80
H 4 cm / 1.60"		

# Vegas

IT Vegas è liberamente ispirata all'architettura della città che non dorme mai, Las Vegas. Le iconiche luci Art Decò dallo stile classico e geometrico sono reinterpretate in chiave contemporanea, accostando vetro e metallo utilizzando le più moderne tecniche di lavorazione.

EN Vegas is loosely inspired by the architecture of Las Vegas, the city that never sleeps. With their classic geometric style, the iconic Art Deco lights are reinterpreted in a contemporary key, combining glass and metal using the most modern manufacturing techniques.


VEGAS VRT 70  
VEGAS VRT 140  
VEGAS VRT 180

DESIGN BY  
MARC SADLER

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP













VEGAS A P VRT



VEGAS A G VRT




VEGAS S OV 120





VEGAS VRT 70  
VEGAS VRT 140  
VEGAS VRT 180



VEGAS TL G

# Vegas

Struttura in metallo con diffusore in listelli di vetro effetto roccia Illuminazione a LED.

Metal frame with diffuser in strips of rock looking glass. LED lighting.

Gestell aus Metall mit Diffusor aus Glasleisten, Gestein aussehend. LED-Beleuchtung.

Estructura de metal con difusor en listones de cristal efecto roca. Iluminación LED.

Structure en métal peint avec diffuseur en bandes de verre effet roche. Éclairage à LED.

Металлический каркас с рассеивателем из стекла с эффектом горного хрусталя. Светодиодное освещение.

这种灯具具有金属结构, 而且在灯具外面有岩石类类似的玻璃条们。LED照明。

هيكل معدني مع ناشر ضوء في شرائح زجاجية ذات تأثير صخري. إضاءة ليد.



F04 Foglia champagne Champagne leaf



Hand made glass


VEGAS S RD12	
ø	12 cm / 4.70"
H	28 cm / 11.00"
STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000K - 688 NOMINAL LM	
ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	
DIMMABLE	
NO	




VEGAS S RD40	
ø	40 cm / 15.70"
H	40 cm / 15.70"
STANDARD INTEGRATED LED LIGHTING	
30 W CRI>95 3000 K - 3200 NOMINAL LM	
ON REQUEST	
30 W CRI>95 2700 K - 3050 NOMINAL LM	
DIMMABLE	
0-10V	



VEGAS S RD60	
ø	60 cm / 23.60"
H	40 cm / 15.70"
STANDARD INTEGRATED LED LIGHTING	
56,4 W CRI>95 3000 K - 6016 NOMINAL LM	
ON REQUEST	
56,4 W CRI>95 2700 K - 5734 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS S VRT70	
ø	27 cm / 10.60"
H	67 cm / 26.40"
STANDARD INTEGRATED LED LIGHTING	
21 W CRI>95 3000 K - 2240 NOMINAL LM	
ON REQUEST	
21 W CRI>95 2700 K - 2135 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS S VRT90	
ø	27 cm / 10.60"
H	94 cm / 37.00"
STANDARD INTEGRATED LED LIGHTING	
41 W CRI>95 3000 K - 4373 NOMINAL LM	
ON REQUEST	
41 W CRI>95 2700 K - 4168 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS S VRT140	
ø	27 cm / 10.60"
H	135 cm / 53.10"
STANDARD INTEGRATED LED LIGHTING	
56 W CRI>95 3000 K - 5973 NOMINAL LM	
ON REQUEST	
56 W CRI>95 2700 K - 5693 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS S VRT180	
ø	27 cm / 10.60"
H	175 cm / 68.90"
STANDARD INTEGRATED LED LIGHTING	
72 W CRI>95 3000 K - 7680 NOMINAL LM	
ON REQUEST	
72 W CRI>95 2700 K - 7320 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS S RD40 DB	
ø	40 cm / 15.70"
H	50 cm / 19.70"
STANDARD INTEGRATED LED LIGHTING	
33 W CRI>95 3000 K - 3520 NOMINAL LM	
ON REQUEST	
33 W CRI>95 2700 K - 3355 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS S RD 60DB	
ø	60 cm / 23.60"
H	50 cm / 19.70"
STANDARD INTEGRATED LED LIGHTING	
55 W CRI>95 3000 K - 5866 NOMINAL LM	
ON REQUEST	
55 W CRI>95 2700 K - 5591 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS BIL 90	
w	94 cm / 37.00"
d	27 cm / 10.60"
H	27 cm / 10.60"
STANDARD INTEGRATED LED LIGHTING	
41 W CRI>95 3000 K - 4373 NOMINAL LM	
ON REQUEST	
41 W CRI>95 2700 K - 4168 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS BIL 140	
w	135 cm / 53.10"
d	27 cm / 10.60"
H	27 cm / 10.60"
STANDARD INTEGRATED LED LIGHTING	
56 W CRI>95 3000 K - 5973 NOMINAL LM	
ON REQUEST	
56 W CRI>95 2700 K - 5693 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS BIL 180	
w	175 cm / 68.90"
d	27 cm / 10.60"
H	27 cm / 10.60"
STANDARD INTEGRATED LED LIGHTING	
72 W CRI>95 3000 K - 7680 NOMINAL LM	
ON REQUEST	
72 W CRI>95 2700 K - 7320 NOMINAL LM	
DIMMABLE	
0-10V	




VEGAS S OV85	
w	85 cm / 33.50"
d	34 cm / 13.40"
H	40 cm / 15.70"
STANDARD INTEGRATED LED LIGHTING	
58,8 W CRI>95 3000 K - 7570 NOMINAL LM	
ON REQUEST	
58,8 W CRI>95 2700 K - 7191 NOMINAL LM	
DIMMABLE	
0-10V	



VEGAS S OV120	
w	120 cm / 47.20"
d	48 cm / 18.90"
H	40 cm / 15.70"
STANDARD INTEGRATED LED LIGHTING	
87,6 W CRI>95 3000 K - 9344 NOMINAL LM	
ON REQUEST	
87,6 W CRI>95 2700 K - 8906 NOMINAL LM	
DIMMABLE	
0-10V	



VEGAS S OV160	
w	160 cm / 63.00"
d	65 cm / 25.60"
H	40 cm / 15.70"
STANDARD INTEGRATED LED LIGHTING	
119 W CRI>95 3000 K - 12693 NOMINAL LM	
ON REQUEST	
119 W CRI>95 2700 K - 12098 NOMINAL LM	
DIMMABLE	
0-10V	





DISCOVER MORE




**VEGAS A P VRT** 

W	28 cm / 11.00"
D	10 cm / 3.90"
H	38 cm / 15.00"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
7 W CRI>95 3000 K – 746 NOMINAL LM	
<b>ON REQUEST</b>	
7 W CRI>95 2700 K – 712 NOMINAL LM	
<b>DIMMABLE</b>	
NO	




**VEGAS A G VRT** 

W	28 cm / 11.00"
D	10 cm / 3.90"
H	79 cm / 31.10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
14 W CRI>95 3000 K – 1492 NOMINAL LM	
<b>ON REQUEST</b>	
14 W CRI>95 2700 K – 1424 NOMINAL LM	
<b>DIMMABLE</b>	
NO	




**VEGAS A P** 


W	38 cm / 15.00"
D	10 cm / 3.90"
H	28 cm / 11.00"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
7 W CRI>95 3000 K – 746 NOMINAL LM	
<b>ON REQUEST</b>	
7 W CRI>95 2700 K – 712 NOMINAL LM	
<b>DIMMABLE</b>	
NO	




**VEGAS A G** 


W	79 cm / 31.10"
D	10 cm / 3.90"
H	28 cm / 11.00"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
14 W CRI>95 3000 K – 1492 NOMINAL LM	
<b>ON REQUEST</b>	
14 W CRI>95 2700 K – 1424 NOMINAL LM	
<b>DIMMABLE</b>	
NO	




**VEGAS C3 LN 75** 


W	75 cm / 29.50"
D	20 cm / 7.90"
H MAX	150 cm / 59.10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
16,2 W CRI>90 3000 K – 2064 NOMINAL LM	
<b>ON REQUEST</b>	
16,2 W CRI>90 2700 K – 1960 NOMINAL LM	
<b>DIMMABLE</b>	
1-10V + PUSH	




**VEGAS C5 LN 125** 

W	125 cm / 49.20"
D	20 cm / 7.90"
H MAX	150 cm / 59.10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
27 W CRI>90 3000K - 3440 Nominal lm	
<b>ON REQUEST</b>	
27 W CRI>90 2700 K – 3268 NOMINAL LM	
<b>DIMMABLE</b>	
1-10V + PUSH	




**VEGAS C7 LN 175** 

W	175 cm / 68.90"
D	20 cm / 7.90"
H MAX	150 cm / 59.10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
37,8 W CRI>90 3000K - 4816 Nominal lm	
<b>ON REQUEST</b>	
37,8 W CRI>90 2700 K – 4575 NOMINAL LM	
<b>DIMMABLE</b>	
1-10V + DALI + PUSH	




**VEGAS TL G** 


W	30 cm / 11.80"
D	18 cm / 7.10"
H	45 cm / 17.70"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
10,8 W CRI>95 3000 K – 1152 NOMINAL LM	
<b>ON REQUEST</b>	
10,8 W CRI>95 2700 K – 1098 NOMINAL LM	
<b>DIMMABLE</b>	
OWN BUTTON	



**VEGAS STL** 


W	57 cm / 22.40"
D	30 cm / 11.80"
H	160 cm / 63.00"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
45,6 W CRI>95 3000 K – 4864 NOMINAL LM	
<b>ON REQUEST</b>	
45,6 W CRI>95 2700 K – 4636 NOMINAL LM	
<b>DIMMABLE</b>	
OWN BUTTON	



**VEGAS C3 RD 40** 


ø	40 cm / 15.70"
H MAX	150 cm / 59.10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
16,2 W CRI>90 3000K - 2064 Nominal lm	
<b>ON REQUEST</b>	
16,2 W CRI>90 2700 K – 1960 NOMINAL LM	
<b>DIMMABLE</b>	
1-10V + PUSH	




**VEGAS C5 RD 60** 

ø	60 cm / 23.60"
H MAX	150 cm / 59.10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
27 W CRI>90 3000K - 3440 Nominal lm	
<b>ON REQUEST</b>	
27 W CRI>90 2700 K – 3268 NOMINAL LM	
<b>DIMMABLE</b>	
1-10V + PUSH	




**VEGAS C7 RD 80** 

ø	80 cm / 31.50"
H MAX	150 cm / 59.10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
37,8 W CRI>90 3000K - 4816 Nominal lm	
<b>ON REQUEST</b>	
37,8 W CRI>90 2700 K – 4575 NOMINAL LM	
<b>DIMMABLE</b>	
1-10V + DALI + PUSH	




## SINGLE CANOPIES

### SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 10 cm / 3.90"	F04	VEGAS S RD12
H 5 cm / 2.00"		

### SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 19,2 cm / 7.60"	F04	VEGAS S RD40
H 4 cm / 1.60"		VEGAS S RD40 DB
		VEGAS S RD60
		VEGAS S RD60 DB

### SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 21 cm / 8.30"	F04	VEGAS S VRT70
H 4,5 cm / 1.80"		VEGAS S VRT90
		VEGAS S VRT140

### SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 30 cm / 11.80"	F04	VEGAS S VRT180
H 4,5 cm / 1.80"		


### SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
W 35,5 cm / 14.00"	F04	VEGAS BIL90
D 8 cm / 3.10"		VEGAS BIL140
H 5,2 cm / 2.0"		VEGAS BIL180
		VEGAS S OV85
		VEGAS S OV120
		VEGAS S OV 160


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	V98	VEGAS C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	V98	VEGAS C5 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

### LINEAR CANOPY LN 175




SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	V98	VEGAS C7 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		

### ROUND CANOPY RD 40




SIZE	FINISHINGS	PRODUCT NAME
Ø 40 cm / 15.70"	V98	VEGAS C3 RD 40
H 4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	V98	VEGAS C5 RD 60
H 4 cm / 1.60"		

### ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	V98	VEGAS C7 RD 80
H 4 cm / 1.60"		




# Vegas

Metal frame with diffuser in strips of rock looking glass. LED lighting.



F04 Champagne leaf



Hand made glass


<b>VEGAS S RD12</b>	
∅	12 cm / 4.70"
H	28 cm / 11.00"
<b>INTEGRATED LED LIGHTING</b>	
5,4 W CRI>95 3000K - 688 NOMINAL LM	
<b>ON REQUEST</b>	
5,4 W CRI>95 2700 K - 653 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



<b>VEGAS S RD40</b>	
∅	40 cm / 15.70"
H	40 cm / 15.70"
<b>INTEGRATED LED LIGHTING</b>	
30 W CRI>95 3000 K - 3200 NOMINAL LM	
<b>ON REQUEST</b>	
30 W CRI>95 2700 K - 3050 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	



<b>VEGAS S RD60</b>	
∅	60 cm / 23.60"
H	40 cm / 15.70"
<b>INTEGRATED LED LIGHTING</b>	
56,4 W CRI>95 3000 K - 6016 NOMINAL LM	
<b>ON REQUEST</b>	
56,4 W CRI>95 2700 K - 5734 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S RD40 DB</b>	
∅	40 cm / 15.70"
H	50 cm / 19.70"
<b>INTEGRATED LED LIGHTING</b>	
33 W CRI>95 3000 K - 3520 NOMINAL LM	
<b>ON REQUEST</b>	
33 W CRI>95 2700 K - 3355 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S RD 60DB</b>	
∅	60 cm / 23.60"
H	50 cm / 19.670"
<b>INTEGRATED LED LIGHTING</b>	
55 W CRI>95 3000 K - 5866 NOMINAL LM	
<b>ON REQUEST</b>	
55 W CRI>95 2700 K - 5591 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S OV85</b>	
W	85 cm / 33.50"
D	34 cm / 13.40"
H	40 cm / 15.70"
<b>INTEGRATED LED LIGHTING</b>	
58,8 W CRI>95 3000 K - 7570 NOMINAL LM	
<b>ON REQUEST</b>	
58,8 W CRI>95 2700 K - 7191 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S OV120</b>	
W	120 cm / 47.20"
D	48 cm / 18.90"
H	40 cm / 15.70"
<b>INTEGRATED LED LIGHTING</b>	
87,6 W CRI>95 3000 K - 9344 NOMINAL LM	
<b>ON REQUEST</b>	
87,6 CRI>95 2700 K - 8906 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S OV160</b>	
W	160 cm / 63.00"
D	65 cm / 25.60"
H	40 cm / 15.70"
<b>INTEGRATED LED LIGHTING</b>	
119 W CRI>95 3000 K - 12693 NOMINAL LM	
<b>ON REQUEST</b>	
119 W CRI>95 2700 K - 12098 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S VRT70</b>	
∅	27 cm / 10.60"
H	67 cm / 26.40"
<b>INTEGRATED LED LIGHTING</b>	
21 W CRI>95 3000 K - 2240 NOMINAL LM	
<b>ON REQUEST</b>	
21 W CRI>95 2700 K - 2135 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S VRT90</b>	
∅	27 cm / 10.60"
H	94 cm / 37.00"
<b>INTEGRATED LED LIGHTING</b>	
41 W CRI>95 3000 K - 4373 NOMINAL LM	
<b>ON REQUEST</b>	
41 W CRI>95 2700 K - 4168 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S VRT140</b>	
∅	27 cm / 10.60"
H	135 cm / 53.10"
<b>INTEGRATED LED LIGHTING</b>	
56 W CRI>95 3000 K - 5973 NOMINAL LM	
<b>ON REQUEST</b>	
56 W CRI>95 2700 K - 5693 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS S VRT180</b>	
∅	27 cm / 10.60"
H	175 cm / 68.90"
<b>INTEGRATED LED LIGHTING</b>	
72 W CRI>95 3000 K - 7680 NOMINAL LM	
<b>ON REQUEST</b>	
72 W CRI>95 2700 K - 7320 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS BIL 90</b>	
W	94 cm / 37.00"
D	27 cm / 10.60"
H	27 cm / 10.60"
<b>INTEGRATED LED LIGHTING</b>	
41 W CRI>95 3000 K - 4373 NOMINAL LM	
<b>ON REQUEST</b>	
41 W CRI>95 2700 K - 4168 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	



<b>VEGAS BIL 140</b>	
W	135 cm / 53.10"
D	27 cm / 10.60"
H	27 cm / 10.60"
<b>INTEGRATED LED LIGHTING</b>	
56 W CRI>95 3000 K - 5973 NOMINAL LM	
<b>ON REQUEST</b>	
56 W CRI>95 2700 K - 5693 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




<b>VEGAS BIL 180</b>	
W	175 cm / 68.90"
D	27 cm / 10.60"
H	27 cm / 10.60"
<b>INTEGRATED LED LIGHTING</b>	
72 W CRI>95 3000 K - 7680 NOMINAL LM	
<b>ON REQUEST</b>	
72 W CRI>95 2700 K - 7320 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	



DISCOVER MORE




**VEGAS A P VRT** 


W	28 cm / 11.00"
D	10 cm / 3.90"
H	38 cm / 15.00"
<b>INTEGRATED LED LIGHTING</b>	
7 W CRI>95 3000 K – 746 NOMINAL LM	
<b>ON REQUEST</b>	
7 W CRI>95 2700 K – 712 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	

**VEGAS A G VRT** 





W	28 cm / 11.00"
D	10 cm / 3.90"
H	79 cm / 31.10"
<b>INTEGRATED LED LIGHTING</b>	
14 W CRI>95 3000 K – 1492 NOMINAL LM	
<b>ON REQUEST</b>	
14 W CRI>95 2700 K – 1424 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	

**VEGAS A P** 

W	38 cm / 15.00"
D	10 cm / 3.90"
H	28 cm / 11.00"
<b>INTEGRATED LED LIGHTING</b>	
7 W CRI>95 3000 K – 746 NOMINAL LM	
<b>ON REQUEST</b>	
7 W CRI>95 2700 K – 712 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	


**VEGAS A G** 

W	79 cm / 31.10"
D	10 cm / 3.90"
H	28 cm / 11.00"
<b>INTEGRATED LED LIGHTING</b>	
14 W CRI>95 3000 K – 1492 NOMINAL LM	
<b>ON REQUEST</b>	
14 W CRI>95 2700 K – 1424 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	






**VEGAS TL G** 

W	30 cm / 11.80"
D	18 cm / 7.10"
H	45 cm / 17.70"
<b>INTEGRATED LED LIGHTING</b>	
10,8 W CRI>95 3000 K – 1152 NOMINAL LM	
<b>ON REQUEST</b>	
10,8 W CRI>95 2700 K – 1098 NOMINAL LM	
<b>DIMMABLE</b>	
OWN BUTTON	


**VEGAS STL** 

W	57 cm / 22.40"
D	30 cm / 11.80"
H	160 cm / 63.00"
<b>INTEGRATED LED LIGHTING</b>	
45,6 W CRI>95 3000 K – 4864 NOMINAL LM	
<b>ON REQUEST</b>	
45,6 W CRI>95 2700 K – 4636 NOMINAL LM	
<b>DIMMABLE</b>	
OWN BUTTON	




**VEGAS C3 LN 75** 




W	75 cm / 29.50"
D	20 cm / 7.90"
H MAX	150 cm / 59.10"
<b>INTEGRATED LED LIGHTING</b>	
16,2 W CRI>90 3000 K – 2064 NOMINAL LM	
<b>ON REQUEST</b>	
16,2 W CRI>90 2700 K – 1960 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	

**VEGAS C5 LN 125** 

W	125 cm / 49.20"
D	20 cm / 7.90"
H MAX	150 cm / 59.10"
<b>INTEGRATED LED LIGHTING</b>	
27 W CRI>90 3000K – 3440 Nominal lm	
<b>ON REQUEST</b>	
27 W CRI>90 2700 K – 3268 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	


**VEGAS C7 LN 175** 

W	175 cm / 68.90"
D	20 cm / 7.90"
H MAX	150 cm / 59.10"
<b>INTEGRATED LED LIGHTING</b>	
37,8 W CRI>90 3000K – 4816 Nominal lm	
<b>ON REQUEST</b>	
37,8 W CRI>90 2700 K – 4575 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	



**VEGAS C3 RD 40** 



ø	40 cm / 15.70"
H MAX	150 cm / 59.10"
<b>INTEGRATED LED LIGHTING</b>	
16,2 W CRI>90 3000K – 2064 Nominal lm	
<b>ON REQUEST</b>	
16,2 W CRI>90 2700 K – 1960 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	

**VEGAS C5 RD 60** 

ø	60 cm / 23.60"
H MAX	150 cm / 59.10"
<b>INTEGRATED LED LIGHTING</b>	
27 W CRI>90 3000K – 3440 Nominal lm	
<b>ON REQUEST</b>	
27 W CRI>90 2700 K – 3268 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	


**VEGAS C7 RD 80** 

ø	80 cm / 31.50"
H MAX	150 cm / 59.10"
<b>INTEGRATED LED LIGHTING</b>	
37,8 W CRI>90 3000K – 4816 Nominal lm	
<b>ON REQUEST</b>	
37,8 W CRI>90 2700 K – 4575 NOMINAL LM	
<b>DIMMABLE</b>	
0-10V	




SINGLE CANOPIES

SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 12 cm / 4.70"	F04	VEGAS S RD12
H 6 cm / 2.40"		

SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 19,2 cm / 7.60"	F04	VEGAS S RD40
H 4 cm / 1.60"		VEGAS S RD40 DB
		VEGAS S RD60
		VEGAS S RD60 DB

SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 21 cm / 8.30"	F04	VEGAS S VRT70
H 4,5 cm / 1.80"		VEGAS S VRT90
		VEGAS S VRT140

SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 30 cm / 11.80"	F04	VEGAS S VRT180
H 4,5 cm / 1.80"		


SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
W 39,5 cm / 15.60"	F04	VEGAS BIL90
D 12 cm / 4.70"		VEGAS BIL140
H 5,4 cm / 2.10"		VEGAS BIL180
		VEGAS S OV85
		VEGAS S OV120
		VEGAS S OV 160


MULTIPLE CANOPIES

LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	V98	VEGAS C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	V98	VEGAS C5 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 175




SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	V98	VEGAS C7 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		

ROUND CANOPY RD 40




SIZE	FINISHINGS	PRODUCT NAME
Ø 40 cm / 15.70"	V98	VEGAS C3 RD 40
H 4 cm / 1.60"		

ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	V98	VEGAS C5 RD 60
H 4 cm / 1.60"		

ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	V98	VEGAS C7 RD 80
H 4 cm / 1.60"		

# Horo

IT Horo trae ispirazione dalla forma del cerchio nelle sue infinite espressioni come il sole, disco di luce e simbolo universalmente noto e antico quanto il mondo. Horo è una collezione minimal, semplice, una 'forma grafica' che assume un mood vintage grazie alle particolari finiture di metallo e vetro.

EN Horo is inspired by the shape of a circle in all its infinite expressions such as the sun, a disc of light and a universally recognised symbol, as old as the world itself. Horo is a simple, minimal collection, a "graphic form" given a vintage mood by the special metal and glass finishes.

DESIGN BY  
PIERRE GONALONS

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

HORO S5



HORO TL



HORO A



HORO S1



HORO C5 LN 175





HORO TL



HORO A

HORO S3



HORO STL





# Horo

Struttura in metallo con diffusore in vetro prismatico o decorazione spectrum. Illuminazione a LED.

Metal frame with prism or spectrum finishing glass diffuser. LED lighting.

Gestell aus Metall mit Diffusor aus Prismen oder Spectrum Glass. LED-Beleuchtung.

Estructura de metal con difusor de vidrio prismatico o decoración espectral. Iluminación LED.

Structure en métal avec diffuseur en verre prismatique ou décoration spectrum. Éclairage LED.


Металлический каркас с рассеивателем из призматического стекла или цветного стекла Spectrum. Светодиодное освещение.

这种灯具有金属结构，然而它有一个棱镜玻璃的光扩散。LED照明。

هيكل معدني مع ناشر ضوء زجاجي موشوري أو زخرفة طيفية. إضاءة LED.



G18 Ottone spazzolato  
Brushed Brass



TR Vetro trasparente  
Transparent glass




FM Vetro fumè  
Smoky glass



VD Vetro verde  
Green glass



AZ Vetro azzurro  
Light Blue glass



RS Vetro rosa  
Pink glass



SA Spectrum ambra  
Amber spectrum


## HORO S1

W 30 cm / 11.80"  
D 8 cm / 3.10"  
H 34 cm / 13.40"

STANDARD INTEGRATED LED LIGHTING  
14,4 W CRI>95  
3000 K – 1536 NOMINAL LM

ON REQUEST  
14,4 W CRI>95  
2700 K – 1464 NOMINAL LM

DIMMABLE  
NO



## HORO S3

W 30 cm / 11.80"  
D 12 cm / 4.70"  
H 30 cm / 11.80"

STANDARD INTEGRATED LED LIGHTING  
43,2 W CRI>95  
3000 K – 4608 NOMINAL LM

ON REQUEST  
43,2 W CRI>95  
2700 K – 4392 NOMINAL LM

DIMMABLE  
0-10V




## HORO S5

W 30 cm / 11.80"  
D 12 cm / 4.70"  
H 30 cm / 11.80"

STANDARD INTEGRATED LED LIGHTING  
72 W CRI>95  
3000 K – 7680 NOMINAL LM

ON REQUEST  
72 W CRI>95  
2700 K – 7320 NOMINAL LM

DIMMABLE  
0-10V




## HORO A

W 30 cm / 11.80"  
D 12 cm / 4.70"  
H 30 cm / 11.80"

STANDARD INTEGRATED LED LIGHTING  
14,4 W CRI>95  
3000 K – 1536 NOMINAL LM

ON REQUEST  
14,4 W CRI>95  
2700 K – 1464 NOMINAL LM

DIMMABLE  
NO




## HORO TL

W 30 cm / 11.80"  
D 20 cm / 7.90"  
H 60 cm / 23.60"

STANDARD INTEGRATED LED LIGHTING  
14,4 W CRI>95  
3000 K – 1536 NOMINAL LM

ON REQUEST  
14,4 W CRI>95  
2700 K – 1464 NOMINAL LM

DIMMABLE  
OWN BUTTON



## HORO STL

W 30 cm / 11.80"  
D 25 cm / 9.80"  
H 150 cm / 59.10"

STANDARD INTEGRATED LED LIGHTING  
14,4 W CRI>95  
3000 K – 1536 NOMINAL LM

ON REQUEST  
14,4 W CRI>95  
2700 K – 1464 NOMINAL LM

DIMMABLE  
OWN BUTTON



MASIERO DIMORE


## HORO C3 LN 125

W 125 cm / 49.20"  
D 20 cm / 7.90"  
H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING  
43,2 W CRI>95  
3000 K – 4608 NOMINAL LM

ON REQUEST  
43,2 W CRI>95  
2700 K – 4392 NOMINAL LM

DIMMABLE  
0-10V




## HORO C5 LN 175

W 175 cm / 68.90"  
D 20 cm / 7.90"  
H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING  
72 W CRI>95  
3000 K – 7680 NOMINAL LM

ON REQUEST  
72 W CRI>95  
2700 K – 7320 NOMINAL LM

DIMMABLE  
0-10V




## HORO C3 RD 60

ø 60 cm / 23.60"  
H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING  
43,2 W CRI>95  
3000 K – 4608 NOMINAL LM

ON REQUEST  
43,2 W CRI>95  
2700 K – 4392 NOMINAL LM

DIMMABLE  
0-10V




## HORO C5 RD 80

ø 80 cm / 31.50"  
H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING  
72 W CRI>95  
3000 K – 7680 NOMINAL LM

ON REQUEST  
72 W CRI>95  
2700 K – 7320 NOMINAL LM

DIMMABLE  
0-10V




DISCOVER MORE




## SINGLE CANOPIES


### SINGLE CANOPY

	SIZE	FINISHINGS	PRODUCT NAME
	Ø 10 cm / 3.90" H 4,3 cm / 1.70"	G18	HORO S1

### SINGLE CANOPY


	SIZE	FINISHINGS	PRODUCT NAME
	Ø 19,2 cm / 7.60" H 4 cm / 1.60"	G18	HORO S3

### SINGLE CANOPY


	SIZE	FINISHINGS	PRODUCT NAME
	Ø 19,2 cm / 7.60" H 4 cm / 1.60"	G18	HORO S5

## MULTIPLE CANOPIES


### LINEAR CANOPY LN 125

	SIZE	FINISHINGS	PRODUCT NAME
	W 125 cm / 49.20" D 20 cm / 7.90" H 4 cm / 1.60"	V98	HORO C3 LN 125


### LINEAR CANOPY LN 175

	SIZE	FINISHINGS	PRODUCT NAME
	W 175 cm / 68.90" D 20 cm / 7.90" H 4 cm / 1.60"	V98	HORO C5 LN 175

### ROUND CANOPY RD 60

	SIZE	FINISHINGS	PRODUCT NAME
	Ø 60 cm / 23.60" H 4 cm / 1.60"	V98	HORO C3 RD 60

### ROUND CANOPY RD 80

	SIZE	FINISHINGS	PRODUCT NAME
	Ø 80 cm / 31.50" H 4 cm / 1.60"	V98	HORO C5 RD 80

# Horo

Metal frame with prism or spectrum finishing glass diffuser. LED lighting.



G18 Brushed Brass



TR Transparent glass



FM Smoky glass



VD Green glass



AZ Light Blue glass




RS Pink glass



SA Amber spectrum

HORO S1		CE	ETL
W	30 cm / 11.80"		
D	8 cm / 3.10"		
H	34 cm / 13.40"		
INTEGRATED LED LIGHTING			
14,4 W CRI>95			
3000 K – 1536 NOMINAL LM			
ON REQUEST			
14,4 W CRI>95			
2700 K – 1464 NOMINAL LM			
DIMMABLE			
NO			




HORO S3		CE	ETL
INTEGRATED LED LIGHTING			
43,2 W CRI>95			
3000 K – 4608 NOMINAL LM			
ON REQUEST			
43,2 W CRI>95			
2700 K – 4392 NOMINAL LM			
DIMMABLE			
0-10V			




HORO S5		CE	ETL
INTEGRATED LED LIGHTING			
72 W CRI>95			
3000 K – 7680 NOMINAL LM			
ON REQUEST			
72 W CRI>95			
2700 K – 7320 NOMINAL LM			
DIMMABLE			
0-10V			




HORO A		CE	ETL
W	30 cm / 11.80"		
D	12 cm / 4.70"		
H	30 cm / 11.80"		
INTEGRATED LED LIGHTING			
14,4 W CRI>95			
3000 K – 1536 NOMINAL LM			
ON REQUEST			
14,4 W CRI>95			
2700 K – 1464 NOMINAL LM			
DIMMABLE			
NO			




HORO TL		CE	ETL
W	30 cm / 11.80"		
D	20 cm / 7.90"		
H	60 cm / 23.60"		
INTEGRATED LED LIGHTING			
14,4 W CRI>95			
3000 K – 1536 NOMINAL LM			
ON REQUEST			
14,4 W CRI>95			
2700 K – 1464 NOMINAL LM			
DIMMABLE			
OWN BUTTON			




HORO STL		CE	ETL
W	30 cm / 11.80"		
D	25 cm / 9.80"		
H	150 cm / 59.10"		
INTEGRATED LED LIGHTING			
14,4 W CRI>95			
3000 K – 1536 NOMINAL LM			
ON REQUEST			
14,4 W CRI>95			
2700 K – 1464 NOMINAL LM			
DIMMABLE			
OWN BUTTON			




HORO C3 LN 125		CE	ETL
W	125 cm / 49.20"		
D	20 cm / 7.90"		
H MAX	155 cm / 61.00"		
INTEGRATED LED LIGHTING			
43,2 W CRI>95			
3000 K – 4608 NOMINAL LM			
ON REQUEST			
43,2 W CRI>95			
2700 K – 4392 NOMINAL LM			
DIMMABLE			
0-10V			




HORO C5 LN 175		CE	ETL
W	175 cm / 68.90"		
D	20 cm / 7.90"		
H MAX	155 cm / 61.00"		
INTEGRATED LED LIGHTING			
72 W CRI>95			
3000 K – 7680 NOMINAL LM			
ON REQUEST			
72 W CRI>95			
2700 K – 7320 NOMINAL LM			
DIMMABLE			
0-10V			



HORO C3 RD 60		CE	ETL
ø	60 cm / 23.60"		
H MAX	155 cm / 61.00"		
INTEGRATED LED LIGHTING			
43,2 W CRI>95			
3000 K – 4608 NOMINAL LM			
ON REQUEST			
43,2 W CRI>95			
2700 K – 4392 NOMINAL LM			
DIMMABLE			
0-10V			



HORO C5 RD 80		CE	ETL
ø	80 cm / 31.50"		
H MAX	155 cm / 61.00"		
INTEGRATED LED LIGHTING			
72 W CRI>95			
3000 K – 7680 NOMINAL LM			
ON REQUEST			
72 W CRI>95			
2700 K – 7320 NOMINAL LM			
DIMMABLE			
0-10V			




DISCOVER MORE




## SINGLE CANOPIES

## SINGLE CANOPY




SIZE		FINISHINGS	PRODUCT NAME
Ø	14 cm / 5.50"	G18	HORO S1
H	4,3 cm / 1.70"		

## SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	19,2 cm / 7.60"	G18	HORO S3
H	4 cm / 1.60"		


## SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	19,2 cm / 7.60"	G18	HORO S5
H	4 cm / 1.60"		


## MULTIPLE CANOPIES

## LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	V98	HORO C3 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

## LINEAR CANOPY LN 175




SIZE		FINISHINGS	PRODUCT NAME
W	175 cm / 68.90"	V98	HORO C5 LN 175
D	20 cm / 7.90"		
H	4 cm / 1.60"		

## ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	V98	HORO C3 RD 60
H	4 cm / 1.60"		

## ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	V98	HORO C5 RD 80
H	4 cm / 1.60"		

# Honicé

HONICÉ S80

IT Honicé si ispira alla bellezza e maestosità di una delle pietre più antiche del mondo: l'onice. Secondo la leggenda l'onice sarebbe stata creata quando Cupido tagliò le unghie a Venere. Poichè le parti di una creatura divina non sono mortali, le divinità le trasformarono in una gemma, l'Onice. C'è della magia in lei, una pelle sottile, trasparente pur se di pietra. Honicé rende luminosa e leggera la solidità del marmo.

EN Honicé is inspired by the beauty and majesty of onyx, one of the oldest stones in the world. Legend has it that onyx was created when Cupid cut Venus' nails. Since the parts of a divine being cannot be mortal, the gods transformed them into a gemstone, onyx. It has something magical about it, a thin skin of stone, but transparent. Honicé brings brightness and luminosity to the solidity of marble.

DESIGN BY  
ORIANO FAVARETTO

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP







HONICÉ A65



HONICÉ A37







# Honicé

Struttura in metallo con diffusore in onice naturale. Illuminazione a LED.

Metal frame with natural onyx diffuser. LED lighting.

Gestell aus Metall mit Diffusor aus natürlichem Onyx. LED-Beleuchtung.

Estructura de metal con difusor en ónix natural. Iluminación LED.



Structure en métal avec diffuseur en onyx naturel. Éclairage à LED.

Металлический каркас с рассеивателем из природного оникса. Светодиодное освещение.



这种灯具具有金属结构，然而光扩散是缟玛瑙。LED照明。

هيكل معدني مع ناشر من الأونيكس الطبيعي. إضاءة ليد.



HONICÉ S200	
W	200 cm / 78.70"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	21,1 W CRI>95 3000 K – 2250 NOMINAL LM
DOWN	44,46 W CRI>95 3000 K – 4742 NOMINAL LM
ON REQUEST	
UP	21,1 W CRI>95 2700 K – 2145 NOMINAL LM
DOWN	44,46 W CRI>95 2700 K – 4520 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ S150	
W	150 cm / 59.10"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	17 W CRI>95 3000 K – 1813 NOMINAL LM
DOWN	33,5 W CRI>95 3000 K – 3573 NOMINAL LM
ON REQUEST	
UP	17 W CRI>95 2700 K – 1728 NOMINAL LM
DOWN	33,5 W CRI>95 2700 K – 3405 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ S100	
W	100 cm / 39.40"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	9,36 W CRI>95 3000 K – 998 NOMINAL LM
DOWN	21,1 W CRI>95 3000 K – 2250 NOMINAL LM
ON REQUEST	
UP	9,36 W CRI>95 2700 K – 951 NOMINAL LM
DOWN	21,1 W CRI>95 2700 K – 2145 NOMINAL LM
DIMMABLE	
0-10V	



HONICÉ A65	
W	65 cm / 25.60"
D	10 cm / 3.90"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	5,8 W CRI>95 3000 K – 618 NOMINAL LM
DOWN	5,8 W CRI>95 3000 K – 618 NOMINAL LM
ON REQUEST	
UP	5,8 W CRI>95 2700 K – 589 NOMINAL LM
DOWN	5,8 W CRI>95 2700 K – 589 NOMINAL LM
DIMMABLE	
1-10V + PUSH	



HONICÉ A37	
W	37 cm / 14.60"
D	10 cm / 3.90"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	3,51 W CRI>95 3000 K – 375 NOMINAL LM
DOWN	3,51 W CRI>95 3000 K – 375 NOMINAL LM
ON REQUEST	
UP	3,51 W CRI>95 2700 K – 357 NOMINAL LM
DOWN	3,51 W CRI>95 2700 K – 357 NOMINAL LM
DIMMABLE	
1-10V + PUSH	



v99 Oro opaco verniciato  
Painted matt gold




G01 Brunito\*  
Burnished

\*NOT AVAILABLE FOR HONICÉ S80 AND HONICÉ S50




Onice  
Onyx


HONICÉ S70	
W	70 cm / 27.60"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	7 W CRI>95 3000 K – 746 NOMINAL LM
DOWN	15 W CRI>95 3000 K – 1600 NOMINAL LM
ON REQUEST	
UP	7 W CRI>95 2700 K – 711 NOMINAL LM
DOWN	15 W CRI>95 2700 K – 1525 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ S80	
W	80 cm / 31.50"
D	80 cm / 31.50"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	28,1 W CRI>95 3000 K – 2997 NOMINAL LM
DOWN	60,85 W CRI>95 3000 K – 6490 NOMINAL LM
ON REQUEST	
UP	28,1 W CRI>95 2700 K – 2856 NOMINAL LM
DOWN	60,85 W CRI>95 2700 K – 6186 NOMINAL LM
DIMMABLE	
0-10V	




HONICÉ S50	
W	50 cm / 19.70"
D	50 cm / 19.70"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	15,21 W CRI>95 3000 K – 1622 NOMINAL LM
DOWN	32,76 W CRI>95 3000 K – 3494 NOMINAL LM
ON REQUEST	
UP	15,21 W CRI>95 2700 K – 1546 NOMINAL LM
DOWN	32,76 W CRI>95 2700 K – 3330 NOMINAL LM
DIMMABLE	
0-10V	



HONICÉ TL	
W	38 cm / 15.00"
D	16 cm / 6.30"
H	48 cm / 18.90"
STANDARD INTEGRATED LED LIGHTING	
UP	6 W CRI>95 3000 K – 640 NOMINAL LM
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM
ON REQUEST	
UP	6 W CRI>95 2700 K – 610 NOMINAL LM
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM
DIMMABLE	
OWN BUTTON	



HONICÉ STL	
W	38 cm / 15.00"
D	16 cm / 6.30"
H	160 cm / 63.00"
STANDARD INTEGRATED LED LIGHTING	
UP	6 W CRI>95 3000 K – 640 NOMINAL LM
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM
ON REQUEST	
UP	6 W CRI>95 2700 K – 610 NOMINAL LM
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM
DIMMABLE	
OWN BUTTON	




DISCOVER MORE



## SINGLE CANOPIES

### SINGLE CANOPY




SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
W	35,5 cm / 14.00"	● V99	● V99	HONICÉ S200
D	8 cm / 3.10"	● G01*	● G01*	HONICÉ S150
H	5,2 cm / 2.00"			HONICÉ S100
				HONICÉ S70
				HONICÉ S80
				HONICÉ S50

\*NOT AVAILABLE FOR HONICÉ S80  
AND HONICÉ S50

# Honicé

Metal frame with natural onyx diffuser. LED lighting.



v99 Painted matt gold




g01 Burnished\*

\*NOT AVAILABLE FOR HONICÉ S80 AND HONICÉ S50




Onyx


HONICÉ S200		CE	UL
W	200 cm / 78.70"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	21,1 W CRI>95 3000 K – 2250 NOMINAL LM		
DOWN	44,46 W CRI>95 3000 K – 4742 NOMINAL LM		
ON REQUEST			
UP	21,1 W CRI>95 2700 K – 2145 NOMINAL LM		
DOWN	44,46 W CRI>95 2700 K – 4520 NOMINAL LM		
DIMMABLE			
	0-10V		




HONICÉ S150		CE	UL
W	150 cm / 59.10"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	17 W CRI>95 3000 K – 1813 NOMINAL LM		
DOWN	33,5 W CRI>95 3000 K – 3573 NOMINAL LM		
ON REQUEST			
UP	17 W CRI>95 2700 K – 1728 NOMINAL LM		
DOWN	33,5 W CRI>95 2700 K – 3405 NOMINAL LM		
DIMMABLE			
	0-10V		




HONICÉ S100		CE	UL
W	100 cm / 39.40"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	9,36 W CRI>95 3000 K – 998 NOMINAL LM		
DOWN	21,1 W CRI>95 3000 K – 2250 NOMINAL LM		
ON REQUEST			
UP	9,36 W CRI>95 2700 K – 951 NOMINAL LM		
DOWN	21,1 W CRI>95 2700 K – 2145 NOMINAL LM		
DIMMABLE			
	0-10V		




HONICÉ A65		CE	UL
W	65 cm / 25.60"		
D	10 cm / 3.90"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	5,8 W CRI>95 3000 K – 618 NOMINAL LM		
DOWN	5,8 W CRI>95 3000 K – 618 NOMINAL LM		
ON REQUEST			
UP	5,8 W CRI>95 2700 K – 589 NOMINAL LM		
DOWN	5,8 W CRI>95 2700 K – 589 NOMINAL LM		
DIMMABLE			
	0-10V		




HONICÉ A37		CE	UL
W	37 cm / 14.60"		
D	10 cm / 3.90"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	3,51 W CRI>95 3000 K – 375 NOMINAL LM		
DOWN	3,51 W CRI>95 3000 K – 375 NOMINAL LM		
ON REQUEST			
UP	3,51 W CRI>95 2700 K – 357 NOMINAL LM		
DOWN	3,51 W CRI>95 2700 K – 357 NOMINAL LM		
DIMMABLE			
	0-10V		




HONICÉ S70		CE	UL
W	70 cm / 27.60"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	7 W CRI>95 3000 K – 746 NOMINAL LM		
DOWN	15 W CRI>95 3000 K – 1600 NOMINAL LM		
ON REQUEST			
UP	7 W CRI>95 2700 K – 711 NOMINAL LM		
DOWN	15 W CRI>95 2700 K – 1525 NOMINAL LM		
DIMMABLE			
	0-10V		




HONICÉ S80		CE	UL
W	80 cm / 31.50"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	28,1 W CRI>95 3000 K – 2997 NOMINAL LM		
DOWN	60,85 W CRI>95 3000 K – 6490 NOMINAL LM		
ON REQUEST			
UP	28,1 W CRI>95 2700 K – 2856 NOMINAL LM		
DOWN	60,85 W CRI>95 2700 K – 6186 NOMINAL LM		
DIMMABLE			
	0-10V		




HONICÉ S50		CE	UL
W	50 cm / 19.70"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	15,21 W CRI>95 3000 K – 1622 NOMINAL LM		
DOWN	32,76 W CRI>95 3000 K – 3494 NOMINAL LM		
ON REQUEST			
UP	15,21 W CRI>95 2700 K – 1546 NOMINAL LM		
DOWN	32,76 W CRI>95 2700 K – 3330 NOMINAL LM		
DIMMABLE			
	0-10V		



HONICÉ TL		CE
W	38 cm / 15.00"	
D	16 cm / 6.30"	
H	48 cm / 18.90"	
STANDARD INTEGRATED LED LIGHTING		
UP	6 W CRI>95 3000 K – 640 NOMINAL LM	
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM	
ON REQUEST		
UP	6 W CRI>95 2700 K – 610 NOMINAL LM	
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM	
DIMMABLE		
	OWN BUTTON	



HONICÉ STL		CE
W	38 cm / 15.00"	
D	16 cm / 6.30"	
H	160 cm / 63.00"	
STANDARD INTEGRATED LED LIGHTING		
UP	6 W CRI>95 3000 K – 640 NOMINAL LM	
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM	
ON REQUEST		
UP	6 W CRI>95 2700 K – 610 NOMINAL LM	
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM	
DIMMABLE		
	OWN BUTTON	




DISCOVER MORE



## SINGLE CANOPIES

## SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
W	35,5 cm / 14.00"	● V99	● V99	HONICÉ S200
D	12 cm / 4.70"	● G01*	● G01*	HONICÉ S150
H	5,4 cm / 2.10"			HONICÉ S100
				HONICÉ S70
				HONICÉ S80
				HONICÉ S50

\*NOT AVAILABLE FOR HONICÉ S80  
AND HONICÉ S50

# Olà

IT Un gioiello di design che nasce da una sintesi di esperienza e creatività. Progettata più di dieci anni fa dal laboratorio creativo Masiero, con il contrasto tra la sua semplice struttura in metallo e la lussuosa cascata di pendenti, Olà è un'icona Masiero.

EN A jewel of design born from a synthesis of experience and creativity. Designed more than a decade ago by Masiero's creative atelier, the contrast between its simple metal frame and luxurious cascade of pendants makes Olà a Masiero icon.


OLÀ S6 90 LED

DESIGN BY  
MASIERO LAB

SUSPENSION  
CEILING  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP



OLÀ PL6 90 LED









OLÀ S6 OV 160 LED



OLÀ PL6 90 LED



OLÀ S6 40



OLÀ STL2 LED





OLÀ A1 OV 50 LED



OLÀ C3 LN 75 LED

# Olà

Struttura in metallo verniciato con pendagli.

Painted metal frame with pendants.  
Gestell aus lackiertem Metall mit Behang.

Estructura de metal pintado con colgantes.

Structure en métal verni avec pampilles.

Металлический окрашенный каркас с подвесками.

这种灯具的结构是涂漆的金属, 而且它有水晶吊坠们。

هيكل معدني مطلي مع دلايات.




G01 Burnished frame amber pendants



v83 Matt bronze frame warm pendants



F01 Gold leaf frame amber pendants



v90 Matt black frame smoky pendants



F02 Silver leaf frame transparent pendants



v95 Matt white frame cold pendants



F03 Copper leaf frame copper pendants



TRANSPARENT

WARM




COLD



AMBER



COPPER



SMOKY

## OLÀ S12 120


Ø 120 cm / 47.20"  
H 20 cm / 7.90"

STANDARD LIGHTING   
12×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 15,6 W CRI>95  
3000 K – 1536 NOMINAL LM  
DOWN 62,4 W CRI>95  
3000 K – 6144 NOMINAL LM

ON REQUEST  
UP 15,6 W CRI>95  
2700 K – 1464 NOMINAL LM  
DOWN 62,4 W CRI>95  
2700 K – 5856 NOMINAL LM

DIMMABLE  
1-10V



## OLÀ S6 90


Ø 90 cm / 35.40"  
H 20 cm / 7.90"

STANDARD LIGHTING   
8×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 10,4 W CRI>95  
3000 K – 1024 NOMINAL LM  
DOWN 31,2 W CRI>95  
3000 K – 3072 NOMINAL LM

ON REQUEST  
UP 10,4 W CRI>95  
2700 K – 976 NOMINAL LM  
DOWN 31,2 W CRI>95  
2700 K – 2928 NOMINAL LM

DIMMABLE  
1-10V



## OLÀ S6 60


Ø 60 cm / 23.60"  
H 20 cm / 7.90"

STANDARD LIGHTING   
6×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 7,8 W CRI>95  
3000 K – 768 NOMINAL LM  
DOWN 23,4 W CRI>95  
3000 K – 2304 NOMINAL LM

ON REQUEST  
UP 7,8 W CRI>95  
2700 K – 732 NOMINAL LM  
DOWN 23,4 W CRI>95  
2700 K – 2196 NOMINAL LM

DIMMABLE  
1-10V



## OLÀ S6 40


Ø 40 cm / 15.70"  
H 20 cm / 7.90"

STANDARD LIGHTING   
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 13,7 W CRI>95  
3000 K – 1348 NOMINAL LM  
DOWN 13,7 W CRI>95  
3000 K – 1348 NOMINAL LM

ON REQUEST  
UP 13,7 W CRI>95  
2700 K – 1285 NOMINAL LM  
DOWN 13,7 W CRI>95  
2700 K – 1285 NOMINAL LM

DIMMABLE  
1-10V



## OLÀ S2 15

Ø 15 cm / 5.90"  
H 26 cm / 10.20"

STANDARD LIGHTING   
2×G9×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
DOWN 7,5 W CRI>90  
3000 K – 1080 NOMINAL LM

ON REQUEST  
DOWN 7,5 W CRI>90  
2700 K – 1026 NOMINAL LM

DIMMABLE  
1-10V + PUSH



## OLÀ S8 OV 210


W 210 cm / 82.70"  
D 20 cm / 7.90"  
H 20 cm / 7.90"

STANDARD LIGHTING   
8×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 15,6 W CRI>95  
3000 K – 1536 NOMINAL LM  
DOWN 70,2 W CRI>95  
3000 K – 6912 NOMINAL LM

ON REQUEST  
UP 15,6 W CRI>95  
2700 K – 1464 NOMINAL LM  
DOWN 70,2 W CRI>95  
2700 K – 6588 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ S6 OV 160


W 160 cm / 63.00"  
D 14 cm / 5.50"  
H 20 cm / 7.90"

STANDARD LIGHTING   
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 10,4 W CRI>95  
3000 K – 1024 NOMINAL LM  
DOWN 50,7 W CRI>95  
3000 K – 4992 NOMINAL LM

ON REQUEST  
UP 10,4 W CRI>95  
2700 K – 976 NOMINAL LM  
DOWN 50,7 W CRI>95  
2700 K – 4758 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ S4 OV 100


W 100 cm / 39.40"  
D 13 cm / 5.10"  
H 20 cm / 7.90"

STANDARD LIGHTING   
4×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 25,35 W CRI>95  
3000 K – 2496 NOMINAL LM

ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 25,35 W CRI>95  
2700 K – 2379 NOMINAL LM

DIMMABLE  
1-10V



## OLÀ S2 OV 50


W 50 cm / 19.70"  
D 8 cm / 3.10"  
H 18 cm / 7.10"

STANDARD LIGHTING   
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 7,8 W CRI>95  
3000 K – 768 NOMINAL LM

ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 7,8 W CRI>95  
2700 K – 732 NOMINAL LM

DIMMABLE  
1-10V + PUSH



## OLÀ S1 OV 30


W 30 cm / 11.80"  
D 7 cm / 2.80"  
H 18 cm / 7.10"

STANDARD LIGHTING   
1×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 4 W CRI>95  
3000 K – 390 NOMINAL LM  
DOWN 4 W CRI>95  
3000 K – 390 NOMINAL LM

ON REQUEST  
UP 4 W CRI>95  
2700 K – 375 NOMINAL LM  
DOWN 4 W CRI>95  
2700 K – 375 NOMINAL LM

DIMMABLE  
1-10V + PUSH



## OLÀ PL12 120


Ø 120 cm / 47.20"  
H 26 cm / 10.20"

STANDARD LIGHTING   
12×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
DOWN 62,4 W CRI>95  
3000 K – 6144 NOMINAL LM

ON REQUEST  
DOWN 62,4 W CRI>95  
2700 K – 5856 NOMINAL LM

DIMMABLE  
1-10V



## OLÀ PL6 90


Ø 90 cm / 35.40"  
H 26 cm / 10.20"

STANDARD LIGHTING   
8×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
DOWN 31,2 W CRI>95  
3000 K – 3072 NOMINAL LM

ON REQUEST  
DOWN 31,2 W CRI>95  
2700 K – 2928 NOMINAL LM

DIMMABLE  
1-10V





DISCOVER MORE



### OLÀ PL6 60

Ø 60 cm / 23.60"  
H 26 cm / 10.20"

STANDARD LIGHTING   
6×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
DOWN 23,4 W CRI>95  
3000 K – 2304 NOMINAL LM


ON REQUEST  
DOWN 23,4 W CRI>95  
2700 K – 2196 NOMINAL LM


DIMMABLE  
1-10V



### OLÀ PL6 40


Ø 40 cm / 15.70"  
H 26 cm / 10.20"

STANDARD LIGHTING   
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
DOWN 13,7 W CRI>95  
3000 K – 1348 NOMINAL LM


ON REQUEST  
DOWN 13,7 W CRI>95  
2700 K – 1285 NOMINAL LM


DIMMABLE  
1-10V



### OLÀ PL8 OV 210


W 210 cm / 82.70"  
D 20 cm / 7.907"  
H 26 cm / 10.20"

STANDARD LIGHTING   
8×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
DOWN 70,2 W CRI>95  
3000 K – 6912 NOMINAL LM


ON REQUEST  
DOWN 70,2 W CRI>95  
2700 K – 6588 NOMINAL LM


DIMMABLE  
1-10V



### OLÀ PL6 OV 160


W 160 cm / 63.00"  
D 13 cm / 5.10"  
H 26 cm / 10.20"

STANDARD LIGHTING   
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
DOWN 50,7 W CRI>95  
3000 K – 4992 NOMINAL LM


ON REQUEST  
DOWN 50,7 W CRI>95  
2700 K – 4758 NOMINAL LM


DIMMABLE  
1-10V



### OLÀ A1 OV 30


W 30 cm / 11.80"  
D 10 cm / 3.90"  
H 18 cm / 7.10"

STANDARD LIGHTING   
1×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 4 W CRI>95  
3000 K – 390 NOMINAL LM  
DOWN 4 W CRI>95  
3000 K – 390 NOMINAL LM


ON REQUEST  
UP 4 W CRI>95  
2700 K – 375 NOMINAL LM  
DOWN 4 W CRI>95  
2700 K – 375 NOMINAL LM


DIMMABLE  
1-10V + PUSH



### OLÀ TL2


W 50 cm / 19.70"  
D 16 cm / 6.30"  
H 50 cm / 19.70"

STANDARD LIGHTING   
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 7,8 W CRI>95  
3000 K – 768 NOMINAL LM


ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 7,8 W CRI>95  
2700 K – 732 NOMINAL LM


DIMMABLE  
OWN BUTTON



### OLÀ STL2


W 50 cm / 19.70"  
D 24 cm / 9.40"  
H 180 cm / 70.90"

STANDARD LIGHTING   
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 7,8 W CRI>95  
3000 K – 768 NOMINAL LM


ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 7,8 W CRI>95  
2700 K – 732 NOMINAL LM


DIMMABLE  
OWN BUTTON



### OLÀ PL4 OV 100


W 100 cm / 39.40"  
D 13 cm / 5.10"  
H 26 cm / 10.20"

STANDARD LIGHTING   
4×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
DOWN 25,35 W CRI>95  
3000 K – 2496 NOMINAL LM


ON REQUEST  
DOWN 25,35 W CRI>95  
2700 K – 2379 NOMINAL LM


DIMMABLE  
1-10V



### OLÀ A6 OV 160


W 160 cm / 63.00"  
D 20 cm / 7.90"  
H 20 cm / 7.90"

STANDARD LIGHTING   
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 10,4 W CRI>95  
3000 K – 1024 NOMINAL LM  
DOWN 50,7 W CRI>95  
3000 K – 4992 NOMINAL LM


ON REQUEST  
UP 10,4 W CRI>95  
2700 K – 976 NOMINAL LM  
DOWN 50,7 W CRI>95  
2700 K – 4758 NOMINAL LM


DIMMABLE  
NO



### OLÀ A2 OV 70


W 70 cm / 27.60"  
D 20 cm / 7.90"  
H 20 cm / 7.90"

STANDARD LIGHTING   
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 11,7 W CRI>95  
3000 K – 1152 NOMINAL LM  
DOWN 19,5 W CRI>95  
3000 K – 1920 NOMINAL LM


ON REQUEST  
UP 11,7 W CRI>95  
2700 K – 1098 NOMINAL LM  
DOWN 19,5 W CRI>95  
2700 K – 1830 NOMINAL LM


DIMMABLE  
NO



### OLÀ A2 OV 50


W 50 cm / 19.70"  
D 12 cm / 4.70"  
H 18 cm / 7.10"

STANDARD LIGHTING   
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 7,8 W CRI>95  
3000 K – 768 NOMINAL LM

ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 7,8 W CRI>95  
2700 K – 732 NOMINAL LM

DIMMABLE  
1-10V + PUSH






### OLÀ C3 LN 75

W 75 cm / 29.50"  
D 20 cm / 7.90"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING 

6xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 22,5 W CRI>90  
3000 K – 3240 NOMINAL LM

#### ON REQUEST

DOWN 22,5 W CRI>90  
2700 K – 3078 NOMINAL LM

#### DIMMABLE

1-10V + PUSH




### OLÀ C5 LN 125

W 125 cm / 49.201"  
D 20 cm / 7.90"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING 

10xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 37,5 W CRI>90  
3000 K – 5400 NOMINAL LM

#### ON REQUEST

DOWN 37,5 W CRI>90  
2700 K – 5130 NOMINAL LM

#### DIMMABLE

1-10V + DALI + PUSH




### OLÀ C7 LN 175

W 175 cm / 68.90"  
D 20 cm / 7.90"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING 

14xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 52,5 W CRI>90  
3000 K – 7560 NOMINAL LM

#### ON REQUEST

DOWN 52,5 W CRI>90  
2700 K – 7182 NOMINAL LM

#### DIMMABLE

1-10V + DALI + PUSH




### OLÀ C3 RD 40

Ø 40 cm / 15.70"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING 

6xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 22,5 W CRI>90  
3000 K – 3240 NOMINAL LM

#### ON REQUEST

DOWN 22,5 W CRI>90  
2700 K – 3078 NOMINAL LM

#### DIMMABLE

1-10V + PUSH




### OLÀ C5 RD 60

Ø 60 cm / 23.60"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING 

10xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 37,5 W CRI>90  
3000 K – 5400 NOMINAL LM

#### ON REQUEST

DOWN 37,5 W CRI>90  
2700 K – 5130 NOMINAL LM

#### DIMMABLE

1-10V + DALI + PUSH




### OLÀ C7 RD 80

Ø 80 cm / 31.50"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING 

14xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 52,5 W CRI>90  
3000 K – 7560 NOMINAL LM

#### ON REQUEST

DOWN 52,5 W CRI>90  
2700 K – 7182 NOMINAL LM

#### DIMMABLE

1-10V + DALI + PUSH



## SINGLE CANOPIES

### SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
Ø 10 cm / 3.90"	● V95	● V95	OLÁ S2 15	STANDARD
H 3,2 cm / 1.30"	● V83	● V83	OLÁ S1 OV 30	STANDARD
	● V90	● V90	OLÁ S4 OV 100	STANDARD
	● F01	● F01	OLÁ S8 OV 210	STANDARD
	● F02	● F02	OLÁ S2 OV 50	STANDARD
	● F03	● F03	OLÁ S6 OV 160	STANDARD
	● G01	● G01	OLÁ S12 120	STANDARD

### SINGLE CANOPY


SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
Ø 15 cm / 5.90"	● V95	● V95	OLÁ S6 40	STANDARD
H 3 cm / 1.20"	● V83	● V83	OLÁ S6 60	STANDARD
	● V90	● V90	OLÁ S6 90	STANDARD
	● F01	● F01		
	● F02	● F02		
	● F03	● F03		
	● G01	● G01		

STANDARD LIGHTING:  
THE COLOR OF THE CABLE CHANGES ACCORDING TO THE FRAME

## SINGLE CANOPIES


### SINGLE CANOPY/LED LIGHTING

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
∅ 12 cm / 4.70"	● V95	● V95	OLÁ S2 15	LED
H 4 cm / 1.60"	● V83	● V83		
	● V90	● V90		
	● F01	● F01		
	● F02	● F02		
	● F03	● F03		
	● G01	● G01		




### SINGLE CANOPY/LED LIGHTING

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
∅ 14 cm / 5.50"	● V95	● V95	OLÁ S1 OV 30	LED
H 3,2 cm / 1.30"	● V83	● V83	OLÁ S2 OV 50	LED
	● V90	● V90		
	● F01	● F01		
	● F02	● F02		
	● F03	● F03		
	● G01	● G01		




### SINGLE CANOPY/LED LIGHTING

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
∅ 20 cm / 7.90"	● V95	● V95	OLÁ S6 40	LED
H 4,2 cm / 1.70"	● V83	● V83	OLÁ S6 60	LED
	● V90	● V90	OLÁ S6 90	LED
	● F01	● F01		
	● F02	● F02		
	● F03	● F03		
	● G01	● G01		




### SINGLE CANOPY/LED LIGHTING

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
∅ 26 cm / 10.20"	● V95	● V95	OLÁ S12 120	LED
H 5,2 cm / 2.00"	● V83	● V83		
	● V90	● V90		
	● F01	● F01		
	● F02	● F02		
	● F03	● F03		
	● G01	● G01		



### SINGLE CANOPY/LED LIGHTING

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
W 35,5 cm / 14.00"	● V95	● V95	OLÁ S6 OV 100	LED
D 8 cm / 3.10"	● V83	● V83	OLÁ S6 OV 160	LED
H 5,2 cm / 2.00"	● V90	● V90	OLÁ S8 OV 210	LED
	● F01	● F01		
	● F02	● F02		
	● F03	● F03		
	● G01	● G01		




INTEGRATED LED LIGHTING:  
TRANSPARENT CABLE

## MULTIPLE CANOPIES


### LINEAR CANOPY LN 75

SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	● V98	OLÀ C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		




### LINEAR CANOPY LN 125

SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	● V98	OLÀ C5 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		




### LINEAR CANOPY LN 175

SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	● V98	OLÀ C7 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		




### ROUND CANOPY RD 40

SIZE	FINISHINGS	PRODUCT NAME
∅ 40 cm / 15.70"	● V98	OLÀ C3 RD 40
H 4 cm / 1.60"		




### ROUND CANOPY RD 60

SIZE	FINISHINGS	PRODUCT NAME
∅ 60 cm / 23.60"	● V98	OLÀ C5 RD 60
H 4 cm / 1.60"		



### ROUND CANOPY RD 80

SIZE	FINISHINGS	PRODUCT NAME
∅ 80 cm / 31.50"	● V98	OLÀ C7 RD 80
H 4 cm / 1.60"		



STANDARD LIGHTING: THE COLOR OF THE CABLE CHANGES ACCORDING TO THE FRAME  
INTEGRATED LED LIGHTING: TRANSPARENT CABLE

# Olà

Painted metal frame with pendants.



g01 Burnished frame amber pendants




f01 Gold leaf frame amber pendants



f02 Silver leaf frame transparent pendants



f03 Copper leaf frame copper pendants



TRANSPARENT




COLD



COPPER



v83 Matt bronze frame warm pendants



v90 Matt black frame smoky pendants



v95 Matt white frame cold pendants



WARM



AMBER



SMOKY

## OLÀ S12 120

ø 120 cm / 47.20"  
H 20 cm / 7.90"


STANDARD LIGHTING   
12×E26×60 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 15,6 W CRI>95  
3000 K – 1536 NOMINAL LM  
DOWN 62,4 W CRI>95  
3000 K – 6144 NOMINAL LM

ON REQUEST  
UP 15,6 W CRI>95  
2700 K – 1464 NOMINAL LM  
DOWN 62,4 W CRI>95  
2700 K – 5856 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ S6 90

ø 90 cm / 35.40"  
H 20 cm / 7.90"


STANDARD LIGHTING   
8×E26×60 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 10,4 W CRI>95  
3000 K – 1024 NOMINAL LM  
DOWN 31,2 W CRI>95  
3000 K – 3072 NOMINAL LM

ON REQUEST  
UP 10,4 W CRI>95  
2700 K – 976 NOMINAL LM  
DOWN 31,2 W CRI>95  
2700 K – 2928 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ S6 60

ø 60 cm / 23.60"  
H 20 cm / 7.90"


STANDARD LIGHTING   
6×E26×60 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 7,8 W CRI>95  
3000 K – 768 NOMINAL LM  
DOWN 23,4 W CRI>95  
3000 K – 2304 NOMINAL LM

ON REQUEST  
UP 7,8 W CRI>95  
2700 K – 732 NOMINAL LM  
DOWN 23,4 W CRI>95  
2700 K – 2196 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ S6 40

ø 40 cm / 15.70"  
H 20 cm / 7.90"


STANDARD LIGHTING   
6×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 13,7 W CRI>95  
3000 K – 1348 NOMINAL LM  
DOWN 13,7 W CRI>95  
3000 K – 1348 NOMINAL LM

ON REQUEST  
UP 13,7 W CRI>95  
2700 K – 1285 NOMINAL LM  
DOWN 13,7 W CRI>95  
2700 K – 1285 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ S2 15

ø 15 cm / 5.90"  
H 26 cm / 10.20"

STANDARD LIGHTING   
1×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

DOWN 7,5 W CRI>90  
3000 K – 1080 NOMINAL LM

ON REQUEST  
DOWN 7,5 W CRI>95  
2700 K – 1026 NOMINAL LM

DIMMABLE  
TRIAC



## OLÀ S8 OV 210

W 210 cm / 82.70"  
D 20 cm / 7.90"  
H 20 cm / 7.90"


STANDARD LIGHTING   
8×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 15,6 W CRI>95  
3000 K – 1536 NOMINAL LM  
DOWN 70,2 W CRI>95  
3000 K – 6912 NOMINAL LM

ON REQUEST  
UP 15,6 W CRI>95  
2700 K – 1464 NOMINAL LM  
DOWN 70,2 W CRI>95  
2700 K – 6588 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ S2 OV 50

W 50 cm / 19.70"  
D 8 cm / 3.10"  
H 18 cm / 7.10"


STANDARD LIGHTING   
2×E26×60 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 7,8 W CRI>95  
3000 K – 768 NOMINAL LM

ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 7,8 W CRI>95  
2700 K – 732 NOMINAL LM

DIMMABLE  
NO



## OLÀ S1 OV 30

W 30 cm / 11.80"  
D 7 cm / 2.80"  
H 18 cm / 7.10"


STANDARD LIGHTING   
1×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 4 W CRI>95  
3000 K – 390 NOMINAL LM  
DOWN 4 W CRI>95  
3000 K – 390 NOMINAL LM

ON REQUEST  
UP 4 W CRI>95  
2700 K – 375 NOMINAL LM  
DOWN 4 W CRI>95  
2700 K – 375 NOMINAL LM

DIMMABLE  
NO



## OLÀ S6 OV 160

W 160 cm / 63.00"  
D 14 cm / 5.50"  
H 20 cm / 7.90"


STANDARD LIGHTING   
6×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 10,4 W CRI>95  
3000 K – 1024 NOMINAL LM  
DOWN 50,7 W CRI>95  
3000 K – 4992 NOMINAL LM

ON REQUEST  
UP 10,4 W CRI>95  
2700 K – 976 NOMINAL LM  
DOWN 50,7 W CRI>95  
2700 K – 4758 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ S4 OV 100

W 100 cm / 39.40"  
D 13 cm / 5.10"  
H 20 cm / 7.90"


STANDARD LIGHTING   
4×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 25,35 W CRI>95  
3000 K – 2496 NOMINAL LM

ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 25,35 W CRI>95  
2700 K – 2379 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ PL12 120

ø 120 cm / 47.20"  
H 26 cm / 10.20"


STANDARD LIGHTING   
12×E26×60 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

DOWN 62,4 W CRI>95  
3000 K – 6144 NOMINAL LM

ON REQUEST  
DOWN 62,4 W CRI>95  
2700 K – 5856 NOMINAL LM

DIMMABLE  
0-10V



## OLÀ PL6 90

ø 90 cm / 35.40"  
H 26 cm / 10.20"


STANDARD LIGHTING   
8×E26×60 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING

DOWN 31,2 W CRI>95  
3000 K – 3072 NOMINAL LM

ON REQUEST  
DOWN 31,2 W CRI>95  
2700 K – 2928 NOMINAL LM

DIMMABLE  
0-10V





DISCOVER MORE



**OLÀ PL6 60**

Ø 60 cm / 23.60"  
H 26 cm / 10.20"

STANDARD LIGHTING   
6×E26×60 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
DOWN 23,4 W CRI>95  
3000 K – 2304 NOMINAL LM


ON REQUEST  
DOWN 23,4 W CRI>95  
2700 K – 2196 NOMINAL LM

DIMMABLE  
0-10V

**OLÀ PL6 40**

Ø 40 cm / 15.70"  
H 26 cm / 10.20"

STANDARD LIGHTING   
6×E12×40 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
DOWN 13,7 W CRI>95  
3000 K – 1348 NOMINAL LM


ON REQUEST  
DOWN 13,7 W CRI>95  
2700 K – 1285 NOMINAL LM

DIMMABLE  
0-10V

**OLÀ PL8 OV 210**


W 210 cm / 82.70"  
D 20 cm / 7.90"  
H 26 cm / 10.20"

STANDARD LIGHTING   
8×E12×40 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
DOWN 70,2 W CRI>95  
3000 K – 6912 NOMINAL LM


ON REQUEST  
DOWN 70,2 W CRI>95  
2700 K – 6588 NOMINAL LM

DIMMABLE  
0-10V

**OLÀ PL6 OV 160**


W 160 cm / 63.00"  
D 13 cm / 5.10"  
H 26 cm / 10.20"

STANDARD LIGHTING   
6×E12×40 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
DOWN 50,7 W CRI>95  
3000 K – 4992 NOMINAL LM


ON REQUEST  
DOWN 50,7 W CRI>95  
2700 K – 4758 NOMINAL LM

DIMMABLE  
0-10V

**OLÀ PL4 OV 100**



W 100 cm / 39.40"  
D 13 cm / 5.10"  
H 26 cm / 10.20"

STANDARD LIGHTING   
4×E12×40 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
DOWN 25,35 W CRI>95  
3000 K – 2496 NOMINAL LM


ON REQUEST  
DOWN 25,35 W CRI>95  
2700 K – 2379 NOMINAL LM

DIMMABLE  
0-10V

**OLÀ A6 OV 160**


W 160 cm / 63.00"  
D 20 cm / 7.90"  
H 20 cm / 7.90"

STANDARD LIGHTING   
6×E12×40 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
UP 10,4 W CRI>95  
3000 K – 1024 NOMINAL LM  
DOWN 50,7 W CRI>95  
3000 K – 4992 NOMINAL LM


ON REQUEST  
UP 10,4 W CRI>95  
2700 K – 976 NOMINAL LM  
DOWN 50,7 W CRI>95  
2700 K – 4758 NOMINAL LM

DIMMABLE  
0-10V

**OLÀ A2 OV 70**


W 70 cm / 27.60"  
D 15 cm / 5.90"  
H 20 cm / 7.90"

STANDARD LIGHTING   
2×E26×60 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
UP 11,7 W CRI>95  
3000 K – 1152 NOMINAL LM  
DOWN 19,5 W CRI>95  
3000 K – 1920 NOMINAL LM


ON REQUEST  
UP 11,7 W CRI>95  
2700 K – 1098 NOMINAL LM  
DOWN 19,5 W CRI>95  
2700 K – 1830 NOMINAL LM

DIMMABLE  
0-10V

**OLÀ A2 OV 50**


W 50 cm / 19.708"  
D 12 cm / 4.70"  
H 18 cm / 7.10"

STANDARD LIGHTING   
2×E26×60 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 7,8 W CRI>95  
3000 K – 768 NOMINAL LM


ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 7,8 W CRI>95  
2700 K – 732 NOMINAL LM

DIMMABLE  
NO

**OLÀ A1 OV 30**


W 30 cm / 11.80"  
D 10 cm / 3.90"  
H 18 cm / 7.10"

STANDARD LIGHTING   
1×E12×40 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
UP 4 W CRI>95  
3000 K – 390 NOMINAL LM  
DOWN 4 W CRI>95  
3000 K – 390 NOMINAL LM


ON REQUEST  
UP 4 W CRI>95  
2700 K – 375 NOMINAL LM  
DOWN 4 W CRI>95  
2700 K – 375 NOMINAL LM

DIMMABLE  
NO

**OLÀ TL2**


W 50 cm / 19.70"  
D 16 cm / 6.30"  
H 50 cm / 19.70"

STANDARD LIGHTING   
2×E26×60 W MAX (NOT INCL.)


STANDARD INTEGRATED LED LIGHTING   
UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 7,8 W CRI>95  
3000 K – 768 NOMINAL LM


ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 7,8 W CRI>95  
2700 K – 732 NOMINAL LM

DIMMABLE  
OWN BUTTON

**OLÀ STL2**


W 50 cm / 19.70"  
D 24 cm / 9.40"  
H 180 cm / 70.90"

STANDARD LIGHTING   
2×E26×60 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING   
UP 5,2 W CRI>95  
3000 K – 512 NOMINAL LM  
DOWN 7,8 W CRI>95  
3000 K – 768 NOMINAL LM


ON REQUEST  
UP 5,2 W CRI>95  
2700 K – 488 NOMINAL LM  
DOWN 7,8 W CRI>95  
2700 K – 732 NOMINAL LM


DIMMABLE  
OWN BUTTON



**OLÀ C3 LN 75**

W 75 cm / 29.50"  
D 20 cm / 7.90"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING   
3×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 22.5 W CRI>90  
3000 K – 3240 NOMINAL LM

ON REQUEST

DOWN 22,5 W CRI>90  
2700 K – 3078 NOMINAL LM


DIMMABLE


0-10V



**OLÀ C5 LN 125**

W 125 cm / 49.20"  
D 20 cm / 7.90"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING   
5×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 37.5 W CRI>90  
3000 K – 5400 NOMINAL LM

ON REQUEST

DOWN 37,5 W CRI>90  
2700 K – 5130 NOMINAL LM


DIMMABLE


0-10V



**OLÀ C7 LN 175**

W 175 cm / 68.90"  
D 20 cm / 7.90"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING   
7×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 52.5 W CRI>90  
3000 K – 7560 NOMINAL LM

ON REQUEST

DOWN 52,5 W CRI>90  
2700 K – 7182 NOMINAL LM


DIMMABLE


0-10V



**OLÀ C3 RD 40**

∅ 40 cm / 15.70"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING   
3×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 22.5 W CRI>90  
3000 K – 3240 NOMINAL LM

ON REQUEST

DOWN 22,5 W CRI>90  
2700 K – 3078 NOMINAL LM


DIMMABLE


0-10V



**OLÀ C5 RD 60**

∅ 60 cm / 23.60"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING   
5×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 37.5 W CRI>90  
3000 K – 5400 NOMINAL LM

ON REQUEST

DOWN 37,5 W CRI>90  
2700 K – 5130 NOMINAL LM


DIMMABLE


0-10V



**OLÀ C7 RD 80**

∅ 80 cm / 31.50"  
H MAX 180 cm / 70.90"

STANDARD LIGHTING   
7×E12×40 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 


DOWN 52.5 W CRI>90  
3000 K – 7560 NOMINAL LM

ON REQUEST

DOWN 52,5 W CRI>90  
2700 K – 7182 NOMINAL LM


DIMMABLE

0-10V




**SINGLE CANOPIES**

**SINGLE CANOPY**



SIZE	FRAME FINISHINGS	CANOPIE FINISHINGS	PRODUCT NAME	LIGHTING
∅ 12 cm / 4.70"	V95	V95	OLÀ S2 15	STANDARD
H 0,8 cm / 0.30	V83	V83	OLÀ S1 OV 30	STANDARD
	V90	V90	OLÀ S4 OV 100	STANDARD
	F01	F01	OLÀ S8 OV 210	STANDARD
	F02	F02	OLÀ S2 OV 50	STANDARD
	F03	F03	OLÀ S6 OV 160	STANDARD
	G01	G01	OLÀ S12 120	STANDARD

**SINGLE CANOPY**




SIZE	FRAME FINISHINGS	CANOPIE FINISHINGS	PRODUCT NAME	LIGHTING
∅ 15 cm / 5.90"	V95	V95	OLÀ S6 40	STANDARD
H 3 cm / 1.20"	V83	V83	OLÀ S6 60	STANDARD
	V90	V90	OLÀ S6 90	STANDARD
	F01	F01		
	F02	F02		
	F03	F03		
	G01	G01		

STANDARD LIGHTING:  
THE COLOR OF THE CABLE CHANGES ACCORDING TO THE FRAME

SINGLE CANOPIES


SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
∅ 12 cm / 4.70"	V95	V95	OLÁ S2 15	LED
H 4 cm / 1.60"	V83	V83		
	V90	V90		
	F01	F01		
	F02	F02		
	F03	F03		
	G01	G01		




SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
∅ 14 cm / 8.90"	V95	V95	OLÁ S1 OV 30	LED
H 3,2 cm / 1.30"	V83	V83	OLÁ S2 OV 50	LED
	V90	V90		
	F01	F01		
	F02	F02		
	F03	F03		
	G01	G01		




SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
∅ 20 cm / 7.90"	V95	V95	OLÁ S6 40	LED
H 4,2 cm / 1.70"	V83	V83	OLÁ S6 60	LED
	V90	V90	OLÁ S6 90	LED
	F01	F01		
	F02	F02		
	F03	F03		
	G01	G01		




SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
∅ 26 cm / 10.20"	V95	V95	OLÁ S12 120	LED
H 5,2 cm / 2.00"	V83	V83		
	V90	V90		
	F01	F01		
	F02	F02		
	F03	F03		
	G01	G01		



SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
W 39,5 cm / 15.60"	V95	V95	OLÁ S6 OV 100	LED
D 12 cm / 4.70"	V83	V83	OLÁ S6 OV 160	LED
H 5,4 cm / 2.10"	V90	V90	OLÁ S8 OV 210	LED
	F01	F01		
	F02	F02		
	F03	F03		
	G01	G01		




INTEGRATED LED LIGHTING:  
TRANSPARENT CABLE

MULTIPLE CANOPIES


LINEAR CANOPY LN 75

SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	V98	OLÀ C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		




LINEAR CANOPY LN 125

SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	V98	OLÀ C5 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		




LINEAR CANOPY LN 175

SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	V98	OLÀ C7 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		




ROUND CANOPY RD 40

SIZE	FINISHINGS	PRODUCT NAME
∅ 40 cm / 15.70"	V98	OLÀ C3 RD 40
H 4 cm / 1.60"		




ROUND CANOPY RD 60

SIZE	FINISHINGS	PRODUCT NAME
∅ 60 cm / 23.60"	V98	OLÀ C5 RD 60
H 4 cm / 1.60"		



ROUND CANOPY RD 80

SIZE	FINISHINGS	PRODUCT NAME
∅ 80 cm / 31.50"	V98	OLÀ C7 RD 80
H 4 cm / 1.60"		



STANDARD LIGHTING: THE COLOR OF THE CABLE CHANGES ACCORDING TO THE FRAME  
INTEGRATED LED LIGHTING: TRANSPARENT CABLE

# Libe

IT Un disegno perfetto, dove le forme geometriche semplici e lineari si concretizzano in un oggetto. Come magia un tratto di matita diventa realtà per mezzo di sapienti mani e pregiati materiali, come l'ottone e le losanghe di cristallo.

EN A perfect design, where simple, linear geometric shapes take concrete form in an object. As if by magic, a pencil stroke becomes reality, thanks to skilful hands and precious materials such as brass and crystal lozenges.

LIBE ROUND S90

DESIGN BY  
GIAMPAOLO RAMPOLLA  
E ANDREA LIGUORI

SUSPENSION  
APPLIQUE









LIBE ELLIPSE S120



LIBE A55





# Libe

Telaio in metallo galvanizzato con diffusore in losanghe di cristallo opaco. Illuminazione LED.

Galvanised metal frame with a matt crystal lozenge diffuser. LED lighting.

Gestell aus galvanisch beschichtetem Metall mit Diffusor in matten Kristallrauten. LED-Leuchtmittel.

Marco de metal galvanizado con difusor en pastillas de cristal opaco. Iluminación LED.

Structure en métal galvanisé avec diffuseur en losanges en cristal mat. Éclairage à LED.

Каркас из оцинкованного металла с рассеивателем из пластин матового хрусталя. Светодиодный светильник.

电镀金属灯架，带不透明水晶菱形散光罩。LED 灯。

إطار معدني مجلفن مع ناشر من المعينات الكريستالية غير شفافة. الإنارة ليد.




G14 Ottone brunito  
Burnished brass


DISCOVER MORE




LIBE S160	
W	160 cm / 63.00"
D	16 cm / 6.30"
H	30 cm / 11.80"
STANDARD INTEGRATED LED LIGHTING	
104 W CRI>90 3000 K – 9770 NOMINAL LM	
ON REQUEST	
104 W CRI>90 2700 K – 9280 NOMINAL LM	
DIMMABLE	
1-10V	




LIBE S100	
W	100 cm / 39.40"
D	16 cm / 6.30"
H	20 cm / 7.90"
STANDARD INTEGRATED LED LIGHTING	
63 W CRI>90 3000 K – 5922 NOMINAL LM	
ON REQUEST	
63 W CRI>90 2700 K – 5620 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ROUND S140	
∅	140 cm / 55.10"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
144 W CRI>90 3000 K – 13536 NOMINAL LM	
ON REQUEST	
144 W CRI>90 2700 K – 12850 NOMINAL LM	
DIMMABLE	
1-10V	




LIBE ROUND S115	
∅	115 cm / 45.30"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
116 W CRI>90 3000 K – 10904 NOMINAL LM	
ON REQUEST	
116 W CRI>90 2700 K – 10350 NOMINAL LM	
DIMMABLE	
1-10V	




LIBE ROUND S90	
∅	90 cm / 35.40"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
90 W CRI>90 3000 K – 8460 NOMINAL LM	
ON REQUEST	
90 W CRI>90 2700 K – 8030 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ROUND S60	
∅	60 cm / 23.60"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
59 W CRI>90 3000 K – 5546 NOMINAL LM	
ON REQUEST	
59 W CRI>90 2700 K – 5264 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ELLIPSE S120	
W	120 cm / 47.20"
D	40 cm / 15.70"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
86,5 W CRI>90 3000 K – 8131 NOMINAL LM	
ON REQUEST	
86,5 W CRI>90 2700 K – 7720 NOMINAL LM	
DIMMABLE	
0-10V	



LIBE ELLIPSE S90	
W	90 cm / 35.40"
D	30 cm / 11.80"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
62,5 W CRI>90 3000 K – 5875 NOMINAL LM	
ON REQUEST	
62,5 W CRI>90 2700 K – 5580 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE A55	
W	55 cm / 21.70"
D	8 cm / 3.10"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
7 W CRI>90 3000 K – 658 NOMINAL LM	
ON REQUEST	
7 W CRI>90 2700 K – 625 NOMINAL LM	
DIMMABLE	
NO	




## SINGLE CANOPIES

### SINGLE CANOPY


	SIZE	FINISHINGS	PRODUCT NAME
	∅ 27,5 cm / 10.80" H 9 cm / 3.50"	G14	LIBE ROUND S140 LIBE ROUND S115 LIBE ROUND S90 LIBE ROUND S60

### SINGLE CANOPY

	SIZE	FINISHINGS	PRODUCT NAME
	∅ 27,5 cm / 10.80" H 9 cm / 3.50"	G14	LIBE S100 LIBE S160 LIBE ELLIPSE S90 LIBE ELLIPSE S120


# Libe

Metal frame with diffuser in opaque crystal lozenges. LED lighting.




G14 Burnished brass


LIBE S160		CE	UL
W	160 cm / 63.00"		
D	16 cm / 6.30"		
H	30 cm / 11.80"		
STANDARD INTEGRATED LED LIGHTING			
104 W CRI>90 3000 K – 9770 NOMINAL LM			
ON REQUEST			
104 W CRI>90 2700 K – 9280 NOMINAL LM			
DIMMABLE			
1-10V			




LIBE S100		CE	UL
W	100 cm / 39.40"		
D	16 cm / 6.30"		
H	20 cm / 7.90"		
STANDARD INTEGRATED LED LIGHTING			
63 W CRI>90 3000 K – 5922 NOMINAL LM			
ON REQUEST			
63 W CRI>90 2700 K – 5620 NOMINAL LM			
DIMMABLE			
0-10V			




LIBE ROUND S140		CE	UL
∅	140 cm / 55.10"		
H	8,5 cm / 3.30"		
STANDARD INTEGRATED LED LIGHTING			
144 W CRI>90 3000 K – 13536 NOMINAL LM			
ON REQUEST			
144 W CRI>90 2700 K – 12850 NOMINAL LM			
DIMMABLE			
1-10V			



LIBE ROUND S115		CE	UL
∅	115 cm / 45.30"		
H	8,5 cm / 3.30"		
STANDARD INTEGRATED LED LIGHTING			
116 W CRI>90 3000 K – 10904 NOMINAL LM			
ON REQUEST			
116 W CRI>90 2700 K – 10350 NOMINAL LM			
DIMMABLE			
1-10V			




LIBE ROUND S90		CE	UL
∅	90 cm / 35.40"		
H	8,5 cm / 3.30"		
STANDARD INTEGRATED LED LIGHTING			
90 W CRI>90 3000 K – 8460 NOMINAL LM			
ON REQUEST			
90 W CRI>90 2700 K – 8030 NOMINAL LM			
DIMMABLE			
0-10V			




LIBE ROUND S60		CE	UL
∅	60 cm / 23.60"		
H	8,5 cm / 3.30"		
STANDARD INTEGRATED LED LIGHTING			
59 W CRI>90 3000 K – 5546 NOMINAL LM			
ON REQUEST			
59 W CRI>90 2700 K – 5264 NOMINAL LM			
DIMMABLE			
0-10V			




LIBE ELLIPSE S120		CE	UL
W	120 cm / 47.20"		
D	40 cm / 15.70"		
H	8,5 cm / 3.30"		
STANDARD INTEGRATED LED LIGHTING			
86,5 W CRI>90 3000 K – 8131 NOMINAL LM			
ON REQUEST			
86,5 W CRI>90 2700 K – 7720 NOMINAL LM			
DIMMABLE			
0-10V			



LIBE ELLIPSE S90		CE	UL
W	90 cm / 35.40"		
D	30 cm / 11.80"		
H	8,5 cm / 3.30"		
STANDARD INTEGRATED LED LIGHTING			
62,5 W CRI>90 3000 K – 5875 NOMINAL LM			
ON REQUEST			
62,5 W CRI>90 2700 K – 5580 NOMINAL LM			
DIMMABLE			
0-10V			




LIBE A55		CE	UL
W	59 cm / 23.20"		
D	12 cm / 4.70"		
H	14 cm / 5.50"		
STANDARD INTEGRATED LED LIGHTING			
7 W CRI>90 3000 K – 658 NOMINAL LM			
ON REQUEST			
7 W CRI>90 2700 K – 625 NOMINAL LM			
DIMMABLE			
NO			




## SINGLE CANOPIES

### SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
∅ 27,5 cm / 10.80"	G14	LIBE ROUND S140
H 9 cm / 3.50"		LIBE ROUND S115
		LIBE ROUND S90
		LIBE ROUND S60

### SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
∅ 27,5 cm / 10.80"	G14	LIBE S100
H 9 cm / 3.50"		LIBE S160
		LIBE ELLIPSE S90
		LIBE ELLIPSE S120

DISCOVER MORE



# Crek

IT Crek è espressione di creatività e della capacità veneziana di lavorare il vetro in modo inimitabile al mondo. La forma geometrica ed il vetro effetto cristallo di Rocca donano a Crek le sembianze di una meravigliosa scultura di ghiaccio, che come un Iglù suscita una sensazione di calore e sicurezza.

EN Crek expresses the Venetian ability to work with glass in a way unparalleled anywhere else in the world. With its geometric shape and rock crystal effect glass, Crek resembles a wonderful ice sculpture and evokes the warm, safe sensation of an igloo.

DESIGN BY  
MASIERO LAB

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

CREK S5





CREK TL 6



CREK STL 6





CREK A2 G



CREK TL 1



# Crek

Telaio in metallo con listelli di vetro «Crek» (ispirato al cristallo di rocca).

Metal frame with «Crek» glass panels (inspired by rock crystal).

Metallrahmen mit «Crek» Glasplatten (inspiriert von dem Bergkristall).

Marco de metal con listones de vidrio «Crek» (inspirado al cristal de roca).

Structure en métal avec tiges de verre «Crek» (inspiré du cristal de roche).

Металлический каркас со стеклом «Crek» (имитация горного хрусталя).

这种灯具具有金属的结构, 而且它有«CREK» 玻璃条 (类似白水晶)。

إطار معدني بألواح زجاجية «كريك» مستوحاة من الكريستال الصخري).



G18 Ottone spazzolato  
Brushed brass




Vetro Crek  
Crek glass

## CREK S14

W 123 cm / 48.40"  
D 31,5 cm / 12.40"  
H 40 cm / 15.70"


STANDARD LIGHTING  
14×E14×10 W MAX (NOT INCL.)



## CREK S10


W 95 cm / 37.40"  
D 31,5 cm / 12.40"  
H 40 cm / 15.70"

STANDARD LIGHTING  
10×E14×10 W MAX (NOT INCL.)



## CREK S5


STANDARD LIGHTING  
5×E14×10 W MAX (NOT INCL.)



## CREK C3 LN 75

W 75 cm / 29.50"  
D 20 cm / 7.90"  
H MAX 195 cm / 76.80"


STANDARD LIGHTING  
3×E14×10 W MAX (NOT INCL.)



## CREK C5 LN 125

W 125 cm / 49.20"  
D 20 cm / 7.90"  
H MAX 195 cm / 76.80"


STANDARD LIGHTING  
5×E14×10 W MAX (NOT INCL.)



## CREK C3 RD 60

ø 60 cm / 23.60"  
H MAX 195 cm / 76.80"


STANDARD LIGHTING  
3×E14×10 W MAX (NOT INCL.)



## CREK C5 RD 80

ø 80 cm / 31.50"  
H MAX 195 cm / 76.80"


STANDARD LIGHTING  
5×E14×10 W MAX (NOT INCL.)



## CREK S1

W 15,5 cm / 6.10"  
D 15,5 cm / 6.10"  
H 40 cm / 15.70"


STANDARD LIGHTING  
1×E14×10 W MAX (NOT INCL.)



## CREK A2

W 22,5 cm / 8.90"  
D 13 cm / 5.10"  
H 45 cm / 17.70"


STANDARD LIGHTING  
2×E14×10 W MAX (NOT INCL.)



## CREK A1

W 15,5 cm / 6.10"  
D 13 cm / 5.10"  
H 45 cm / 17.70"


STANDARD LIGHTING  
1×E14×10 W MAX (NOT INCL.)



## CREK TL 1

W 15,5 cm / 6.10"  
D 15,5 cm / 6.10"  
H 41,5 cm / 16.30"


STANDARD LIGHTING  
1×E14×10 W MAX (NOT INCL.)



## CREK TL 6

W 45 cm / 17.70"  
D 31 cm / 12.20"  
H 41 cm / 16.10"


STANDARD LIGHTING  
6×E14×10 W MAX (NOT INCL.)



## CREK STL 6

W 45 cm / 17.70"  
D 32 cm / 12.60"  
H 160 cm / 63.00"

STANDARD LIGHTING  
6×E14×10 W MAX (NOT INCL.)




DISCOVER MORE




## SINGLE CANOPIES

### SINGLE CANOPY




SIZE		FINISHINGS	PRODUCT NAME
W	8,5 cm / 3.30"	G18	CREK S1
D	8,5 cm / 3.30"		
H	2 cm / 0.80"		

### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	G18	CREK S5
H	2,7 cm / 1.10"		


### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
W	56 cm / 22.00"	G18	CREK S10
D	3 cm / 1.20"		CREK S14
H	3 cm / 1.20"		


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	V98	CREK C3 LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	V98	CREK C5 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	V98	CREK C3 RD 60
H	4 cm / 1.60"		

### ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	V98	CREK C5 RD 80
H	4 cm / 1.60"		

# Crek

Metal frame with «Crek» glass panels (inspired by rock crystal).



G18 Brushed brass




Crek glass

**CREK S14**

W	123 cm / 48.40"
D	31.5 cm / 12.40"
H	40 cm / 15.70"


STANDARD LIGHTING  
14×E12×40 W MAX (NOT INCL.)



**CREK S10**


W	95 cm / 37.40"
D	31.5 cm / 12.40"
H	40 cm / 15.70"

STANDARD LIGHTING  
10×E12×40 W MAX (NOT INCL.)



**CREK S5**


STANDARD LIGHTING  
5×E12×40 W MAX (NOT INCL.)



**CREK C3 LN 75**

W	75 cm / 29.50"
D	20 cm / 7.90"
H MAX	195 cm / 76.80"


STANDARD LIGHTING  
3×E12×40 W MAX (NOT INCL.)



**CREK C5 LN 125**

W	125 cm / 49.20"
D	20 cm / 7.90"
H MAX	195 cm / 76.80"


STANDARD LIGHTING  
5×E12×40 W MAX (NOT INCL.)



**CREK C3 RD 60**

ø	60 cm / 23.60"
H MAX	195 cm / 76.80"


STANDARD LIGHTING  
3×E12×40 W MAX (NOT INCL.)



**CREK C5 RD 80**

ø	80 cm / 31.50"
H MAX	195 cm / 76.80"


STANDARD LIGHTING  
5×E12×40 W MAX (NOT INCL.)



**CREK S1**

W	15.5 cm / 6.10"
D	15.5 cm / 6.10"
H	40 cm / 15.70"


STANDARD LIGHTING  
1×E12×40 W MAX (NOT INCL.)



**CREK A2**

W	22.5 cm / 8.90"
D	13 cm / 5.10"
H	45 cm / 17.70"


STANDARD LIGHTING  
2×E12×40 W MAX (NOT INCL.)



**CREK A1**

W	15.5 cm / 6.10"
D	13 cm / 5.10"
H	45 cm / 17.70"


STANDARD LIGHTING  
1×E12×40 W MAX (NOT INCL.)



**CREK TL 1**

W	15.5 cm / 6.10"
D	15.5 cm / 6.10"
H	41.5 cm / 16.30"


STANDARD LIGHTING  
1×E12×40 W MAX (NOT INCL.)



**CREK TL 6**

W	45 cm / 17.70"
D	31 cm / 12.20"
H	41 cm / 16.10"


STANDARD LIGHTING  
6×E12×40 W MAX (NOT INCL.)



**CREK STL 6**

W	45 cm / 17.70"
D	32 cm / 12.60"
H	160 cm / 63.00"

STANDARD LIGHTING  
6×E12×40 W MAX (NOT INCL.)



DISCOVER MORE




## SINGLE CANOPIES

### SINGLE CANOPY




SIZE		FINISHINGS	PRODUCT NAME
W	12 cm / 4.70"	G18	CREK S1
D	12 cm / 4.70"		
H	2,2 cm / 0.90"		

### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	G18	CREK S5
H	2,7 cm / 1.10"		


### SINGLE CANOPY



SIZE		FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	G18	CREK S10
H	0,8 cm / 0.30"		CREK S14


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	V98	CREK C3 LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	V98	CREK C5 LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	V98	CREK C3 RD 60
H	4 cm / 1.60"		

### ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	V98	CREK C5 RD 80
H	4 cm / 1.60"		

# Ribbon

RIBBON S80

IT Ribbon parla di leggerezza contemporanea delle linee, purezza dei materiali e minimalismo dei colori. Questo è Ribbon, dove il metallo cinge il vetro come chiffon bianco avvolto da un nastro nero dalle abili mani di una sarta.

EN Ribbon expresses contemporary lightness in its lines, purity in its materials and minimalism in its colours. This is Ribbon, where metal encircles the glass like white chiffon wrapped in a black ribbon by the skilled hands of a seamstress.

DESIGN BY  
ORIANO FAVARETTO

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP



RIBBON S70



RIBBON A37





RIBBON A65



RIBBON S150





# Ribbon

Telaio in metallo verniciato. Vetri in piastra. Illuminazione a LED.

Painted metal frame. Plate glasses. LED lighting.

Struktur aus lackiertem Metall. Glas aus gegossenen Glasplatten. LED-Beleuchtung.

Marco de metal pintado. Vidrio en placa. Iluminación LED.


Structure en métal peint. Verre plat. LED éclairage.

Окрашенный металлический каркас. Венецианское рельефное стекло. Светодиод.


这种灯具的结构是涂漆的金属，而且结构也有一些特别的意大利制造玻璃线条们。LED照明。

إطار معدني مطلي. زجاج في لوح. إضاءة ليد.


RIBBON S200	
W	200 cm / 78.70"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	21,1 W CRI>95 3000 K – 2250 NOMINAL LM
DOWN	44,46 W CRI>95 3000 K – 4742 NOMINAL LM
ON REQUEST	
UP	21,1 W CRI>95 2700 K – 2145 NOMINAL LM
DOWN	44,46 W CRI>95 2700 K – 4520 NOMINAL LM
DIMMABLE	
0-10V	




RIBBON S150	
W	150 cm / 59.10"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	17 W CRI>95 3000 K – 1813 NOMINAL LM
DOWN	33,5 W CRI>95 3000 K – 3573 NOMINAL LM
ON REQUEST	
UP	17 W CRI>95 2700 K – 1728 NOMINAL LM
DOWN	33,5 W CRI>95 2700 K – 3405 NOMINAL LM
DIMMABLE	
0-10V	





RIBBON S100	
W	100 cm / 39.40"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	9,36 W CRI>95 3000 K – 998 NOMINAL LM
DOWN	21,1 W CRI>95 3000 K – 2250 NOMINAL LM
ON REQUEST	
UP	9,36 W CRI>95 2700 K – 951 NOMINAL LM
DOWN	21,1 W CRI>95 2700 K – 2145 NOMINAL LM
DIMMABLE	
0-10V	



RIBBON A65	
W	65 cm / 25.60"
D	10 cm / 3.90"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	5,8 W CRI>95 3000 K – 618 NOMINAL LM
DOWN	5,8 W CRI>95 3000 K – 618 NOMINAL LM
ON REQUEST	
UP	5,8 W CRI>95 2700 K – 589 NOMINAL LM
DOWN	5,8 W CRI>95 2700 K – 589 NOMINAL LM
DIMMABLE	
1-10V + PUSH	



RIBBON A37	
W	37 cm / 14.60"
D	10 cm / 3.90"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	3,51 W CRI>95 3000 K – 375 NOMINAL LM
DOWN	3,51 W CRI>95 3000 K – 375 NOMINAL LM
ON REQUEST	
UP	3,51 W CRI>95 2700 K – 357 NOMINAL LM
DOWN	3,51 W CRI>95 2700 K – 357 NOMINAL LM
DIMMABLE	
1-10V + PUSH	



v90 Nero opaco  
Matt black




g01 Brunito\*  
Burnished

\*NOT AVAILABLE FOR RIBBON S80  
AND RIBBON S50




Vetro trasparente  
Transparent glass


RIBBON S70	
W	70 cm / 27.60"
D	8 cm / 3.10"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	7 W CRI>95 3000 K – 746 NOMINAL LM
DOWN	15 W CRI>95 3000 K – 1600 NOMINAL LM
ON REQUEST	
UP	7 W CRI>95 2700 K – 711 NOMINAL LM
DOWN	15 W CRI>95 2700 K – 1525 NOMINAL LM
DIMMABLE	
0-10V	




RIBBON S80	
W	80 cm / 31.50"
D	80 cm / 31.50"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	28,1 W CRI>95 3000 K – 2997 NOMINAL LM
DOWN	60,85 W CRI>95 3000 K – 6490 NOMINAL LM
ON REQUEST	
UP	28,1 W CRI>95 2700 K – 2856 NOMINAL LM
DOWN	60,85 W CRI>95 2700 K – 6186 NOMINAL LM
DIMMABLE	
0-10V	




RIBBON S50	
W	50 cm / 19.70"
D	50 cm / 19.70"
H	33 cm / 13.00"
STANDARD INTEGRATED LED LIGHTING	
UP	15,21 W CRI>95 3000 K – 1622 NOMINAL LM
DOWN	32,76 W CRI>95 3000 K – 3494 NOMINAL LM
ON REQUEST	
UP	15,21 W CRI>95 2700 K – 1546 NOMINAL LM
DOWN	32,76 W CRI>95 2700 K – 3330 NOMINAL LM
DIMMABLE	
0-10V	



RIBBON TL	
W	38 cm / 15.00"
D	16 cm / 6.30"
H	48 cm / 18.90"
STANDARD INTEGRATED LED LIGHTING	
UP	6 W CRI>95 3000 K – 640 NOMINAL LM
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM
ON REQUEST	
UP	6 W CRI>95 2700 K – 610 NOMINAL LM
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM
DIMMABLE	
OWN BUTTON	



RIBBON STL	
W	38 cm / 15.00"
D	16 cm / 6.30"
H	160 cm / 63.00"
STANDARD INTEGRATED LED LIGHTING	
UP	6 W CRI>95 3000 K – 640 NOMINAL LM
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM
ON REQUEST	
UP	6 W CRI>95 2700 K – 610 NOMINAL LM
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM
DIMMABLE	
OWN BUTTON	




DISCOVER MORE



## SINGLE CANOPIES

### SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
W	35,5 cm / 14.00"	● V90	● V90	RIBBON S200
D	8 cm / 3.10"	● G01*	● G01*	RIBBON S150
H	5,2 cm / 2.00"			RIBBON S100
				RIBBON S70
				RIBBON S80
				RIBBON S50

\*NOT AVAILABLE FOR RIBBON S80  
AND RIBBON S50

# Ribbon

Painted metal frame.  
Plate glasses. LED lighting.



v90 Matt black




g01 Burnished\*

\*NOT AVAILABLE FOR RIBBON S80 AND RIBBON S50




Transparent glass


RIBBON S200		CE	UL
W	200 cm / 78.70"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	21,1 W CRI>95 3000 K – 2250 NOMINAL LM		
DOWN	44,46 W CRI>95 3000 K – 4742 NOMINAL LM		
ON REQUEST			
UP	21,1 W CRI>95 2700 K – 2145 NOMINAL LM		
DOWN	44,46 W CRI>95 2700 K – 4520 NOMINAL LM		
DIMMABLE			
	0-10V		




RIBBON S150		CE	UL
W	150 cm / 59.10"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	17 W CRI>95 3000 K – 1813 NOMINAL LM		
DOWN	33,5 W CRI>95 3000 K – 3573 NOMINAL LM		
ON REQUEST			
UP	17 W CRI>95 2700 K – 1728 NOMINAL LM		
DOWN	33,5 W CRI>95 2700 K – 3405 NOMINAL LM		
DIMMABLE			
	0-10V		




RIBBON S100		CE	UL
W	100 cm / 39.40"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	9,36 W CRI>95 3000 K – 998 NOMINAL LM		
DOWN	21,1 W CRI>95 3000 K – 2250 NOMINAL LM		
ON REQUEST			
UP	9,36 W CRI>95 2700 K – 951 NOMINAL LM		
DOWN	21,1 W CRI>95 2700 K – 2145 NOMINAL LM		
DIMMABLE			
	0-10V		




RIBBON A65		CE	UL
W	65 cm / 25.60"		
D	10 cm / 3.90"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	5,8 W CRI>95 3000 K – 618 NOMINAL LM		
DOWN	5,8 W CRI>95 3000 K – 618 NOMINAL LM		
ON REQUEST			
UP	5,8 W CRI>95 2700 K – 589 NOMINAL LM		
DOWN	5,8 W CRI>95 2700 K – 589 NOMINAL LM		
DIMMABLE			
	0-10V		




RIBBON A37		CE	UL
W	37 cm / 14.60"		
D	10 cm / 3.90"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	3,51 W CRI>95 3000 K – 375 NOMINAL LM		
DOWN	3,51 W CRI>95 3000 K – 375 NOMINAL LM		
ON REQUEST			
UP	3,51 W CRI>95 2700 K – 357 NOMINAL LM		
DOWN	3,51 W CRI>95 2700 K – 357 NOMINAL LM		
DIMMABLE			
	0-10V		




RIBBON S70		CE	UL
W	70 cm / 27.60"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	7 W CRI>95 3000 K – 746 NOMINAL LM		
DOWN	15 W CRI>95 3000 K – 1600 NOMINAL LM		
ON REQUEST			
UP	7 W CRI>95 2700 K – 711 NOMINAL LM		
DOWN	15 W CRI>95 2700 K – 1525 NOMINAL LM		
DIMMABLE			
	0-10V		




RIBBON S80		CE	UL
W	80 cm / 31.50"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	28,1 W CRI>95 3000 K – 2997 NOMINAL LM		
DOWN	60,85 W CRI>95 3000 K – 6490 NOMINAL LM		
ON REQUEST			
UP	28,1 W CRI>95 2700 K – 2856 NOMINAL LM		
DOWN	60,85 W CRI>95 2700 K – 6186 NOMINAL LM		
DIMMABLE			
	0-10V		




RIBBON S50		CE	UL
W	50 cm / 19.70"		
D	8 cm / 3.10"		
H	33 cm / 13.00"		
STANDARD INTEGRATED LED LIGHTING			
UP	15,21 W CRI>95 3000 K – 1622 NOMINAL LM		
DOWN	32,76 W CRI>95 3000 K – 3494 NOMINAL LM		
ON REQUEST			
UP	15,21 W CRI>95 2700 K – 1546 NOMINAL LM		
DOWN	32,76 W CRI>95 2700 K – 3330 NOMINAL LM		
DIMMABLE			
	0-10V		



RIBBON TL		CE
W	38 cm / 15.00"	
D	16 cm / 6.30"	
H	48 cm / 18.90"	
STANDARD INTEGRATED LED LIGHTING		
UP	6 W CRI>95 3000 K – 640 NOMINAL LM	
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM	
ON REQUEST		
UP	6 W CRI>95 2700 K – 610 NOMINAL LM	
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM	
DIMMABLE		
	OWN BUTTON	



RIBBON STL		CE
W	38 cm / 15.00"	
D	16 cm / 6.30"	
H	160 cm / 63.00"	
STANDARD INTEGRATED LED LIGHTING		
UP	6 W CRI>95 3000 K – 640 NOMINAL LM	
DOWN	6 W CRI>95 3000 K – 640 NOMINAL LM	
ON REQUEST		
UP	6 W CRI>95 2700 K – 610 NOMINAL LM	
DOWN	6 W CRI>95 2700 K – 610 NOMINAL LM	
DIMMABLE		
	OWN BUTTON	




DISCOVER MORE



## SINGLE CANOPIES

## SINGLE CANOPY



SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
W 39,5 cm / 15.60"	● V90	● V90	RIBBON S200
D 12 cm / 4.70"	● G01*	● G01*	RIBBON S150
H 5,4 cm / 2.10"			RIBBON S100
			RIBBON S70
			RIBBON S80
			RIBBON S50

\*NOT AVAILABLE FOR RIBBON S80  
AND RIBBON S50

# Eva

IT L'abbiamo chiamata Eva, non a caso. La collezione Eva incarna magnificamente la trasposizione in chiave moderna dei lampadari classici. Come un fiore appena sbocciato ti incanta per la sua fluida sinuosità, trasmettendo un senso di pace e appagamento.

EN Not by chance we named it Eva. The Eva collection magnificently embodies the modern interpretation of classic chandeliers. Like a freshly opened flower, it enchants you with its fluid sinuosity, conveying a sense of peace and contentment.

DESIGN BY  
MASIERO LAB

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

EVA S10







EVA A2



EVA S3+1

EVA STL3+1



380

MASIERO DIMORE



Eva

381





EVA TL1 M



EVA TL1 M

# Eva

Lampada con struttura in resina e poliuretano. Paralumi in alluminio.  
Lamp with resin and polyurethane frame. Aluminium lampshades.

Lampe mit Resin und Polyurethanstruktur. Lampenschirme aus Aluminium.


Lámpara con estructura de resina y poliuretano. Pantallas de aluminio.

Lampe avec structure en resin et polyurethane. Abat-jour en aluminium.

Лампа с каркасом из полиуретана. Алюминиевые абажуры.

这种灯具具有一个树脂和聚氨酯的结构。灯罩们是铝材做的。


مصباح  
بهيكل من الراتنج  
والبولي يوريثان. عاكس ضوء (غطاء  
مصباح) من الألمنيوم.



F01 Foglia oro  
Gold leaf



F02 Foglia argento  
Silver leaf



v95 Bianco opaco  
Matt white



v72 Grigio scuro  
Dark grey




v70 Cemento  
Concrete

## EVA S20+10

ø 270 cm / 106.30"  
H 200 cm / 78.70"


STANDARD LIGHTING  
30×E27×20 W MAX (NOT INCL.)



## EVA S10

ø 110 cm / 43.30"  
H 75 cm / 29.50"


STANDARD LIGHTING  
10×E14×10 W MAX (NOT INCL.)



## EVA S8

ø 90 cm / 35.40"  
H 75 cm / 29.50"


STANDARD LIGHTING  
8×E14×10 W MAX (NOT INCL.)



## EVA S5

ø 70 cm / 27.60"  
H 60 cm / 23.60"


STANDARD LIGHTING  
5×E14×10 W MAX (NOT INCL.)



## EVA S3+1

ø 50 cm / 19.70"  
H 75 cm / 29.50"


STANDARD LIGHTING  
3×E27×20 W MAX (NOT INCL.)  
1×E14×10 W MAX (NOT INCL.)



## EVA A3

w 40 cm / 15.70"  
D 20 cm / 7.90"  
H 70 cm / 27.60"


STANDARD LIGHTING  
3×E27×20 W MAX (NOT INCL.)



## EVA A1 M

w 30 cm / 11.80"  
D 15 cm / 5.90"  
H 54 cm / 21.30"


STANDARD LIGHTING  
1×E27×20 W MAX (NOT INCL.)



## EVA A2

w 40 cm / 15.70"  
D 18 cm / 7.10"  
H 55 cm / 21.70"


STANDARD LIGHTING  
2×E14×10 W MAX (NOT INCL.)



## EVA TL1 P

ø 14 cm / 5.50"  
H 28 cm / 11.00"


STANDARD LIGHTING  
1×E14×10 W MAX (NOT INCL.)



## EVA TL1 M

ø 30 cm / 11.80"  
H 53 cm / 20.90"


STANDARD LIGHTING  
1×E27×20 W MAX (NOT INCL.)



## EVA TL3+1 G

ø 40 cm / 15.70"  
H 75 cm / 29.50"


STANDARD LIGHTING  
3×E27×20 W MAX (NOT INCL.)  
1×E14×10 W MAX (NOT INCL.)



## EVA STL3+1

ø 50 cm / 19.70"  
H 180 cm / 70.90"

STANDARD LIGHTING  
3×E27×20 W MAX (NOT INCL.)  
1×E14×10 W MAX (NOT INCL.)



DISCOVER MORE




## SINGLE CANOPIES

### SINGLE CANOPY




SIZE		FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
Ø	12 cm / 4.70"	● V95	● V95	EVA S5
H	6 cm / 2.40"	● V72	● V72	EVA S8
		● V70	● V70	EVA S10
		● F01	● F01	
		● F02	● F02	

### SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
Ø	14,2 cm / 5.60"	● V95	● V95	EVA S3+1
H	5 cm / 2.00"	● V72	● V72	
		● V70	● V70	
		● F01	● F01	
		● F02	● F02	


### SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
Ø	30 cm / 11.80"	● V95	● V95	EVA S20+10
H	15 cm / 5.90"	● V72	● V72	
		● V70	● V70	
		● F01	● F01	
		● F02	● F02	

# Eva


Lamp with resin and polyurethane frame. Aluminium lampshades.



f01 Gold leaf



f02 Silver leaf



v95 Matt white



v72 Dark grey



v70 Concrete


DISCOVER MORE



## EVA S20+10

ø 270 cm / 106.30"  
H 200 cm / 78.70"


STANDARD LIGHTING  
30×E26×60 W MAX (NOT INCL.)



## EVA S10

ø 110 cm / 43.30"  
H 75 cm / 29.50"


STANDARD LIGHTING  
10×E12×40 W MAX (NOT INCL.)



## EVA S8

ø 90 cm / 35.40"  
H 75 cm / 29.50"


STANDARD LIGHTING  
8×E12×40 W MAX (NOT INCL.)



## EVA TL1 P

ø 14 cm / 5.50"  
H 28 cm / 11.00"


STANDARD LIGHTING  
1×E12×40 W MAX (NOT INCL.)



## EVA TL1 M

ø 30 cm / 11.80"  
H 53 cm / 20.90"


STANDARD LIGHTING  
1×E26×60 W MAX (NOT INCL.)



## EVA TL3+1 G

ø 40 cm / 15.70"  
H 75 cm / 29.50"


STANDARD LIGHTING  
3×E26×60 W MAX (NOT INCL.)  
1×E12×40 W MAX (NOT INCL.)



## EVA STL3+1

ø 50 cm / 19.70"  
H 180 cm / 70.90"


STANDARD LIGHTING  
3×E26×60 W MAX (NOT INCL.)  
1×E12×40 W MAX (NOT INCL.)



## EVA S5

ø 70 cm / 27.60"  
H 60 cm / 23.60"


STANDARD LIGHTING  
5×E12×40 W MAX (NOT INCL.)



## EVA S3+1

ø 50 cm / 19.70"  
H 75 cm / 29.50"


STANDARD LIGHTING  
3×E26×60 W MAX (NOT INCL.)  
1×E12×40 W MAX (NOT INCL.)



## EVA A3

w 40 cm / 15.70"  
d 20 cm / 7.90"  
H 70 cm / 27.60"


STANDARD LIGHTING  
3×E26×60 W MAX (NOT INCL.)



## EVA A1 M

w 30 cm / 11.80"  
d 15 cm / 5.90"  
H 54 cm / 21.30"


STANDARD LIGHTING  
1×E26×60 W MAX (NOT INCL.)



## EVA A2

w 40 cm / 15.70"  
d 18 cm / 7.10"  
H 55 cm / 21.70"


STANDARD LIGHTING  
2×E12×40 W MAX (NOT INCL.)




\* ETL only for US market.

## SINGLE CANOPIES

## SINGLE CANOPY

		SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
	Ø	12 cm / 4.70"	● V95	● V95	EVA S5
	H	6 cm / 2.40"	● V72	● V72	EVA S8
			● V70	● V70	EVA S10
			● F01	● F01	
			● F02	● F02	

## SINGLE CANOPY

		SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
	Ø	14,2 cm / 5.60"	● V95	● V95	EVA S3+1
	H	5 cm / 2.00"	● V72	● V72	
			● V70	● V70	
			● F01	● F01	
			● F02	● F02	

## SINGLE CANOPY

		SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
	Ø	30 cm / 11.80"	● V95	● V95	EVA S20+10
	H	15 cm / 5.90"	● V72	● V72	
			● V70	● V70	
			● F01	● F01	
			● F02	● F02	

# Palm

IT La applique Palm è un sistema modulare da parete che ricorda il movimento leggiadro delle foglie. Perfette per la decorazione murale grazie alla loro componibilità, Palm trae ispirazione dalla natura. Un progetto pensato per essere composto come un puzzle grazie alle forme che si incastrano.


EN The Palm applique is a modular wall system reminiscent of the graceful movement of leaves. Inspired by nature, Palm's modularity makes it perfect as a wall decoration. Made up of interlocking shapes, the project is conceived to be composed like a jigsaw puzzle.


DESIGN BY  
LETIZIA MAMMINI  
E VALERIA CANDIDO

APPLIQUE


PALM A21  
COMPOSITION













PALM F01

PALM F02

PALM F03

PALM L02

PALM L03

PALM W04

PALM W05

PALM W06

PALM W07

PALM G14

PALM A40 COMPOSITION



# Palm

Struttura in metallo verniciato, rivestimento in diverse finiture. Illuminazione a LED.

Painted metal frame, different finishes cover. LED lighting.

Struktur aus lackiertem Metall, in verschiedenen Ausführungen erhältlich. LED-Leuchtsystem.

Estructura de metal pintado, revestimiento en diferentes acabados. Iluminación LED.

Structure en metal verni, différentes finitions disponibles, éclairage LED.




Окрашенный металлический каркас, подвесы с различной отделкой, светодиодное освещение.

这种灯具的结构是涂漆的金属, 而且在框架上可能选择不同的材料类型。 LED 照明。

هيكل معدني مطلي،  
مغطى بلمسات نهائية متنوعة.  
إضاءة ليد.

PALM A40	
W	40 cm / 15.70"
D	5 cm / 2.00"
H	34 cm / 13.40"
STANDARD INTEGRATED LED LIGHTING	
11 W CRI>95 3000 K - 1173 NOMINAL LM	
ON REQUEST	
11 W CRI>95 2700 K - 1118 NOMINAL LM	
DIMMABLE	
NO	

PALM A21	
W	21 cm / 8.30"
D	4 cm / 1.60"
H	18 cm / 7.10"
STANDARD INTEGRATED LED LIGHTING	
5 W CRI>95 3000 K - 533 NOMINAL LM	
ON REQUEST	
5 W CRI>95 2700 K - 508 NOMINAL LM	
DIMMABLE	
NO	



f01 Foglia oro  
Gold leaf



f02 Foglia argento  
Silver leaf



f03 Foglia rame  
Copper leaf



G14 Ottone brunito  
Burnished brass



L03 Ecopelle 3  
Eco leather 3



w04 Pale oak



w05 Walnut



w06 Grey ayous



w07 Black&Silver



L02 Ecopelle 2  
Eco leather 2

DISCOVER MORE



# Palm

Painted metal frame, different finishes cover. LED lighting.




f01 Gold leaf



f02 Silver leaf




f03 Copper leaf



g14 Burnished brass




l02 Eco leather 2



w04 Pale oak



w05 Walnut



w06 Grey ayous




w07 Black&Silver




l03 Eco leather 3

PALM A40		CE
W	40 cm / 15.70"	
D	5 cm / 2.00"	
H	34 cm / 13.40"	
INTEGRATED LED LIGHTING		
11 W CRI>95		
3000 K - 1173 NOMINAL LM		
ON REQUEST		
11 W CRI>95		
2700 K - 1118 NOMINAL LM		
DIMMABLE		
NO		



PALM A21		CE
W	21 cm / 8.30"	
D	4 cm / 1.60"	
H	18 cm / 7.10"	
INTEGRATED LED LIGHTING		
5 W CRI>95		
3000 K - 533 NOMINAL LM		
ON REQUEST		
5 W CRI>95		
2700 K - 508 NOMINAL LM		
DIMMABLE		
NO		



DISCOVER MORE



# Timeo

IT È il gioco delle geometrie e la regolarità delle forme che caratterizzano questa collezione di lampade. Timeo prende il nome dal dialogo di Platone, Timeo, il testo base della cosmogonia in cui si delinea il concetto di solidi platonici.

EN This collection of lamps stands out for the interplay of geometries and regularity of the shapes. It takes its name from Plato's dialogue, the Timaeus, the basic text of cosmogony outlining the concept of Platonic solids.

DESIGN BY  
OMRI REVESZ

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

TIMEO C3 LN 75





TIMEO TL





TIMEO A



TIMEO A



# Timeo

Struttura in metallo verniciato.  
Illuminazione LED.

Painted metal frame.  
LED Lighting.

Gestell aus lackiertem Metall.  
LED-Beleuchtung.

Estructura de metal pintado.  
Iluminación LED.

Structure en métal peint.  
LED éclairage.

Структура из окрашенного  
металла. Светодиодное  
освещение.

这种灯具的结构是涂漆的金属。LED  
照明。


هيكل معدني مطلي.  
إضاءة LED.



G14 Ottone brunito  
Burnished brass




V91 Nero gofrato  
Embossed black




V98 Bianco gofrato  
Embossed white

TIMEO S1 20		CE
ø	21 cm / 8.30"	
H	17 cm / 6.70"	
STANDARD INTEGRATED LED LIGHTING		
	4 W CRI>90 3000 K - 460 NOMINAL LM	
ON REQUEST		
	4 W CRI>90 2700 K - 437 NOMINAL LM	
DIMMABLE		
	NO	




TIMEO A		CE
w	21 cm / 8.30"	
D	19 cm / 7.50"	
H	20 cm / 7.90"	
STANDARD INTEGRATED LED LIGHTING		
	4 W CRI>90 3000 K - 460 NOMINAL LM	
ON REQUEST		
	4 W CRI>90 2700 K - 437 NOMINAL LM	
DIMMABLE		
	NO	




TIMEO STL		CE
ø	35 cm / 13.80"	
H	160 cm / 63.00"	
STANDARD INTEGRATED LED LIGHTING		
	9 W CRI>90 3000 K - 1458 NOMINAL LM	
ON REQUEST		
	9 W CRI>90 2700 K - 1385 NOMINAL LM	
DIMM		
	OWN BUTTON	




TIMEO TL		CE
ø	35 cm / 13.80"	
H	30 cm / 11.80"	
STANDARD INTEGRATED LED LIGHTING		
	9 W CRI>90 3000 K - 1458 NOMINAL LM	
ON REQUEST		
	9 W CRI>90 2700 K - 1385 NOMINAL LM	
DIMM		
	OWN BUTTON	




TIMEO C3 LN 75		CE
w	75 cm / 29.50"	
D	20 cm / 7.90"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
	12 W CRI>90 3000 K - 1350 NOMINAL LM	
ON REQUEST		
	12 W CRI>90 2700 K - 1282 NOMINAL LM	
DIMMABLE		
	1-10V + PUSH	




TIMEO C5 LN 125		CE
w	125 cm / 49.20"	
D	20 cm / 7.90"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
	20 W CRI>90 3000 K - 2300 NOMINAL LM	
ON REQUEST		
	20 W CRI>90 2700 K - 2185 NOMINAL LM	
DIMMABLE		
	1-10V + DALI + PUSH	




TIMEO C7 LN 175		CE
w	175 cm / 68.90"	
D	20 cm / 7.90"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
	28 W CRI>90 3000 K - 3150 NOMINAL LM	
ON REQUEST		
	28 W CRI>90 2700 K - 2992 NOMINAL LM	
DIMMABLE		
	1-10V + DALI + PUSH	




TIMEO C3 RD 40		CE
ø	40 cm / 15.70"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
	12 W CRI>90 3000 K - 1350 NOMINAL LM	
ON REQUEST		
	12 W CRI>90 2700 K - 1282 NOMINAL LM	
DIMMABLE		
	1-10V + PUSH	



TIMEO C5 RD 60		CE
ø	60 cm / 23.60"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
	20 W CRI>90 3000 K - 2300 NOMINAL LM	
ON REQUEST		
	20 W CRI>90 2700 K - 2185 NOMINAL LM	
DIMMABLE		
	1-10V + DALI + PUSH	



TIMEO C7 RD 80		CE
ø	80 cm / 31.50"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
	28 W CRI>90 3000 K - 3150 NOMINAL LM	
ON REQUEST		
	28 W CRI>90 2700 K - 2992 NOMINAL LM	
DIMMABLE		
	1-10V + DALI + PUSH	




DISCOVER MORE



## SINGLE CANOPIES


### SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 15 cm / 5.90"	● V91	TIMEO S1 20
H 4 cm / 1.70"		


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	● V98	TIMEO C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	● V98	TIMEO C5 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

### LINEAR CANOPY LN 175




SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	● V98	TIMEO C7 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		

### ROUND CANOPY RD 40




SIZE	FINISHINGS	PRODUCT NAME
Ø 40 cm / 15.70"	● V98	TIMEO C3 RD 40
H 4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	● V98	TIMEO C5 RD 60
H 4 cm / 1.60"		


### ROUND CANOPY RD 80




SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	● V98	TIMEO C7 RD 80
H 4 cm / 1.60"		

# Timeo


Painted metal frame.  
LED Lighting.



g14 Burnished brass




v98 Embossed white



v91 Embossed black

TIMEO S1 20		CE
ø	21 cm / 8.30"	
H	17 cm / 6.70"	
STANDARD INTEGRATED LED LIGHTING		
4 W CRI>90 3000 K - 460 NOMINAL LM		
ON REQUEST		
4 W CRI>90 2700 K - 437 NOMINAL LM		
DIMMABLE		
TRIAC		




TIMEO A		CE
w	21 cm / 8.30"	
d	19 cm / 7.50"	
H	20 cm / 7.90"	
STANDARD INTEGRATED LED LIGHTING		
4 W CRI>90 3000 K - 460 NOMINAL LM		
ON REQUEST		
4 W CRI>90 2700 K - 437 NOMINAL LM		
DIMMABLE		
TRIAC		




TIMEO STL		CE
ø	35 cm / 13.80"	
H	160 cm / 63.00"	
STANDARD INTEGRATED LED LIGHTING		
9 W CRI>90 3000 K - 1458 NOMINAL LM		
ON REQUEST		
9 W CRI>90 2700 K - 1385 NOMINAL LM		
DIMMABLE		
OWN BUTTON		




TIMEO TL		CE
ø	35 cm / 13.80"	
H	30 cm / 11.80"	
STANDARD INTEGRATED LED LIGHTING		
W CRI>90 3000 K - 1458 NOMINAL LM		
ON REQUEST		
9 W CRI>90 2700 K - 1385 NOMINAL LM		
DIMMABLE		
OWN BUTTON		




TIMEO C3 LN 75		CE
w	75 cm / 29.50"	
d	20 cm / 7.90"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
12 W CRI>90 3000 K - 1350 NOMINAL LM		
ON REQUEST		
12 W CRI>90 2700 K - 1282 NOMINAL LM		
DIMMABLE		
0-10V		




TIMEO C5 LN 125		CE
w	125 cm / 49.20"	
d	20 cm / 7.90"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
20 W CRI>90 3000 K - 2300 NOMINAL LM		
ON REQUEST		
20 W CRI>90 2700 K - 2185 NOMINAL LM		
DIMMABLE		
0-10V		




TIMEO C7 LN 175		CE
w	175 cm / 68.90"	
d	20 cm / 7.90"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
28 W CRI>90 3000 K - 3150 NOMINAL LM		
ON REQUEST		
28 W CRI>90 2700 K - 2992 NOMINAL LM		
DIMMABLE		
0-10V		




TIMEO C3 RD 40		CE
ø	40 cm / 15.70"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
12 W CRI>90 3000 K - 1350 NOMINAL LM		
ON REQUEST		
12 W CRI>90 2700 K - 1282 NOMINAL LM		
DIMMABLE		
0-10V		



TIMEO C5 RD 60		CE
ø	60 cm / 23.60"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
20 W CRI>90 3000 K - 2300 NOMINAL LM		
ON REQUEST		
20 W CRI>90 2700 K - 2185 NOMINAL LM		
DIMMABLE		
0-10V		



TIMEO C7 RD 80		CE
ø	80 cm / 31.50"	
H MAX	140 cm / 55.10"	
STANDARD INTEGRATED LED LIGHTING		
28 W CRI>90 3000 K - 3150 NOMINAL LM		
ON REQUEST		
28 W CRI>90 2700 K - 2992 NOMINAL LM		
DIMMABLE		
0-10V		




DISCOVER MORE



SINGLE CANOPIES


SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 15 cm / 5.90"	● V91	TIMEO S1 20
H 4,2 cm / 1.70"		


MULTIPLE CANOPIES

LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	● V98	TIMEO C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	● V98	TIMEO C5 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 175




SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	● V98	TIMEO C7 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		

ROUND CANOPY RD 40




SIZE	FINISHINGS	PRODUCT NAME
Ø 40 cm / 15.70"	● V98	TIMEO C3 RD 40
H 4 cm / 1.60"		

ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	● V98	TIMEO C5 RD 60
H 4 cm / 1.60"		

ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	● V98	TIMEO C7 RD 80
H 4 cm / 1.60"		

# Vollee

IT Hai mai sognato di partire senza una meta? Volare in luoghi sconosciuti, in qualche modo? Vollee è una collezione ispirata alla leggerezza e intangibilità della luce. Le vele di metallo aleggiano nella stanza come paracadute liberi nel cielo.

EN Have you ever dreamed of setting out without a destination? To somehow fly to unknown places? The Vollee collection is inspired by the lightness and intangibility of light. The metal sails hover in the room like free parachutes in the sky.

VOLLEE S1 P UP  
VOLLEE S1 P DOWN

DESIGN BY  
LORENZ + KAZ  
SUSPENSION



VOLLEE C5 P



VOLLEE C4 G



VOLLEE C5 P  
COMPOSITION



VOLLEE C4P LN 125  
COMPOSITION



# Vollee

Struttura in metallo verniciato.  
Illuminazione a LED.

Painted metal frame. LED Lighting.

Gestell aus lackiertem Metall.  
LED-Beleuchtung.


Estructura de metal Pintado.  
Iluminación LED.

Structure en métal peint. LED  
éclairage.


Структура из окрашенного  
металла. Светодиодное  
освещение.

这种灯具的结构是涂漆的金属。LED  
照明。

هيكل معدني مطلي.  
إضاءة LED.



v95 Bianco opaco  
Matt white




v90 Nero opaco  
Matt black




v99 Oro opaco verniciato  
Painted matt gold


VOLLEE S1G		CE	UL
W	52 cm / 20.50"		
D	36 cm / 14.20"		
H	88 cm / 34.60"		
STANDARD INTEGRATED LED LIGHTING			
	7,5 W CRI>90		
	3000 K – 915 NOMINAL LM		
ON REQUEST			
	7,5 W CRI>90		
	2700 K – 869 NOMINAL LM		
DIMMABLE			
	NO		




VOLLEE S1P DOWN		CE	UL
W	25 cm / 9.80"		
D	17,5 cm / 6.90"		
H	44 cm / 17.30"		
STANDARD INTEGRATED LED LIGHTING			
	6,6 W CRI>90		
	3000 K – 825 NOMINAL LM		
ON REQUEST			
	6,6 W CRI>90		
	2700 K – 783 NOMINAL LM		
DIMMABLE			
	NO		




VOLLEE S1P UP		CE	UL
W	25 cm / 9.80"		
D	17,5 cm / 6.90"		
H	44 cm / 17.30"		
STANDARD INTEGRATED LED LIGHTING			
	6,6 W CRI>90		
	3000 K – 825 NOMINAL LM		
ON REQUEST			
	6,6 W CRI>90		
	2700 K – 783 NOMINAL LM		
DIMMABLE			
	NO		




VOLLEE C4G RD 60		CE	UL
ø	96 cm / 37.80"		
H	240 cm / 94.50"		
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	1-10V + PUSH		




VOLLEE C4P RD 60		CE	UL
ø	60 cm / 23.60"		
H	200 cm / 78.70"		
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	1-10V + PUSH		




VOLLEE C8P RD 80		CE	UL
ø	80 cm / 31.50"		
H	200 cm / 78.70"		
STANDARD INTEGRATED LED LIGHTING			
	52,8 W CRI>90		
	3000 K – 6600 NOMINAL LM		
ON REQUEST			
	52,8 W CRI>90		
	2700 K – 6270 NOMINAL LM		
DIMMABLE			
	1-10V + DALI + PUSH		




VOLLEE C4 G		CE	UL
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	1-10V + PUSH		




VOLLEE C2+2		CE	UL
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	1-10V + PUSH		




VOLLEE C5 P		CE	UL
STANDARD INTEGRATED LED LIGHTING			
	31 W CRI>90		
	3000 K – 3900 NOMINAL LM		
ON REQUEST			
	31 W CRI>90		
	2700 K – 3705 NOMINAL LM		
DIMMABLE			
	1-10V + DALI + PUSH		



VOLLEE C2G LN 75		CE	UL
W	75 cm / 29.50"		
D	20 cm / 7.90"		
H MAX	240 cm / 94.50"		
STANDARD INTEGRATED LED LIGHTING			
	12,8 W CRI>90		
	3000 K – 1600 NOMINAL LM		
ON REQUEST			
	12,8 W CRI>90		
	2700 K – 1520 NOMINAL LM		
DIMMABLE			
	1-10V + PUSH		



VOLLEE C4P LN 125		CE	UL
W	125 cm / 49.20"		
D	20 cm / 7.90"		
H MAX	200 cm / 78.70"		
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	1-10V + PUSH		




DISCOVER MORE







SUGGESTED CONFIGURATION FOR C4 G




SUGGESTED CONFIGURATION FOR C 2+2



SUGGESTED CONFIGURATION FOR C5 P




SUGGESTED CONFIGURATION FOR C5 P X4




## SINGLE CANOPIES

### SINGLE CANOPY




SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø	25 cm / 9.80"	● V95 ● V90 ● V99	● V91 + ● V98	VOLLEE S1 P UP/DOWN
H	3 cm / 1.20"			VOLLEE S1 G

### SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø	18 cm / 7.10"	● V95 ● V90 ● V99	● V91	VOLLEE C4 G
H	4 cm / 1.60"			VOLLEE C2+2


### SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø	18 cm / 7.10"	● V95 ● V90 ● V99	● V91	VOLLEE C5 P
H	4 cm / 1.60"			


## MULTIPLE CANOPIES

### LINEAR CANOPY LN 75




SIZE		FINISHINGS	PRODUCT NAME
W	75 cm / 29.50"	● V98	VOLLEE C2G LN 75
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### LINEAR CANOPY LN 125




SIZE		FINISHINGS	PRODUCT NAME
W	125 cm / 49.20"	● V98	VOLLEE C4P LN 125
D	20 cm / 7.90"		
H	4 cm / 1.60"		

### ROUND CANOPY RD 60




SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V98	VOLLEE C4P RD 60
H	4 cm / 1.60"		

### ROUND CANOPY RD 60



SIZE		FINISHINGS	PRODUCT NAME
Ø	60 cm / 23.60"	● V98	VOLLEE C4G RD 60
H	4 cm / 1.60"		

### ROUND CANOPY RD 80



SIZE		FINISHINGS	PRODUCT NAME
Ø	80 cm / 31.50"	● V98	VOLLEE C8P RD 80
H	4 cm / 1.60"		

# Vollee


Painted metal frame.  
LED Lighting.



v95 Matt white



v90 Matt black




v99 Painted matt gold


DISCOVER MORE




VOLLEE S1G		CE	UL
W	52 cm / 20.50"		
D	36 cm / 14.20"		
H	88 cm / 34.60"		
STANDARD INTEGRATED LED LIGHTING			
	7,5 W CRI>90		
	3000 K – 915 NOMINAL LM		
ON REQUEST			
	7,5 W CRI>90		
	2700 K – 869 NOMINAL LM		
DIMMABLE			
	TRIAC		




VOLLEE S1P DOWN		CE	UL
W	25 cm / 9.80"		
D	17,5 cm / 6.90"		
H	44 cm / 17.30"		
STANDARD INTEGRATED LED LIGHTING			
	5,4 W CRI>90		
	3000 K – 688 NOMINAL LM		
ON REQUEST			
	5,4 W CRI>90		
	2700 K – 653 NOMINAL LM		
DIMMABLE			
	TRIAC		




VOLLEE S1P UP		CE	UL
W	25 cm / 9.80"		
D	17,5 cm / 6.90"		
H	44 cm / 17.30"		
STANDARD INTEGRATED LED LIGHTING			
	5,4 W CRI>90		
	3000 K – 688 NOMINAL LM		
ON REQUEST			
	5,4 W CRI>90		
	2700 K – 653 NOMINAL LM		
DIMMABLE			
	TRIAC		




VOLLEE C4G RD 60		CE	UL
ø	96 cm / 37.80"		
H	240 cm / 94.50"		
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	0- 10V		




VOLLEE C4P RD 60		CE	UL
ø	60 cm / 23.60"		
H	200 cm / 78.70"		
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	0- 10V		




VOLLEE C8P RD 80		CE	UL
ø	80 cm / 31.50"		
H	200 cm / 78.70"		
STANDARD INTEGRATED LED LIGHTING			
	52,8 W CRI>90		
	3000 K – 6600 NOMINAL LM		
ON REQUEST			
	52,8 W CRI>90		
	2700 K – 6270 NOMINAL LM		
DIMMABLE			
	0- 10V		




VOLLEE C4 G		CE	UL
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	0- 10V		




VOLLEE C2+2		CE	UL
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	0- 10V		




VOLLEE C5 P		CE	UL
STANDARD INTEGRATED LED LIGHTING			
	31 W CRI>90		
	3000 K – 3900 NOMINAL LM		
ON REQUEST			
	31 W CRI>90		
	2700 K – 3705 NOMINAL LM		
DIMMABLE			
	0- 10V		




VOLLEE C2G LN 75		CE	UL
W	75 cm / 29.50"		
D	20 cm / 7.90"		
H MAX	240 cm / 94.50"		
STANDARD INTEGRATED LED LIGHTING			
	12,8 W CRI>90		
	3000 K – 1600 NOMINAL LM		
ON REQUEST			
	12,8 W CRI>90		
	2700 K – 1520 NOMINAL LM		
DIMMABLE			
	0- 10V		




VOLLEE C4P LN 125		CE	UL
W	125 cm / 49.20"		
D	20 cm / 7.90"		
H MAX	200 cm / 78.70"		
STANDARD INTEGRATED LED LIGHTING			
	25,6 W CRI>90		
	3000 K – 3200 NOMINAL LM		
ON REQUEST			
	25,6 W CRI>90		
	2700 K – 3040 NOMINAL LM		
DIMMABLE			
	0- 10V		




SUGGESTED CONFIGURATION FOR C4 G




SUGGESTED CONFIGURATION FOR C 2+2



SUGGESTED CONFIGURATION FOR C5 P




SUGGESTED CONFIGURATION FOR C5 P X4




SINGLE CANOPIES

SINGLE CANOPY




SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø 25 cm / 9.80"	● V95 ● V90 ● V99	● V91 + ● V98	VOLLEE S1 P UP/DOWN
H 3 cm / 1.20"			VOLLEE S1 G

SINGLE CANOPY



SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø 18 cm / 7.10"	● V95 ● V90 ● V99	● V91	VOLLEE C4 G
H 4 cm / 1.60"			VOLLEE C2+2


SINGLE CANOPY



SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø 18 cm / 7.10"	● V95 ● V90 ● V99	● V91	VOLLEE C5 P
H 4 cm / 1.60"			


MULTIPLE CANOPIES

LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	● V98	VOLLEE C2G LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	● V98	VOLLEE C4P LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

ROUND CANOPY RD 60




SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	● V98	VOLLEE C4P RD 60
H 4 cm / 1.60"		

ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	● V98	VOLLEE C4G RD 60
H 4 cm / 1.60"		

ROUND CANOPY RD 80




SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	● V98	VOLLEE C8P RD 80
H 4 cm / 1.60"		




# Finishings


## VERNICIATURA OPACA MATT PAINTED



v21 Sabbia  
Sand



v35 Rosso Jaipur  
Jaipur red



v51 Celeste  
Pale blue




v70 Cemento  
Concrete



v72 Grigio scuro  
Dark grey



v83 Bronzo  
Bronze




v84 Cioccolato  
Chocolate




v86 Bronzo patinato  
Coated bronze



v90 Nero opaco  
Matt black



v95 Bianco opaco  
Matt white




v99 Oro opaco verniciato  
Painted matt gold

Verificare la disponibilità di ciascuna finitura per specifici articoli.

Availability of each finish to be confirmed for specific items.

## VERNICIATURA GOFFRATA EMBOSSED PAINTED



v98 Bianco gofrato  
Embossed white



v91 Nero gofrato  
Embossed Black

## VERNICIATURA LUCIDA GLOSSY PAINTED



v87 Cioccolato fondente  
Foundant Chocolate

Verificare la disponibilità di ciascuna finitura per specifici articoli.

Availability of each finish to be confirmed for specific items.

# Finishings

## BAGNO GALVANICO GALVANIC BATH




G01 Brunito  
Burnished



G03 Oro lucido  
Shiny gold



G04 Cromo lucido  
Shiny chrome



G05 Oro opaco  
Matt gold




G06 Cromo opaco  
Matt chrome



G07 Nickel spazzolato  
Brushed nickel



G12 Oro spazzolato  
Brushed gold




G14 Ottone brunito  
Burnished brass



G18 Ottone spazzolato  
Brushed brass




G22 Oro  
Pure gold



G23 Nickel scuro  
Dark nickel



G24 Oro rosa  
Rose gold



G25 Rame dorato  
Golden copper



G26 Oro spazzolato  
Brushed pure gold



G27 Nickel scuro spazzolato  
Brushed dark nickel



G28 Oro rosa spazzolato  
Brushed rose gold



G29 Rame spazzolato  
Brushed copper

Verificare la disponibilità di ciascuna finitura per specifici articoli.  
Availability of each finish to be confirmed for specific items.

## DECORAZIONE A FOGLIA LEAF DECORATION



F01 Foglia oro  
Gold leaf



F02 Foglia argento  
Silver leaf



F03 Foglia rame  
Copper leaf



F04 Foglia champagne  
Champagne leaf

## FINITURE LEGNO WOOD FINISHING




W04 Pale oak



W05 Walnut




W06 Grey ayous



W07 Black&silver

## ECOPELLE ECO LEATHER



L02 Ecopelle 2  
Eco Leather 2



L03 Ecopelle 3  
Eco Leather 3

Verificare la disponibilità di ciascuna finitura per specifici articoli.  
Availability of each finish to be confirmed for specific items.



## General informations

<div> <div><span><span></span></span></div> <div><b>CE</b></div> </div>
<span></span>

Attesta la conformità del prodotto alle disposizioni delle Direttive comunitarie.

It certifies the conformity of the products to the European Community provisions.

Konformität des Produktes mit den Richtlinien der europäischen Gemeinschaft.

Certifica la conformidad del producto según las disposiciones de las directivas comunitarias.

Il atteste la conformité du produit aux dispositions des directives communitaires.

НАСТОЯЩИМ ПОДТВЕРЖДАЕТСЯ СООТВЕТСТВИЕ ПРОДУКЦИИ ПОЛОЖЕНИЯМ ДИРЕКТИВ ЕС.

CE 标记是指产品的制造商证明该产品符合适用的EC指令的所有基本要求.

يُشَهِد بمطابقة المنتج لأحكام توجيهات الاتحاد الأوروبي.

<div> <div><span><span></span></span></div> <div><b>ETL</b></div> </div>
<span></span>

Il logo “ETL” si riferisce agli articoli che possono essere modificati con componenti certificati ETL. W'elenco degli articoli ETL si riferisce a prodotti testati e valutati in base agli standard di sicurezza del mercato statunitense. Per il mercato USA fare riferimento al listino dedicato.

“ETL” logos refers to articles which can be modified with ETL-compliance components. The “ETL” listing articles stands for tested and evaluated product to recognised US safety standards. For the US market, refer to the relevant price list.

Das "ETL"-Logo bezieht sich auf Artikel, die mit ETL-zertifizierten Komponenten modifiziert werden können. Die Liste der ETL-Artikel bezieht sich auf Produkte, die nach den Sicherheitsstandards des US-Marktes getestet und bewertet wurden. Für den US-Markt beachten Sie bitte die entsprechende Preisliste.

El logo “ETL” indica los artículos, que pueden modificarse con componentes certificados ETL. La lista de los artículos ETL se refiere a los productos sometidos a prueba y evaluados en función de los estándares de seguridad del mercado estadounidense. Consultar la lista de precios específica para el mercado de los Estados Unidos.

“ETL” logo se réfère aux articles qui peuvent être modifiées par des composants certifiés ETL. la liste des articles ETL se réfère à des produits testés et évalués selon les normes de sécurité du marché américain. Pour le marché américain se référer à la liste des prix.

логотип «ETL» относится к элементам, которые могут быть модифицированы спомощью сертифицированных ETL компонентов. список элементов eTL относится к продукции, протестированной и оцененной в соответствии с признанными стандартами безопасности США. для потребителей Находящихся в США см. соответствующий прайс-лист.

“ETL” 徽标是指可以使用ETL认证的组件进行修改的项目。ETL项目列表是指根据美国市场的安全标准进行测试和评估的产品。 对于美国市场，请参考美国市场价格表。

يشير شعار "ETL" إلى المنتجات التي يمكن تعديلها باستخدام مكونات مُعتمدة من ETL. تشير قائمة منتجات ETL إلى المنتجات التي تم اختبارها وتقييمها وفقًا لمعايير السلامة في السوق الأمريكي. بالنسبة لسوق الولايات المتحدة الأمريكية، يُرجى الرجوع إلى قائمة الأسعار المُخصصة.

<div> <div><span><span></span></span></div> <div><b>CCC</b></div> </div>
<span></span>

CCC sta per China Compulsory Certificate, una certificazione di prodotto obbligatoria richiesta per determinati prodotti destinati al mercato cinese.

CCC stands for China Compulsory Certificate, a mandatory product certification required for certain products meant to the Chinese market.

CCC steht für China Compulsory Certificate, eine obligatorische Produktzertifizierung, die für bestimmte Produkte erforderlich ist, die für den chinesischen Markt bestimmt sind.

CCC significa China Compulsory Certificate, una certificación de producto obbligatoria requerida para ciertos productos destinados al mercado chino.

CCC signifie China Compulsory Certificate, une certification de produit obligatoire requise pour certains produits destinés au marché chinois.

ССС РАСШИФРОВЫВАЕТСЯ КАК CHINA COMPULSORY CERTIFICATE, ОБЯЗАТЕЛЬНАЯ СЕРТИФИКАЦИЯ НЕОБХОДИМАЯ ДЛЯ ОПРЕДЕЛЕННЫХ ПРОДУКТОВ, ПРЕДНАЗНАЧЕННЫХ ДЛЯ ВНУТРЕННЕГО РЫНКА КИТАЯ.

认证的全称为“中国强制性产品认证”，英文名称China Compulsory Certification，英文缩写CCC。这种认证是针对某些面向中国市场的产品所必需的强制性产品认证。

يرمز CCC إلى الشهادة الإلزامية الصينية، وهي شهادة اعتماد منتج إلزامية مطلوبة لبعض المنتجات المخصصة للسوق الصينية.

<div> <div><span><span></span></span></div> <div><b>IECEE</b></div> </div>
<span></span>

Lo schema IECEE CB è un sistema internazionale per w'accettazione reciproca di rapporti di prova e certificati relativi alla sicurezza di componenti, apparecchiature e prodotti elettrici ed elettronici operative e dei prodotti sulla base di un accordo multilaterale tra i paesi partecipanti e gli organismi di certificazione.

IECEE CB is an international system for the mutual acceptance of test reports and certificates of the safety of components, operational electrical and electronic equipment and products on the basis of a multilateral agreement between participating countries and certification bodies.

Das IECEE CB Schema ist ein internationales System zur gegenseitigen Anerkennung von Testberichten und Zertifikaten bezüglich der Sicherheit von Komponenten, betriebsbereite elektrische und elektronische Geräte und Produkte auf der Grundlage eines multilateralen Abkommens zwischen teilnehmenden Ländern und Zertifizierungsstellen.

IECEE CB es un sistema internacional para la aceptación mutua de informes de ensayo y certificados de seguridad de componentes, equipos y productos eléctricos y electrónicos operativos y de productos, sobre la base de un acuerdo multilateral entre los países participantes y los organismos de certificación.

Le système IECEE CB est un système international d'acceptation mutuelle des rapports d'essai et des certificats de sécurité des composants, équipements et produits électriques et électroniques opérationnels et des produits, sur la base d'un accord multilatéral entre les pays participants et les organismes de certification.

СХЕМА ІЕСЕЕ СВ ПРЕДСТАВЛЯЕТ СОБОЙ МЕЖДУНАРОДНУЮ СИСТЕМУ ВЗАИМНОГО ПРИЗНАНИЯ СЕРТИФИКАТОВ И ОТЧЕТОВ ОБ ИСПЫТАНИЯХ, КАСАЮЩИХСЯ БЕЗОПАСНОСТИ ЭЛЕКТРИЧЕСКИХ И ЭЛЕКТРОННЫХ КОМПОНЕНТОВ И ОБОРУДОВАНИЯ, ОСНОВАННУЮ НА МНОГОСТОРОННЕМ СОГЛАШЕНИИ МЕЖДУ СТРАНАМИ-УЧАСТНИЦАМИ И ОРГАНАМИ ПО СЕРТИФИКАЦИИ.

认证是电工产品测试证书互认体系（CB 体系） 是国际电工委员会电工产品合格测试与认证组织。

مخطط IECEE CB هو نظام دولي للقبول المتبادل لتقارير الاختبار والاعتمادات المتعلقة بسلامة المكونات، والمعدات، والمنتجات الكهربائية والإلكترونية التشغيلية والمنتجات بناءً على اتفاقية متعددة الأطراف بين الدول المشاركة وهيئات الاعتماد.

### Im

Flusso luminoso nominale. W'indicazione si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente.

Nominal luminous flux. It refers to the value without any refraction, as declared by the component manufacturer.

Die Masseinheit für den Lichtstrom. Die Angabe bezieht sich auf den Wert in der Abwesenheit von Brechung, wie vom Hersteller der Komponente angegeben.

Flujo luminoso nominal. La indicación se refiere al valor sin refracción, como declarado por el fabricante del componente.

W'unité SI de flux lumineux. W'indication corresponds à la valeur en w'absence de réfraction, comme indiqué par le fabricant du composant.

НОМИНАЛЬНЫЙ СВЕТОВОЙ ПОТОК. УКАЗАНИЕ ОТНОСИТСЯ К ЗНАЧЕНИЮ В ОТСУТСТВИЕ РЕФРАКЦИИ, КАК ЗАЯВЛЕНО П Р О И З В О Д И Т Е Л Е М КОМПОНЕНТОВ.

标称光通量。指示是指组件制造商声明的没有折射的值。

التدفق الضوئي الاسمي.يشير المؤشر إلى القيمة في حالة عدم وجود انكسار للضوء، كما هو مُعلن من قبل الشركة المصنعة للعنصر.

### MASIERO

Masiero si riserva il diritto di apportare ai propri articoli, senza nessun preavviso, qualsiasi modifica ritenesse opportuna.

Masiero reserves the right to introduce any changes to its own products, without notice in advance.

Masiero behalt sich das Recht vor nderungen vorzunehmen, ohne sofortige Benachrichtigung.

Masiero se reserva el derecho de aportar modificaciones consideradas oportunas a sus artículos sin preaviso.

Masiero se réserve le droit d'apporter une quelconque modification à les modèles sans préavis.

КОМПАНИЯ MASIERO ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО БЕЗ ПРЕДВАРИТЕЛЬНОГО УВЕДОМЛЕНИЯ, ЕСЛИ ЭТО БУДЕТ СОЧТЕНО ЦЕЛЕСООБРАЗНЫМ, ВНОСИТЬ В СОБСТВЕННЫЕ МОДЕЛИ ЛЮБЫЕ ИЗМЕНЕНИЯ.

Masiero 保留对其认为适当的任何更改的权利，恕不另行通知。

تحتفظ شركة مازيرو "Masiero" بالحق في إجراء أي تعديلات تراها مناسبة على منتجاتها، دون إشعار مسبق.

ART DIRECTION, DESIGN  
Designwork

LAYOUT  
Masiero

PHOTO, REPRO  
Loris Casonato

DIREZIONE ARTISTICA FOTOGRAFICA, STYLING  
NOOII

PRINT  
Italy, March 2024  
by Grafiche Antiga

Masiero srl

via Peschiere, 53  
31032 Casale sul Sile  
Treviso, Italy  
T +39 0422 7861  
F +39 0422 786250

info@masierogroup.com  
masierogroup.com

Masiero USA LTD

100 Park Avenue  
Suite 1600  
New York, NY 10017  
T +1 212 4666754

sales@masiero-usa.com  
masiero-usa.com

Masiero Shanghai Trading Co., Ltd

2nd Floor, n. 979 Yunhan Road  
Ligang New Area  
Shanghai, China  
91310000MACC5XK63U

sales@masiero-group.cn  
masiero-group.cn

THANKS TO

Alessandra Salaris  
Doimo Salotti  
Miniform  
Saba  
Trabà



